KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	::				(See Instruct	tions on Rev	erse Side))				
= :	en Flor Iiverab				Test Date	: :				No. 15 023-21328-0	0-00		
Company		I EN	NERGY MA	NAGEMENT,	LLC		Lease LAMPE		_		22-33E	Well Nu 3	mber
County	NNE	_	Locat NW-NE	ion E-SE-NW	Section 33	 .	TWP 3S		RNG (E/	W)		Acres A	ttributed
Field CHERR	Y CRE	 EEK			Reservoir NIOBRA					hering Conne	ection KINDER MOR	GAN	
Completic 9/14/201		е			Plug Bac 1554'	k Total Depi	th		Packer S	et at			
Casing S	ize	<u>. </u>	Weigh 17#.	11.6#	Internal E 9-7/8",		Set at 237.	1594	Perfo 137	rations O'	To 1409'		
Tubing Si 2-3/8"	ze		Weigh 4.7#		Internal E 1.995"		Set at 1437		Perfo	rations	То		
Type Con			escribe)		Type Flui	d Production	n		Pump Ur YES	nit or Travelling	Plunger? Yes	/ No	-
	Thru		nulus / Tubin	g)	% C	arbon Dioxi	de		% Nitrog	en	Gas Gr	avity - G	ì,
Vertical D		l)				Pres	sure Taps				(Meter I	Run) (Pi	rover) Size
Pressure	Buildu	o: ·	Shut in	9 2	0 14 at 2	:30 PM	(AM) (PM)	Taken		20	at	(AM) (PM)
Well on L			Started 2/2	02	0 14 at 3	:48 PM	(AM) (PM)	Taken		20	at	(AM) (PM)
							D SURFACE				Duration of Shut-	25	
Static / Dynamic Property	Orific Size (inche	e	Circle one: Meter Prover Pressi psig (Pm)	Pressure Differential in Inches H ₂ 0	Flowing Temperature 1	Well Head Temperature t	Casir Wellhead F (P _w) or (P _t	ressure or (P _c)	Wellhe	ubing ad Pressure (P _t) or (P _c)	Duration (Hours)		d Produced Barrels)
Shut-In			poig (i iii)	1101133 1123			psig	psia	psig	psia			
Flow													
	1			 	1	FLOW STR	EAM ATTRI	BUTES					
Plate Coeffied (F _b) (F Mofd	ient 。)	Pro	Circle one: Meter or over Pressure psia	Press Extension √ P _m x h	Grav Fact F _c	or 7	Flowing Femperature Factor F _{II}	Fa	iation ector e pv	Metered Flow R (Mcfd)	(Cubic Fe Barrel)		Flowing Fluid Gravity G _m
(P _c)² =:		:	(P _w) ² =	:	(OPEN FLO		ERABILITY)	CALCUL - 14.4) +		;	(P _a) (P _d)	² = 0.2 ² =	07
(P _c) ² - (I	_]	(F	P _c) ² - (P _w) ²	Choose formula 1 or 2 1. P _c ² -P _d ² 2. P _c ² -P _d ² divided by: P _c ² -P _d ²	LOG of formula 1. or 2. and divide	P2-P2	Backpres Stope	sure Curve = "n" or gned rd Slope	, n x i	.og []	Antilog	Op Deli Equals	en Flow verability R × Antilog (Mcfd)
												_	
Open Flor	w		L	Mcfd @ 14.	65 psia		Deliverabil	ity	ı	l	Mcfd @ 14.65 psi	! a	
The t	ındersi	gned	d authority, o	n behalf of the	Company, s	tates that h	e is duly aut			,	rt and that he ha		-
the facts si	tated th	nerei	in, and that s	aid report is true			this the 29 eceived PORATION COM		day of A	UGUST		,;	₂₀ <u>14</u> .
			Witness (if any)			0 3 201			For C	отралу		
			For Comm	nission		CONSER	VATION DIVIS			Chec	ked by		

		is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D
is a social of the state of		is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No
(Check one)	(Check	is a coalbed methane producer

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's interested acquire exempt status for the subject well. The form must be signed and dated on the front side as inough it was a verified report of annual test results.