## Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

Type Tes					(See Instructions on Reverse Side				)				•	
= :	en Flo eliveral				Test Date	e:			API	No. 15 119	9-20,777	-000	0	
Company Cobra Oil & Gas Corporat					Lease Lion Jack							Well Nur		
County Location Meade NWSWSESE				Section 27		TWP 31S		RNG (E/W) 29W		Acres Attributed				
Field Hocke	ett	, s	E			Reservoir Chester			Gas Gathering Connection Englewood Corporation					
Completion Date 3 / 2 3 / 8 8					Plug Back Total Depth 5 7 4 3 '				Packer S None					
Casing Size Weight 4-1/2" 11.6#				Internal Diameter 3.995		Set at 5575 !		Perforations 5498 !		то 5545'				
	Tubing Size Weight 2 - 3 / 8" 4 . 7#				Internal Diameter		Set at		Perforations		То			
Type Completion (Describe)					1.995 5505 Type Fluid Production				Pump Unit or Traveling Plunger? Yes / No					
Single Producing Thru (Annulus / Tubing)					% Carbon Dioxide				NO Gàs Gravity - G					
Vertical Depth(H)					Pressure Taps						(Meter F	Run) (Pro	over) Size	
			 ∩ § /	20/201/	1		Lange		20 /21	/201/		000		
Pressure Well on Li											at <u>1 : 10 p</u> at		AM) (PM) AM) (PM)	
						<del></del>					_ <del></del>			
Dynamic Si		rifice		Pressure Differential	Flowing Temperature	Well Head	l Wellhoad Pressure		Tubing Wellhead Pressure		Duration of Shut-	Liquid	Liquid Produced	
				in (h) Inches H <sub>2</sub> 0	t	t			(P <sub>w</sub> ) o	pr (P <sub>t</sub> ) or (P <sub>c</sub> )	(Hours)	(8	(Barrels)	
Shut-In					<del></del>		-	90	-	0	23			
Flow			<del></del>			FLOW STR	REAM ATTR	IBUTES	1			<u> </u>		
Plate Coeffiecient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Circle one: Meter or Prover Pressure psia		Press Gra Extension Fac Š P <sub>m</sub> x H <sub>w</sub> F		vity Flowing Temperature		Deviation Factor F <sub>pv</sub>		Metered Flow R (Mcfd)	GOR (Cubic Feet/ Barrel)		Flowing Fluid Gravity G <sub>m</sub>	
				•	<u> </u>		· · · · · · · · · · · · · · · · · · ·							
(P <sub>c</sub> ) <sup>2</sup> =		_:	(P <sub>w</sub> ) <sup>2</sup> =	· :		OW) (DELIV		') CALCUI <sup>⊃</sup> 。 - 14.4) +		:	(P <sub>a</sub> ) (P <sub>d</sub> )	<sup>2</sup> = 0.20	)7	
		(P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>		hoose formula 1 or 2: 1. $P_c^2 - P_u^2$ 2. $P_c^2 - P_d^2$ vided by: $P_c^2 - P_u^2$	LOG of formula	P <sub>c</sub> <sup>2</sup> -P <sub>*</sub> <sup>2</sup>	Backpress Slope		в	roe	Antilog	Deli Equals	en Flow verability R x Antilog Mcfd	
Open Flow Mcfd @ 14.65				5 psia Deliverability			lity	Mcfd @ 14.65 psia						
					•		-			•	that he has know	Ū		
siated there	em, ar	iu ina			ct. Execute		RECEIV	/ED				, 1	9	
			Witness (if a	iny)						For Co	ompany			
			For Commis	sion				<del>3                                    </del>		Check	ed by		<del> </del>	

CONSERVATION DIVISION WICHITA, KS

:	•
!	\$1\$5.
And the second of the second o	I declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator <u>Cobra Oil &amp; Gas Corporation</u> and that the foregoing information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon gas production records and records of equipment installation and/or of type completion or upon use of the gas well herein named.  I hereby request a permanent exemption from open flow testing for the <u>Jack 1-27</u> gas well on the grounds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No  X is incapable of producing at a daily rate in excess of 150 mcf/D
	Date:09/16/2014
i	Signature: Jomp  Title: Drlg & Prod Asst

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.