

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1091137

Form ACO-4 Form must be typed March 2009

APPLICATION FOR COMMINGLING OF Commingling ID # CO091205 PRODUCTION (K.A.R. 82-3-123) OR FLUIDS (K.A.R. 82-3-123a)

OPERATOR: License # 33343	API No. 1515	-133-27141-00-00	* · · · · · · · · · · · · · · · · · · ·
Name: PostRock Midcontinent Production LLC	Spot Description: _		•
Address 1: Oklahoma Tower .	NE SW SE NW	_ Sec. 1 Twp. 27 S	R. 18 East West
Address 2: 210 Park Ave, Ste 2750	1985	<u>.</u>	South Line of Section
City: OKLAHOMA CITY State: OK Zip: 73102 +	1835	•	/ West Line of Section
Contact Person: CLARK EDWARDS	Sounty: Neosh	_	
Phone: (620) 432-4200		TSE, MARLENE M Well #:	1-1
	*	· · · · · · · · · · · · · · · · · · ·	
1. Name and upper and lower limit of each production interval to	be commingled:		
Formation: SUMMIT	(Perfs):	572-576	
Formation: MULKY	(Perfs):	582-586	.!
Formation: CROWEBURG	(Perfs):	675-678	
Formation: FLEMING	(Perfs).	707-709	<u> </u>
Formation: TEBO	(Perfs):	759-761	•
		1	
2. Estimated amount of fluid production to be commingled from e		Λ	n
Formation: SUMMIT	BOPD: U	MCFPD: 0	BWPD: 0
Formation: MULKY	BOPD: 0	MCFPD: 0	BWPD: 0
Formation: CROWEBURG	BOPD: 0	MCFPD: 0	BWPD: 0
Formation: FLEMING	$\underline{}$ BOPD: $\underline{\underline{0}}$	MCFPD: 0	BWPD: 0
Formation: TEBO	BOPD: 0	MCFPD: U	BWPD: U
 3. Plat map showing the location of the subject well, all other well 			
 Plat map showing the location of the subject well, all other well the subject well, and for each well the names and addresses of 	· · · · · · · · · · · · · · · · · · ·	-	within a 1/2 mile radius of
4. Signed certificate showing service of the application and affida	avit of publication as require	d in K.A.R. 82-3-135a.	
For Commingling of BRODUCTION ONLY include the following.		·	
For Commingling of PRODUCTION ONLY, include the following:		•	* ,
5. Wireline log of subject well. Previously Filed with ACO-1:			
6. Complete Form ACO-1 (Well Completion form) for the subject	well.	, ,	
For Commingling of FLUIDS ONLY, include the following:	•		
7. Well construction diagram of subject well.			
8. Any available water chemistry data demonstrating the compati	bility of the fluids to be com	minaled.	
			9.
AFFIDAVIT: I am the affiant and hereby certify that to the best of my	4		, 4
current information, knowledge and personal belief, this request for com-	S	ubmitted Electronic	allv
mingling is true and proper and I have no information or knowledge, which is inconsistent with the information supplied in this application.			,
KCC Office Use Only	Protests may be filed by an	y party having a valid interest in	the application. Protests must be
☐ Denied			led wihin 15 days of publication of
15-Day Periods Ends: 9/26/2012	• •	,	1

Approved By: Rick Hestermann

POSTROCK



Current Completion

WELL

: Wiltse, Marlene M 1-1

FIELD

: Cherokee Basin

STATE COUNTY

: Kansas


: Neosho

SPUD DATE : 8/30/2007

COMP. Date: 9/4/2007 API: 15-133-27141-00-00

LOCATION: 1-27S-18E (SE,NW)

ELEVATION: 960'




PREPARED BY:	POSTROCK	
APPROVED BY:		

POSTROCK



LEGEND

PostRock



1	Α	В	C	D	E	F	G	Н		J	K
┰┥	Produced Fluids #		1	. 2	3	4	5		_		Click
	Parameters	Units	Input	Input	Input	Input	Input		Click he		Oor
_		Select fluid				0		Mixed brine:	to run SS	SP .	Click
4		by checking			24.492.2			Cell H28 is		,	·
5	Date	the box(es), Row 3	3/19/2012	3/4/2012	3/14/2012	1/20/2012	1/20/2012	STP calc. pH. Cells H35-38		,	Oli ete
<u>6</u> 7	Operator Well Name	NOW 3	PostRock Ward Feed	PostRock Ward Feed	PostRock Clinesmith	PostRock Clinesmith	PostRock Clinesmith	are used in	On al Cook	CCD	Click
8	Location		#34-1	#4-1	#5-4	#1	#2	mixed brines	Goal Seek	35P	 .
9	Field		СВМ	СВМ	Bartles	Bartles	Bartles	calculations.		,	Click
10		(mg/l)*	19,433.00	27,381.00	26,534.00	25689.00	24220.00	24654.20	Initial(BH)	Final(WH)	1
	K⁺ (if not known =0)		17,455.00	27,502.00	20,004.00	20003100	21220.00			<u> </u>	SI/SR (Final-Initis
_	Mg ²⁺	(mg/l)			: 1 222 22	052.00			Saturation Index		(Final-linus
		(mg/l)	1,096.00	872.00	1,200.00	953.00	858.00	995.91		lcite	
13	Ca ²⁺	(mg/l)	1,836.00	2,452.00	2,044.00	1920.00	1948.00	2040.23	-0.73	-0.60	0.13
	Sr ²⁺	(mg/l)						0.00	Ba	rite	
. •	Ba ²⁺	(mg/l)						0.00		L	ļ.,
	Fe ²⁺	(mg/l)	40.00	21.00	18.00	82.00	90.00	50.21	Ha	lite	
•••	Zn ²⁺	(mg/l)						0.00	-1.77	-1.80	-0.03
18	Pb ²⁺	(mg/l)						0.00	Gyj	sum	
19	CI.	(mg/l)	36,299.00	48,965.00	47,874.00	45632.00	43147.00	44388.44	-3.19	-3.18	0.00
20	SO ₄ ²	(mg/l)	1.00	1.00	8.00	1.00	1.00	2.40	Hemil	hydrate	
21	F	(mg/l)						0.00	-3.96	-3.90	0.06
	Br ⁻	(mg/l)						0.00		vdrite	
23	SiO2	(mg/l) SiO2						0.00	-3.47	-3.36	0.12
		(mg/l as HCO3)	190.00	234.00	259.00	268.00	254.00	241.03		estite	1
	CO3 Alkalinity	(mg/l as HCO3)	150.00	2.74.00	237.00	200.00	2.54.00	241.03	CEI		
	Carboxylic acids**							0.00	Inc.	Sulfide	
		(mg/l) NH3						0.00	-0,16	-0.22	-0.06
_		(mg/L) NH3			ļ						+0.06
	Borate	(mg/L) H3BO3						0.00	Zinc	Sulfide	-
_	TDS (Measured)	(mg/l)						72781		_	
	Calc. Density (STP)	(g/ml)	1.038	1.051	1.050	1.048	1.045	1.047	Calcium	fluoride	-
_	CO ₂ Gas Analysis	(%)	19.97	18.76 0.0292	22.41 0.0296	35.53 0.0306	33.79 0.0151	26.16 0.0269	I C	arbonate	┼
_	H ₂ S Gas Analysis*** Total H2Saq	(%) (m2CU2cu)	0.0289	1.00	1.00	1.00	0.0151	0.0269	-0.74	-0.51	0,23
	pH, measured (STP)	(mgH2S/I) pH	1.00 5.67	5.76	5.72	5.54	5.55	5.63		eeded (mg/L)	0.23
	Choose one option	0-CO2%+Alk, 1-pH+Alk,		51,1					Calcite	NTMP	1
35	to calculate S1?		0	0	0	0	0				
_	Gas/day(thousand cf/day)	(Mcf/D)			<u> </u>			0	0.00	0.00	4
37	Oil/Day Water/Day	(B/D)	100	100	100	100	100	500	Barite 0.00	8HPMP 0.00	-
39	For mixed brines, enter val					100	100		0.00	0.00	_
40		ues for tempera	tures and pressi	ires in Cells (H	(4U-H4.5)			(Enter H40-H43)		Н	
	Initial T	ues for tempera (F)	tures and pressu	res in Cells (H	70.0	41.0	49.0	(Enter H40-H43) 60.0	5.69	5.60	-
_						41.0 41.0	49.0 49.0	· · · · · · · · · · · · · · · · · · ·	5.69		-
41	Initial T	(F)	66.0	71.0	70.0			60.0	5.69	5.60	
41 42 43	Initial T Final T Initial P Final P	(F) (F)	66.0 66.0	71.0 71.0	70.0 70.0	41.0	49.0	60.0 89.0	5.69 Viscosity (1.196 Heat Capaci	5.60 CentiPoise) 0.826 ty (cal/ml/°C)	
41 42 43 44	Initial T Final T Initial P Final P Use TP on Calcite sheet?	(F) (F) (psia) (psia) 1-Yes;0-No	66.0 66.0 25.0	71.0 71.0 25.0	70.0 70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0	5.69 Viscosity (1.196 Heat Capaci 0.955	5.60 CentiPoise) 0.826 ty (cal/ml/ ⁰ C) 0.959	
41 42 43 44 45	Initial T Final T Initial P Final P Use TP on Calcite sheet? API Oil Grav.	(F) (F) (psia) (psia) 1-Yes;0-No API grav.	66.0 66.0 25.0	71.0 71.0 25.0	70.0 70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L)	
41 42 43 44 45 46	Initial T Final T Initial P Final P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav.	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav.	66.0 66.0 25.0	71.0 71.0 25.0	70.0 70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne	5.60 CentiPoise) 0.826 ty (cal/ml/ ⁶ C) 0.959 ceded (mg/L) HDTMP	
41 42 43 44 45 46 47	Initial T Final T Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D)	66.0 66.0 25.0	71.0 71.0 25.0	70.0 70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00	5.60 CentiPoise) 0.826 ty (cal/ml/ 0.959 ceded (mg/L) HDTMP 0.00	
41 42 43 44 45 46 47	Initial T Final T Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav.	66.0 66.0 25.0 25.0	71.0 71.0 25.0	70.0 70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48	Initial T Final T Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier	(F) (psia) (psia) (psia) (-Yes;0-No API grav. Sp.Grav. (B/D) (B/D)	66.0 66.0 25.0 25.0	71.0 71.0 25.0	70.0 70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/ 0.959 ceded (mg/L) HDTMP 0.00	
41 42 43 44 45 46 47 48 49	Initial T Final T Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG//Day Conc. Multiplier H* (Strong acid) '	(F) (psia) (psia) (psia) (-Yes;0-No API grav. Sp.Grav. (B/D) (B/D)	66.0 66.0 25.0 25.0	71.0 71.0 25.0	70.0 70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48 49 50	Initial T Final T Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier	(F) (psia) (psia) 1-Yes:0-No API grav. Sp.Grav. (B/D) (B/D) (N)	66.0 66.0 25.0 25.0	71.0 71.0 25.0	70.0 70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48 49 50	Initial T Final T Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) † OH' (Strong base) †	(F) (psia) (psia) 1-Yes:0-No API grav. Sp.Grav. (B/D) (B/D) (N)	66.0 66.0 25.0 25.0	71.0 71.0 25.0	70.0 70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48 49 50 51 52 53	Initial T Final T Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) OH* (Strong base) H; Gas Total H2Saq (STP)	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (B/D) (N) (N) STP:	66.0 66.0 25.0 25.0	71.0 71.0 25.0	70.0 70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48 49 50 51 52 53 54	Initial T Final T Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) ' OH' (Strong base) † Quality Control Checks at H ₁ S Gas Total H2Saq (STP) pH Calculated	(F) (F) (psia) (psia) 1-Yes:0-No API grav. Sp.Grav. (B/D) (N) (N) STP: (%) (mgH2S/I) (pH)	66.0 66.0 25.0 25.0	71.0 71.0 25.0	70.0 70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48 49 50 51 52 53 54	Initial T Final T Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) † OH' (Strong base) † Quality Control Checks at H,S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated	(F) (F) (psia) (psia) 1-Yes:0-No API grav. Sp.Grav. (B/D) (N) (N) (N) STP: (%) (mgH2S/I) (pH) (%)	66.0 66.0 25.0 25.0	71.0 71.0 25.0	70.0 70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48 49 50 51 52 55 55 56	Initial T Final T Initial P Final P Final P Final P Gas Sp. Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) ' OH' (Strong base) ' Quality Control Checks at H ₁ S Gas Total H2Saq (STP) PH Calculated Alkalinity Caclulated	(F) (F) (psia) (psia) 1-Yes:0-No API grav. Sp.Grav. (B/D) (N) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3	66.0 66.0 25.0 25.0	71.0 71.0 25.0	70.0 70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
11 12 13 14 15 16 17 18 19 50 50 50 50 50 50 50 50 50 50 50 50 50	Initial T Final T Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) † OH' (Strong base) † Quality Control Checks at H,S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I)	66.0 66.0 25.0 25.0	71.0 71.0 25.0	70.0 70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48 49 50 51 55 56 57 58 59	Initial T Final T Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Duy MEG/Day Conc. Multiplier H* (Strong acid) ' OH' (Strong base) ' Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Cactulated ECations=	(F) (F) (psia) (psia) 1-Yes:0-No API grav. Sp.Grav. (B/D) (N) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3	66.0 66.0 25.0 25.0	71.0 71.0 25.0	70.0 70.0 25.0	41.0 25.0 25.0	49.0 25.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48 49 50 51 55 56 57 58 59 60 61	Initial T Final T Initial P Final P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) 1 OH* (Strong base) 1 Quality Control Checks at H,S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Cactulated ECations= LAnions= LAnions= LAnions= LAnions= LanionsSection	(F) (F) (psia) (psia) 1-Yes:0-No API grav. Sp.Grav. (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/l) as HCO3 (equiv./l) (equiv./l) (mg/l) Input	66.0 66.0 25.0 25.0 0	71.0 71.0 25.0 25.0	70.0 70.0 25.0 25.0	41.0 25.0 25.0 Unit Converte	49.0 25.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60 0	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite 0.00	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48 49 50 51 55 55 56 57 58 59 60 61 62	Initial T Final T Initial P Final P Final P Final P Final P Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) ' OH (Strong base) ' Quality Control Checks at H ₃ S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Cactulated 2Cations= ZAnions= Calc TDS= Inhibitor Selection Protection Time	(F) (F) (psia) (psia) 1-Yes:0-No API grav. Sp.Grav. (B/D) (N) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I) (equiv./I) (mg/I)	66.0 66.0 25.0 25.0 0	71.0 71.0 25.0 25.0	70.0 70.0 25.0 25.0 Inhibitor NTMP	41.0 25.0 25.0 Unit Converte	49.0 25.0 25.0 25.0 (From metric	60.0 89.0 25.0 120.0 30.00 0.60 0	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite 0.00	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48 49 50 51 52 53 55 56 57 58 60 61 62 63	Initial T Final T Initial P Final P Final P Final P Final P Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) ' OH (Strong base) ' Quality Control Checks at H ₁ S Gas Total H2Saq (STP) pH Calculated Alkalinity Cactulated Alkalinity Cactulated Cations= ZAnions= Calc TDS= Inhibitor Selection Protection Time Have ScaleSoftPitzer	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (N) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I) (equiv./I) (equiv./I) 1100	66.0 66.0 25.0 25.0 0 0	# I	Inhibitor NTMP BHPMP	41.0 25.0 25.0 25.0 Unit Converter From Unit	49.0 25.0 25.0 25.0 (From metric Value 80	60.0 89.0 25.0 120.0 30.00 0.60 0	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite 0.00	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48 49 50 51 52 53 55 55 56 60 61 62 63 64	Initial T Final T Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) * OH (Strong base) * Quality Control Checks at H.)s Gas Total H2Saq (STP) PH Calculated PCO2 Calculated Alkalinity Cactulated Alkalinity Cactulated Cations= LAnions= Lani	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (N) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I) (equiv./I) (equiv./I) 1100	66.0 66.0 25.0 25.0 0	71.0 71.0 25.0 25.0	Inhibitor NTMP BHPMP PAA	41.0 25.0 25.0 25.0 Unit Converte From Unit °C m³	49.0 25.0 25.0 25.0 (From metric Value 80 100	60.0 89.0 25.0 120.0 30.00 0.60 0 0 To Unit °F ft ³	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite 0.00	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 55 60 61 62 63 64 65	Initial T Final T Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) ' OH* (Strong base) ' Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Cactulated PCO2 Calculated Alkalinity Cactulated PCO4 Calculated PCO5 Calculated PCO5 Calculated PCO6 Calculated PCO7 Calculated PCO7 Calculated PCO7 Calculated PCO8 Calculated PCO9 Calculated PCO9 Calculated PCO9 Calculated PCO9 Calculated PCO9 Calculated PCO10 Calculated PCO	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (N) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I) (equiv./I) (equiv./I) 1100	66.0 66.0 25.0 25.0 0 0	## 1 2 3 4	Inhibitor NTMP BHPMP PAA DTPMP	Unit Converte From Unit °C m³ m³	49.0 25.0 25.0 25.0 25.0 25.0 25.0 20.0 20	60.0 89.0 25.0 120.0 30.00 0.60 0 0 To Unit °F ft³ bbl(42 US gal)	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite 0.00 Value 176 3,531 629	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48 49 50 51 52 53 55 55 60 61 62 63 64 65 66	Initial T Final T Initial P Final P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day Conc. Multiplier H' (Strong acid) ' OH' (Strong base) ' Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated Alkalinity Cactulated Alkalinity Cactulated EXALIONS EXALIONS EXALIONS EXALIONS CAIC TDS Inhibitor Selection Protection Time Have ScaleSoftPitzer pick inhibitor for you? If No, inhibitor # is: If you select Mixed,	(F) (F) (psia) (psia) 1-Yes:0-No API grav. Sp.Grav. (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I) (equiv./I) (mg/I) Input 120 1 4	66.0 66.0 25.0 25.0 0 0	# # 1 2 3 4 5 5	Inhibitor NTMP BHPMP PPCA	Unit Converte From Unit C m³ m³ MPa	49.0 25.0 25.0 25.0 25.0 25.0 25.0 25.0 20.0 20	60.0 89.0 25.0 120.0 30.00 0.60 0 0 10 10 10 10 10 10 10 10 10 10 10 1	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite 0.00 Value 176 3,531 629 145,074	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48 49 50 51 52 53 55 55 66 66 66 67	Initial T Final T Initial P Final P Vise TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) * OH* (Strong base) * Quality Control Checks at H,S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Cactulated DCations= CAnions= CAic TDS= Inhibitor Selection Protection Time Have ScaleSoftPitzer pick inhibitor # is: If you select Mixed, 1st inhibitor # is:	(F) (F) (psia) (psia) 1-Yes:0-No API grav. Sp.Grav. (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I) (equiv./I) (mg/I) lnput: 120 1 4	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	# 1 2 3 4 5 6	Inhibitor NTMP BHPMP PAA DTPMP PPCA SPA	Unit Converter From Unit °C m³ MPa Bar	49.0 25.0 25.0 25.0 25.0 25.0 25.0 25.0 20.0 20	60.0 89.0 25.0 120.0 30.00 0.60 0 0 10 10 10 10 10 10 10 10 10 10 10 1	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite 0.00 Value 176 3,531 629 145,074 7,194	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48 49 50 51 52 53 55 56 60 61 62 63 64 65 66 67 68	Initial T Final T Initial P Final P Final P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) † OH' (Strong base) † Quality Control Checks at H,S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Cactulated DCations= CAnions= CAic TDS= Inhibitor Selection Protection Time Have ScaleSoftPitzer pick inhibitor for you? If No, inhibitor # is: If you select Mixed, 1# inhibitor # is: % of 1# inhibitor is:	(F) (F) (psia) (psia) 1-Yes:0-No API grav. Sp.Grav. (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I) (mg/I) Input: 120 1 4	0 66.0 25.0 25.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	# 1 2 3 4 5 5 6 7	Inhibitor NTMP BHPMP PAA DTPMP PPCA SPA HEDP	Unit Converter From Unit C T T T T T T T T T T T T	49.0 25.0 25.0 25.0 25.0 25.0 25.0 25.0 25	60.0 89.0 25.0 120.0 30.00 0.60 0 0 10 10 10 10 10 10 10 10 10 10 10 1	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite 0.00 Value 176 3,531 629 145,074 7,194 193	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	
41 42 43 44 45 46 47 48 49 50 51 55 55 55 57 58 60 61 62 63 64 65 66 67 68 69	Initial T Final T Initial P Final P Vise TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) * OH* (Strong base) * Quality Control Checks at H,S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Cactulated DCations= CAnions= CAic TDS= Inhibitor Selection Protection Time Have ScaleSoftPitzer pick inhibitor # is: If you select Mixed, 1st inhibitor # is:	(F) (F) (psia) (psia) 1-Yes:0-No API grav. Sp.Grav. (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I) (equiv./I) (mg/I) lnput: 120 1 4	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	# 1 2 3 4 5 6	Inhibitor NTMP BHPMP PAA DTPMP PPCA SPA	Unit Converter From Unit °C m³ MPa Bar	49.0 25.0 25.0 25.0 25.0 25.0 25.0 25.0 20.0 20	60.0 89.0 25.0 120.0 30.00 0.60 0 0 10 10 10 10 10 10 10 10 10 10 10 1	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor no Gypsum 0.00 Anhydrite 0.00 Value 176 3,531 629 145,074 7,194	5.60 CentiPoise) 0.826 ty (cal/ml/ ^o C) 0.959 seded (mg/L) HDTMP 0.00 HDTMP	

Saturation Index Calculations

Champion Technologies, Inc. (Based on the Tomson-Oddo Model)

Brine 1: Ward Feed Yard 34-1 **Brine 2:** Ward Feed Yard 4-1

Brine 3: Clinesmith 5-4
Brine 4: Clinesmith 1
Brine 5: Clinesmith 2

	•					
			Ratio			
,	20%	20%	20%	· 20%	20	
Component (mg/L)	Brine 1	Brine 2	Brine 3	Brine 4	Brine 5	Mixed Brine
Calcium	1836	2452	2044	1920	1948	1952
Magnesium	1096	872	1200	953	858	865
Barium	0	0.	0	0	0	0
Strontium	0	0	0	0	, 0	0
Bicarbonate	190	234	259	268	254	253
Sulfate	1	1	8	1	1	1
Chloride	36299	48965	47874	45632	43147	43206
CO₂ in Brine	246	220	264	422	405	401
Ionic Strength	1.12	1.48	1.46	1.38	1.31	1.31
Temperature (°F)	89	89	89	- 89	89	89
Pressure (psia)	50	50	120	120	120	119

Saturation Index

Calcite	-1.71	-1.41	-1.48	-1.68	-1.69	-1.69
Gypsum	-3.71	-3.64	-2.82	-3.73	-3.72	-3.69
Hemihydrate	-3.70	-3.65	-2.83	-3.74	-3.71	3.69
Anhydrite	-3.89	-3.79	-2.97	-3.89	-3.88	-3.85
Barite	N/A	N/A	· N/A	N/A	N/A	N/A
Celestite	N/A	N/A	N/A	N/A	N/A	N/A

PTB

1 10			A 124			
Calcite	N/A	N/A	N/A	N/A	N/A	N/A
Gypsum	N/A	N/A	N/A	N/A	N/A	. N/A
Hemihydrate	N/A	N/A	N/A ·	N/A	N/A	N/A
Anhydrite	N/A	N/A	· N/A	N/A	N/A	N/A
Barite	N/A	N/A	· N/A	N/A	N/A	N/A
Celestite	N/A	N/A	N/A	N/A	·· N/A	N/A

12/27/09

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION WELL COMPLETION FORM WELL HISTORY - DESCRIPTION COMMISSION

ORIGINAL Form ACO-1 September 1999 Form Must Be Typed

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33344	API No. 15 - 133-27141-0000
Name: Quest Cherokee, LLC	County: Neosho
Address: 211 W. 14th Street	
City/State/Zip: Chanute, KS 66720	1985 feet from S (D)(circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC	1835 feet from E (W) (circle ane) Line of Section
Operator Contact Person: Jennifer R. Ammann CONFIDENTIAL	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 431-9500 DEC 2 7 2007	(circle one) NE SE NW SW
Contractor: Name: L&S	Lease Name: Wiltse, Marlene M. Well #: 1-1
License: 33374	Field Name: Cherokee Basin CBM
Wellsite Geologist: Ken Recoy	Producing Formation: multiple
Designate Type of Completion:	Elevation: Ground: 960 Kelly Bushing: n/a
New Well Re-Entry Workover	Total Depth: 1118 Plug Back Total Depth: 1120.6
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 22.5 Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1120.6
Operator:	feet depth to surface w/ 165 sx cmt.
Well Name:	M1 ~ HA 714 - 0
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan ATTN 3-24-05 (Data must be collected from the Reserve Pil)
Deepening Re-perl Conv. to Enhr/SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	·
Other (SWD or Enhr.?) Docket No	Operator Name:
8/30/07 8/31/07 9/4/07	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec TwpS. R Bast West
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs at TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3- nd geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regulate	e the oil and gas industry have been fully complied with and the statements
herein are complete and correct to the best of my knowledge.	
Signature: Gunger K. Amnann	KCC Office Use ONLY
Title: New Well Development Coordinator Date: 12/27/07	Letter of Confidentiality Received
a Little	∆ T . / If Denied, Yes □ Date:
	Wireline Log Received KANSAS CORPORATION COMMISSION
20.07	Geologist Report Received
Notary Public: Device Klauman	UIC Distribution DEC 2 8 2007
Date Commission Expires: 8-4-2010 TERR	A KLAUMAN CONSERVATION DIVISION WICHITA KS
My Appt. Expires	8-4-2010

CONFIDENTIAL

sted, time tool open a mperature, fluid recov		nd base of formations p	nonatrated Dat	-3 -0 D			11 -
	ery, and flow rates	and shut-in pressures if gas to surface test, nat geological well site	, whether shut-in along with final	n pressure reached	static level, hydr	ostatic pressure	es, bottom hole
rill Stern Tests Taken (Attach Additional She	egts)	Yes No		√Log Format	ion (Top), Depth	and Datum	Sample
amples Sent to Geolog	•	☐ Yes ☐ No		Name Son attached		Тор	Datum
ores Taken lectric Log Run (Submit Copy)		☐ Yes ☐ No ☐ Yes ☐ No		See attached			
st All E. Logs Run:	•		.				RECEIVED ORPORATION COMMI
Compensated E	•	ron Log		• •	• 2	D	EC 28 2007
		``			- -	COI	NSERVATION DIVISION WICHITA, KS
,	•		_	New Used	ction etc	•	
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4	8-5/8"	22	22.5	*A*	5	Additives
Production	6-3/4	4-1/2	10.5	1120.6	"A"	165	
							,
		ADDITIONA	L CEMENTING	SOUEEZE RECOR	D		
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Use	d .	Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone							,
Shots Per Foot		ON RECORD - Bridge Pli Footage of Each Interval P			acture, Shot, Ceme		d .
97	76-979	,		500gst 15%HCLw/ 51 t	tils 27kkel weter, 446btts wet	r w 2% KCL, Blocks, 5500	2040 sens 976-979
						•	
80	08-810/759-761/7	07-709/675-678	-	400gal 15%HCLw/ 50 p	itts 216kd weter, 846kbb wes	w 2% KCL, Biocide, 6400	20/40 mans 808-810/759-7
							707-709/675-6
58	32-586/572-576			300gel 15%HCLw/ 49 b	chi 21Uzi weter, 640zzio wala	r w 2% KCL, Blocks, 4800	9 2040 cand - 582-588/572-5
TUBING RECORD weltin	Size ng on pipeline	Set At	Packer At	Liner Run ,	☐ Yes ☐ N	60 <u>.</u>	
Date of First, Resumerd P		nhr. Producing M		lowing Pump	oing ☐ Gas L	.ift Dthe	er (Explain)
Estimated Production Per 24 Hours	Oil	Bbis. Ges	Mcf	Water	Bbls.	Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF C	COMPLETION		Production Inte	erval	 	

Resource Corporation

Ravin 4613

CONFIDENTIAL

211 W. 14TH STREET, SSI 62395RC 27 2007 TICKET NUMBER 2178


211 W. 141H STHEET, 33 CHANUTE, KS 66720

620-431-9500 APT 15-133 27141 KCC FIELD TICKET REF#

FOREMAN Duny Me

TREATMENT REPORT & FIELD TICKET CEMENT

DATE			IAME & NUMBER			SECTION	TOWNSHIP	RAN	3E COUNTY
9-4-07	Wilts	e Mai	Hene W	1-/		/	27	18	10
FOREMAN / OPERATOR	TIME	TIME	LESS LUNCH	TRUCK #		TRAILER	TRUC		EMPLOYEE SIGNATURE
Dugyne	7:00	1200	No	901640			5	10	Cupup
Keuin	7:00	12:00		931305	-	732885	5	7,	V/- 200
7.000	7,00		1 /	737300					Kum par
			 				 		
			 				 		
		<u> </u>	<u> </u>	<u> </u>			<u> </u>		
CASING DEPTH #	<u>/9,6 </u>	PIPE Y VOL	TI	OLE DEPTH JBING /ATER gal/sk IIX PSI		OTHE	R NT LEFT in	CASING	
REMARKS: .			•						
KeD	lay well	Sev.	Ro	e Ment	_ (and ce	Mentea	1 +	4.5 Well
WITH	165 50	cK5_ (Juic C	ement !		· · · · · · · · · · · · · · · · · · ·			
		· <u> </u>		· · · · · · · · · · · · · · · · · · ·					
									_
				·					
							- :		
		·							
\	1119	()	4 =	Casing			- i		
	- 777		9 =	Centraliz	e,,	۲			
	1		4/5	Flog + 5					
ACCOUNT CODE	QUANTITY or L	INITS		DESCRIPTION OF SE			 : т		TOTAL
901640	5	A P FO	reman Pickup				<u> </u>		AMOUNT
10/ 070			ment Pump Truck				: -		
			ik Truck	_ 			· :		
1104		Po	rtland Cement				· 		
1124	/			4-		wifer	Plug		
1126			VC - Blend Cemer	nt					
1110		Gil	sonite						
1107		Fic	-Seal					R	CEIVED
1118			emium Gel			:	KAN	SAS COR	PORATION COMMISSIO
1215A		KC					<u> </u>	-nec	2 8 2007
1111B			dlum Silicate					שבו	. E D 2001
1123	<u> </u>		y Water ·	· · · · · · · · · · · · · · · · · · ·					RVATION DIVISIE?
931305			Insport Truck						Anchitis
932 885			Insport Trailer				_ 		
		80	Vac						'



KGS STATUS

- ♦ DA/PA
- ⊕ EOR
- ☆ GAS
- Δ INJ/SWD
- OIL
- * OIL/GAS
- OTHER

Wiltse, Marlene M 1-1 1-27S-18E 1" = 1,000'

AFFIDAVIT

STATE OF KANSAS

SS.

County of Sedgwick

Mark Fletchall, of lawful age, being first duly sworn, deposeth and saith: That he is Record Clerk of The Wichita Eagle, a daily newspaper published in the City of Wichita, County of Sedgwick, State of Kansas, and having a general paid circulation on a daily basis in said County, which said newspaper has been continuously and uninterruptedly published in said County for more than one year prior to the first publication of the notice hereinafter mentioned, and which said newspaper has been entered as second class mail matter at the United States Post Office in Wichita, Kansas, and which said newspaper is not a trade, religious or fraternal publication and that a notice of a true copy is hereto attached was published in the regular and entire Morning issue of said The Wichita Eagle for _1_ issues, that the first publication of said notice was

made as aforesaid on the 27th of

August A.D. 2012, with

subsequent publications being made on the following dates:

And affiant further says that he has personal knowledge of the statements above set forth and that they are truc.

Fletchall

Subscribed and sworn to before me this

27th day of August, 2012

PENNY L Notary Public My Appt. Expires

Notary Public Sedgwick County, Kansas

Printer's Fee: \$139.60

LEGAL PUBLICATION

PUBLISHED IN THE WICHTA EAGLE
AUGUST 27, 2012 (2020/0)
BEFORE THE STATE CORPORATION
COMMISSION:
OF THE STATE OF KANSAS
NOTICE OF FILING APPLICATION
RE In the Malter of Postrock Modernine
Production: LLC: Application: in Correlinging of Production in the Williams Martene M 1-1: localed in Neosbo Count
Karisas.

Marten m. 11 moures in reconst.

Kanas.
TO: All Oil & Gas Producers, Unlessed Mineral Inferest: Owners, Landowners, and all persons whomever concerned:

You, and each of you, are hereby notified that Pestrock Middownthem Production, LLC has fied an application to commingle the Summit, Multiv, Crowebors, Permins, Tebo, Wdr., Riverton and Bartlesville producing formations at the Willse, Martens, M. 1.1/located in the SENW 51-72/5-R18E, Approximately 1985 FNL & 1835 FWL, Neesho County, Kanass.

M 1-1, located in the SENW ST-1725-RIBE, Approximately 1985 FNL-8-1835 FWL No. 1725-RIBE, Approximately 1985 FNL-8-1835 FWL No. Newsho County Kansas.

Any persons who object lot or protest this reportion in shall be redured to file their object lons or protest with the Conservation. Division of the State Corporation Commission of the State of Kansas within fifteen (15) days from the date of this publication. These protests shall be filed pursuant to Commission regulations and must state specific reasons why granting the application may cause waste, violate correlative rights or pollute the natural resources of the State of Kansas.

All persons interested or concerned shall take notice of the foregoing and shall sovern themselves accordingly. All person and or companies withing to protest this application are recurred to file a written grotest with the Conservation. Division of the Kansas Oll, and Ges Commission. Will convenie a hearing and professions will convenie a hearing and profession will

BEFORE THE STATE CORPORATION COMMISSION OF THE STATE OF KANSAS NOTICE OF FILING APPLICATION

RE: In the Matter of Postrock Midcontinent Production, LLC Application for Commingling of Production in the Wiltse, Marlene M 1-1 located in Neosho County, Kansas.

TO: All Oil & Gas Producers, Unleased Mineral Interest Owners, Landowners, and all persons whomever concerned.

You, and each of you, are hereby notified that Postrock Midcontinent Production, LLC has filed an application to commingle the Summit, Mulky, Croweburg, Fleming, Tebo, Welr, Riverton and Bartlesville producing formations at the Wiltse, Marlene M 1-1, located in the SENW S1-T27S-R18E, Approximately 1985 FNL & 1835 FWL, Neosho County, Kansas.

Any persons who object to or protest this application shall be required to file their objections or protest with the Conservation Division of the State Corporation Commission of the State of Kansas within fifteen (15) days from the date of this publication. These protests shall be filed pursuant to Commission regulations and must state specific reasons why granting the application may cause waste, violate correlative rights or pollute the natural resources of the State of Kansas.

All persons interested or concerned shall take notice of the foregoing and shall govern themselves accordingly. All person and/or companies wishing to protest this application are required to file a written protest with the Conservation Division of the Kansas Oil and Gas Commission.

Upon the receipt of any protest, the Commission will convene a hearing and protestants will be expected to enter an appearance either through proper legal counsel or as individuals, appearing on their own behalf.

Postrock Midcontinent Production, LLC 210 Park Avenue, Suite 2750 Oklahoma City, Oklahoma 73102 (405) 660-7704

A COPY OF THE AFFIDAVIT OF PUBLICATION MUST ACCOM-PANY ALL APPLICATIONS

Affidavit of Publication &

STATE OF KANSAS, NEOSHO COUNTY, ss: Rhonda Howerter, being first duly sworn, deposes and says: That she is Classified Manager of THE CHANUTE TRIBUNE, a daily newspaper printed in the State of Kansas, and published in and of general circulation in Neosho County, Kansas, with a general paid circulation on a daily basis in Neosho County, Kansas, and that said newspaper is not a trade, religious or fraternal publication.

Said newspaper is a daily published at least weekly 50 times a year: has been so published continuously and uninterruptedly in said county and state for a period of more than five years prior to the first publication of said notice; and has been admitted at the post office of Chanute, in said county as second class matter.

That the attached notice is a true copy thereof and was published in the regular and entire issue of said newspaper for
, 2012, 2012
, 2012, 2012
Phonda Howerto
Subscribed and sworn to and before me this
2 Iday of August 2019
Noter Public
My commission expires: January 9, 2015
Printer's Fee
Affidavit, Notary's Fee\$ 3.00
Additional Copies\$
Total Publication Fees \$ 73, 14



WILTSE, MARLENE M 1-1

1 NAME & UPPE	R & LOWER LIMIT OF EACH	PRODUCTIO	ON INTERVAL TO BE	COMMING	LED			
FORMATION:	WEIR		(PERFS):	808 -	810			
FORMATION:	RIVERTON		(PERFS):	976 -	979			
FORMATION:	BARTLESVILLE		(PERFS):	1096 -	1108			
FORMATION:			(PERFS):					
FORMATION:			(PERFS):					
FORMATION:			(PERFS):					
FORMATION:			(PERFS):					
FORMATION:			(PERFS):					
FORMATION:			(PERFS):					
FORMATION:			(PERFS):					
FORMATION:			(PERFS):					
FORMATION:			(PERFS):					
2 ESTIMATED AN FORMATION:	MOUNT OF FLUID PRODUCT WEIR	ION TO BE (COMMINGLED FROM BOPD:	1 EACH INT 0	ERVAL MCFPD:	0	BWPD:	0
FORMATION:	RIVERTON		BOPD:	0	MCFPD:	. 0	BWPD:	0
FORMATION:	BARTLESVILLE		BOPD:	3	MCFPD:	0	BWPD:	20
FORMATION:		0	BOPD:		MCFPD:		BWPD:	
FORMATION:		0	BOPD:		MCFPD:		BWPD:	
FORMATION:		0	BOPD:		MCFPD:		BWPD:	
FORMATION:		0 .	BOPD:		MCFPD:		BWPD:	
FORMATION:		0	BOPD:		MCFPD:		BWPD:	
FORMATION:		0	BOPD:		MCFPD:		BWPD:	
FORMATION:		0	BOPD:		MCFPD:		BWPD:	
FORMATION:		0	BOPD:		MCFPD:		BWPD:	
FORMATION:		0	BOPD:		MCFPD:		BWPD:	

set Operators, Unlease ach additional sheets if ne		and Landowner	rs acreage			•		
	Name:				Legal Descrip	tion of Leasehold:		
E ATTACHED	· · · · · · · · · · · · · · · · · · ·	- ·		<u> </u>				-
	<u> </u>					·		
								_
		<u> </u>						
	 				<u> </u>	· · · · · · · · · · · · · · · · · · ·	<u>.</u>	
-				· · · · · · · · · · · · · · · · · · ·				
			<u> </u>	·····	•			
	 							
	·						· · · · · · · · · · · · · · · · · · ·	_
						,		
				\				
aby certify that the statem					· 			
			Applicant	or Duly Athorized	A L	Mon		
SEAL MY C	ENNIFER R. BEAL OMMISSION EXPIRES 20 - 2014		nd sworn before n	Juniter	Agent SEPTEME Republic	Pron Beal 20,20	2012	
SEAL MYC	OMMISSION EXPIRES 20-2014	s	nd sworn before n Notary By My Comm	me this 1 th	SEPTEME PL	Beal) - 20, 20,		
SEAL MY C	OMMISSION EXPIRES 20-2014	s	nd sworn before n Notary By My Comm	me this 1 th	SEPTEME PL	Beal) - 20, 20,		
SEAL MY C	OMMISSION EXPIRES 20-2014	s	nd sworn before n Notary By My Comm	me this 1 th	SEPTEME PL	Beal) - 20, 20,		
SEAL MY C	OMMISSION EXPIRES 20 - 2014	s	Notary By My Comm	me this 1 th	R L	Seal) - 20, 20,	<i>W</i>	
SEAL MY C	OMMISSION EXPIRES 20 - 2014	s	Notary By My Comm	me this 1th	BEPTEME Party	Seal) - 20, 20,	<i>W</i>	
SEAL MY C	OMMISSION EXPIRES 20 - 2014	s	Notary P	me this 1th	BEPTEME Puly	Beal) - 20, 20,	16	
SEAL MY C	OMMISSION EXPIRES 20 - 2014	s	Notary P	me this 1th	BEPTEME Puly	Beal) - 20, 20,	16	
SEAL MY C	OMMISSION EXPIRES 20 - 2014	s	Notary By My Comm	me this 1th	BEPTEME Party	Seal) - 20, 20,	<i>W</i>	
SEAL MY C	OMMISSION EXPIRES 20 - 2014	s	Notary P	me this 1th	BEPTEME Party	Beal) - 20, 20,	<i>W</i>	
SEAL MY C	OMMISSION EXPIRES 20 - 2014	s	Notary P	me this 1th	BEPTEME Party	Beal) - 20, 20,	<i>1</i> 0	
SEAL MY C	OMMISSION EXPIRES	s	Notary P	me this 1th	BEPTEME Puly	Beal) - 20, 20,	<i>W</i>	
SEAL MY C	OMMISSION EXPIRES 20 - 2014	s	Notary Py My Comm	me this 1th	BEPTEME Puly	Beal) - 20, 20,	<i>W</i>	
SEAL MY C	OMMISSION EXPIRES 20 - 2014	s	Notary P	me this 1th	BEPTEME Puly	Beal) - 20, 20,	<i>W</i>	

1-27S-18E

Notes

Tract In NW4

Thomas L and Sandra J Barnes

6.08 acres

24760 Harper Rd Humboldt, KS 66748

N2 NE4

Lot 1 & 2 less tract

81.49 acres

Robert W Frederick and Valerie Frederick

acres 8745 250th Rd

Humboldt, KS 66748

N2S2NE4 & tract

Bert L Cole and Anna E Cole

40.7 acres

24645 Irving Rd Humboldt, KS 66748

S2S2NE4

David R Gormley 24525 Irving Rd Humboldt, KS 66748

N2SE4

Jack G Braden and Charlene M Braden, Trustees

80 acres

24385 Irving Rd Humboldt, KS 66748

S2SE4 less tract

Phillips Living Trust 315 N Garfield Chanute, KS 66720

SE4SW4

Cynthia Audiss 8450 240th Rd Chanute, KS 66720

N2SW4

William Shane Wolverton and Lisa M Wolverton

24130 Harper Road Humboldt, KS 66748

tract in N2SW4

Craig & Sheryl Bagshaw 24700 Douglas Rd Chanute, KS 66720

NE4SW4

less N 100 feet

Darrell E Wiltse 24630 Harper Road Chanute, KS 66720

2-27S-18E

2 NE4 NE4 less tract

(portion)

Mark A. Chapman PO Box 450 Sealy, TX 77474

SE4NE4 & NE4SE4 less tracts

Raymond L & Mary C Hull % Charles A & Kathy Ross 7775 250TH RD

7775 2501H RD Humboldt, KS 66748

tract in NE4 SE4

Travis W. Barnett 7980 243rd Rd Chanute, KS 66720

36-26S-18E

SVV4

Dale E & Mary J Daniels 1711 Connecticut Humboldt, KS 66748

SE/4

Harold Whitaker 266 2000 St Humboldt, KS 66748

LEGAL LOCATION	SPOT	CURR_OPERA
S1-T27S-R18E	N2 NE NW	B & D Operating
S1-T27S-R18E	NW NW NE NW	B & D Operating
S1-T27S-R18E	SE NW NW SE	Damson Oil Corporation
S1-T27S-R18E	SW NE NW SE	Damson Oil Corporation
S1-T27S-R18E	NW NE NW SE	Damson Oil Corporation
S2-T27S-R18E	SE NE SE NE	Damson Oil Corporation
S2-T27S-R18E	SE NE SE NE	Damson Oil Corporation
S1-T27S-R18E	N2 NE NW	Damson Oil Corporation
S1-T27S-R18E	E2 W2 E2 W2	Damson Oil Corporation
S1-T27S-R18E	NE NW NE SW	Damson Oil Corporation
S1-T27S-R18E	NE NW NE SW	Damson Oil Corporation
S1-T27S-R18E	SE SE SE NW	Damson Oil Corporation
S1-T27S-R18E	NE NE NW	Leedy Oil Producers
S1-T27S-R18E	SW NE NW	Leedy Oil Producers
S1-T27S-R18E	SE NE NW	Leedy Oil Producers
S1-T27S-R18E	NE NE NE SW	McConathy Production Co., Inc.
S1-T27S-R18E	SW NW SW SE	Parker and Parsley Development L.P.
S1-T27S-R18E	NW NW NW SE	Parker and Parsley Development L.P.
S1-T27S-R18E	NW NW NW SE	Parker and Parsley Development L.P.
S1-T27S-R18E	SE SW NW SE	Parker and Parsley Development L.P.
S1-T27S-R18E	SW NW NW SE	Parker and Parsley Development L.P.
S1-T27S-R18E	NE SW SW NW	Parker and Parsley Development L.P.
S1-T27S-R18E	SE SW SW NW	Parker and Parsley Development L.P.
S1-T27S-R18E	SW NW SW NW	Parker and Parsley Development L.P.
S1-T27S-R18E	NE NW SW NW	Parker and Parsley Development L.P.
S1-T27S-R18E	SE NW SW NW	Parker and Parsley Development L.P.
S1-T27S-R18E	NE SW SW NW	Parker and Parsley Development L.P.
S1-T27S-R18E	NW NW NE NW	Parker and Parsley Development L.P.
S1-T27S-R18E	SW NW SW NW	Parker and Parsley Development L.P.
S1-T27S-R18E	NW SW SW NW	Parker and Parsley Development L.P.
S1-T27S-R18E	NW SE SW NW	Parker and Parsley Development L.P.
S2-T27S-R18E	NE NE SE NE	Parker and Parsley Development L.P.
S2-T27S-R18E	NW NE SE NE	Parker and Parsley Development L.P.
S2-T27S-R18E	NE NE SE NE	Parker and Parsley Development L.P.
S2-T27S-R18E	NW NE SE NE	Parker and Parsley Development L.P.
S1-T27S-R18E	SW SE SE NW	Parker and Parsley Development L.P.
S1-T27S-R18E	SE NE NE SW	Parker and Parsley Development L.P.
S1-T27S-R18E	NE SW SE NW	Parker and Parsley Development L.P.
S1-T27S-R18E	NE NE NE SW	Parker and Parsley Development L.P.
S1-T27S-R18E	NW NW NE SW	Parker and Parsley Development L.P.
S1-T27S-R18E	NW SE NE	Willis Energy

L			
Affidavit of Notice Served			
Re: Application for: APPLICATION FOR COMMINGLING OF PRODUCTION OR FLUIDS ACO-4			
Well Name: WILTSE, MARLENE M 1-1	Legal Location: SENW S1-T27S-R18E		
The undersigned hereby certificates that he / she is a duly authorized agent for the applicant, and that on the day			
, a true and correct copy of the application referenced above was delivered or mailed to the following parties:			
Note: A copy of this affidavit must be served as a part of the application.			
Name	Address (Attach additional sheets if necessary)		
B & D OPERATING	102 N CENTRAL, CHANUTE, KS 66720		
DAMSON OIL CORPORATION	9400 NORTH BROADWAY STE 640, OKLAHOMA CITY, OK 73114		
LEEDY OIL PRODUCERS	214 N HIGHLAND, CHANUTE, KS 66720		
MCCONATHY PRODUCTION CO INC	509 MARKET ST - 200 UNITED MERCANTILE BLDG, SHREVEPORT, LA 71101		
PARKER AND PARSLEY DEVELOPMENT LP	14000 QUAIL SPGS PKWY STE 5000, OKLAHOMA CITY, OK 73134		
WILLIS ENERGY	RR2 BOX 255, NEODESHA, KS 66757		
SEE ATTACHED			
I further attest that notice of the filing of this application was published in the <u>THE</u>	CHANUTE TRIBUNE, the official county publication		
of NEOSHO cour	nty. A copy of the affidavit of this publication is attached.		
Signed this day of SEPTEMBER 2012	ent or Duly Authorized Agent		
Subscribed and sworn to before	a me this day ofSEPTEMBER		
JENNIFER R. BEAL OFFICIAL MY COMMISSION EXPIRES Notary 7-20-2014 My Co	Public Bull Bull and Augustin Expires: July 20, 2016		

Ę

1-27S-18E

Notes

Tract in NW4

Thomas L and Sandra J Barnes

6.08 acres

24760 Harper Rd Humboldt, KS 66748

N2 NE4

Lot 1 & 2 less tract

Robert W Frederick and Valerie Frederick

81.49 acres

8745 250th Rd Humboldt, KS 66748

N2S2NE4 & tract

Bert L Cole and Anna E Cole

40.7 acres

24645 Irving Rd Humboldt, KS 66748

S2S2NE4

David R Gormley 24525 Irving Rd Humboldt, KS 66748

N2SE4

Jack G Braden and Charlene M Braden, Trustees

80 acres

24385 Irving Rd Humboldt, KS 66748

S2SE4 less tract

Phillips Living Trust 315 N Garfield Chanute, KS 66720

SE4SW4

Cynthia Audiss 8450 240th Rd Chanute, KS 66720

N2SW4

William Shane Wolverton and Lisa M Wolverton

24130 Harper Road Humboldt, KS 66748

tract in N2SW4

Craig & Sheryl Bagshaw 24700 Douglas Rd Chanute, KS 66720

NE4SW4 less N 100 feet

Darrell E Wiltse 24630 Harper Road Chanute, KS 66720

2-27S-18E

2 NE4 NE4 less tract

(portion)

Mark A. Chapman PO Box 450 Sealy, TX 77474

SE4NE 4 & NE4SE4 less tracts

Raymond L & Mary C Hull % Charles A & Kathy Ross 7775 250TH RD Humboldt, KS 66748

tr act in NE4 SE4

Travis W. Barnett 7980 243rd Rd Chanute, KS 66720

36-26S-18E

31.V4

Dale E & Mary J Daniels 1711 Connecticut Humboldt, KS 66748

E/4

Harold Whitaker 266 2000 St Humboldt, KS 66748 Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

September 26, 2012

Clark Edwards
PostRock Midcontinent Production LLC
Oklahoma Tower
210 Park Ave, Ste 2750
Oklahoma City, OK 73102

RE: Approved Commingling CO091205

Wiltse, Marlene M. 1-1, Sec. 1-T27S-R18E, Neosho County

API No. 15-133-27141-00-00

Dear Mr. Edwards:

Your Application for Commingling (ACO-4) for the above described well, received by the KCC on September 12, 2012, has been reviewed and approved by the Kansas Corporation Commission (KCC) per K.A.R. 82-3-123. Notice was examined and found to be proper per K.A.R. 82-3-135a. No protest had been filed within the 15-day protest period.

Based upon the depth of the Bartlesville formation perforations, total oil production shall not exceed 100 BOPD and total gas production shall not exceed 50% of the absolute open flow (AOF).

File form ACO-1 upon re-completion of the well to commingle.

Commingling ID number CO091205 has been assigned to this approved application. Use this number for well completion reports (ACO-1) and other correspondence that may concern this approved commingling.

Sincerely,

Rick Hestermann Production Department