

Sept 29 2014

Side Two

CONSERVATION DIVISION
WICHITA, KS

Operator Name: Laymon Oil II LLC Lease Name: Marion Jones Well #: 18-10
Sec. 21 Twp. 24 S. R. 16 East West County: Woodson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	See attached log	
Electric Log Run	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Electric Log Submitted Electronically <i>(If no, Submit Copy)</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No		

List All E. Logs Run:
Gamma Ray Neutron

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10 1/4"	8 5/8"	24#	40	common	10	
Production	6 1/8"	2 7/8"	6.8#	1085	portland	160	
Tubing		1"	1.8#	1020			

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
2	976 to 985	200 gal HCL acid frac w / 60 sacks sand	976-1036
2	1026 to 1036		

RECEIVED
NOV 22 2010
KCC WICHITA

TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or ENHR. 10-03-2010	Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls. 2	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i> <input type="checkbox"/> Other (Specify)	PRODUCTION INTERVAL: _____ _____
---	--	--

Laymon Oil II LLC
1998 Squirrel Rd
Neosho Falls, KS 66758

620-963-2495

fax 620-963-2921

Lease : Marion Jones Well # 18-10
API: 15-207-27706-00-00
Spud date: 09-20-2010
Completion date: 09-22-2010
~~21~~-24-16 Woodson County

Formation	From	To
Soil	0	17
Shale	17	120
Lime	120	210
Shale	210	225
Lime	225	420
Shale	420	480
Lime	480	570
Black Shale	570	575
Lime	575	615
Shale	615	810
Lime	810	820
Shale	820	880
Lime	880	890
Black Shale	890	893
Lime	893	920
Shale	920	930
Lime	930	940
Shale	940	951
Lime	951	958
Shale	958	969
5' Lime	969	975
Black Shale	975	977
Upper Squirrel Sand	977	987
Shale	987	1016
Cap Rock	1016	1017
Shale	1017	1021
Cap Rock	1021	1022
Lower Squirrel Sand	1022	1030
Shale	1030	1100

Total Depth 1100

Set 40' of 8 5/8" surface, cemented w/ 10 sacks
Ran 1085' of 2 7/8" pipe
Seat nipple @ 1030

RECEIVED
KANSAS CORPORATION COMMISSION

Sept 29 2014

CONSERVATION DIVISION
WICHITA, KS

RECEIVED
NOV 22 2010

KCC WICHITA

THE NEW KLEIN LUMBER

P.O. BOX 805
 IOLA, KS 66749
 (620) 365-2201
 (620) 365-7542

ACCOUNT STATEMENT

TO:
 LAYMON OIL
 1998 SQUIRREL RD
 NEOSHO FALLS KS 66758

ACCOUNT NO. 3447
DATE 5/05/10
TERMS

AMOUNT ENCLOSED

DATE	DESCRIPTION	CHARGES	CREDITS	BALANCE
5/05/10	100 PORTLAND CEMENT	945.00		945.00
	M. Jones 14-10 10 bks			
	M. Jones 15-10 10 bks			
	M. Jones 16-10 10 sacks			
	M. Jones 17-10 10 sacks			
	M. Jones 18-10 10 bks			

RECEIVED
 NOV 22 2010
 KCC WICHITA

\$945.00
TOTAL DUE

MAKE CHECKS PAYABLE TO:

THE NEW KLEIN LUMBER
 P.O. BOX 805
 IOLA, KS 66749

THANK YOU FOR YOUR BUSINESS!

RECEIVED
 KANSAS CORPORATION COMMISSION

9-29 2014

CONSERVATION DIVISION
 WICHITA, KS

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SENT TO:

SHIP TO:

L0005
LAYMON OIL, L.L.C.
1998 SQUIRREL RD.

LA1/22
LAYMON OIL
54 W TO QUAIL N 5 MI TO 160TH
E 1/2 MI N 9D

NEOSHO FALLS KS
66758

YATES CENTER, KS 66783

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	PLANT/TRANSACTION #
02:24:24p	WELL	8.00 yd	15.00 yd	0.00	DM 34	
DATE		LOAD #	YARDS DEL	BATCH#	WATER TRIM	TICKET NUMBER
09-22-10	To Date	11	88.00 yd			
	Today	1	8.00 yd	14302	4.00 in	27529

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By

GAL X

WEIGHMASTER

Manion Jones #18-10

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X *PIKE*

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.
The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.
Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.
A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.
Excess Delay Time Charged @ \$50HR.

PROPERTY DAMAGE RELEASE
(To be signed if delivery to be made inside curb line)
Dear Customer: The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in the load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not flow the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
SIGNED
X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL: (10 SACKS PER UNIT)	76.00	608.00
2.00	TRUCKING	TRUCKING CHARGE	50.00	100.00

RECEIVED

NOV 22 2010

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
2:43	3:11			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

STOCK WICHITA 708.00
Tax % 7.300 51.68
Total \$ 759.68
Order \$ 759.68
ADDITIONAL CHARGE 1 _____
ADDITIONAL CHARGE 2 _____
GRAND TOTAL ▶

RECEIVED
KANSAS CORPORATION COMMISSION

9-29 2014

CONSERVATION DIVISION
WICHITA, KS

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS:
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER:
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:
LADDS
LAYMON OIL, L.L.C.
1998 SQUIRREL RD.

LAY/22
LAYMON OIL
54 W TO QUAIL N 5 MI TO 160TH
E 1/2 MI N SD

NEOSHO FALLS KS
66758

YATES CENTER, KS 66783

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
02:33:28	WELL	8.00 yd	16.00 yd	0.00	DM 34	0.00	
DATE	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
09-22-10	12	96.00 yd	14303		4.00 in	27530	
	Today	2	16.00 yd				

**WARNING
IRRITATING TO THE SKIN AND EYES**

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Retention Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50PR.

**PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)**

Dear Customer: The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of the truck may possibly cause damage to the premises and/or adjacent property if it places the material in the load where you desire it. It is our wish to help you in every way possible, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility for any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to keep this release just from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED
X

**Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By**

GAL X

WEIGHMASTER

Morgan Evans #19-10

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY

X *Mike*

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
----------	------	-------------	------------	----------------

8.00	WELL	WELL (10 SACKS PER UNIT)	76.00	608.00
------	------	--------------------------	-------	--------

RECEIVED

NOV 22 2010

KCC WICHITA

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	SubTotal \$
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER		608.00
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER		44.38
					652.38
					1412.06
					ADDITIONAL CHARGE 1
					ADDITIONAL CHARGE 2
					GRAND TOTAL

RECEIVED
KANSAS CORPORATION COMMISSION

11-29-2014

CONSERVATION DIVISION
WICHITA, KS