

15-007-10300-0000

STATE OF KANSAS  
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD


Give All information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bittling Building  
Wichita, Kansas

OR

FORMATION PLUGGING RECORD

Strike out upper line  
when reporting plug-  
ging off formations.

Barber County, Sec. 15 Twp. 33 Rge. 13 (E) (W) X  
Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines 440' from W line-C-NE 1/4  
Lease Owner Barbara Oil Company  
Lease Name B.E. Holmes Well No. 4-A  
Office Address Room-1016-33-S- Clark St. Chicago Ill.  
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole  
Date well completed Jan. 25 1941  
Application for plugging filed June 30 1948  
Application for plugging approved " 30 1948  
Plugging commenced " 30 1948  
Plugging completed July 2 1948  
Reason for abandonment of well or producing formation Dry hole- and to  
recover all pipe possible  
If a producing well is abandoned, date of last production 19  
Was permission obtained from the Conservation Division or its agents before plugging was com-  
menced? Yes



Locate well correctly on above  
Section Plat

Name of Conservation Agent who supervised plugging of this well C.D. Stough (Great Bend Kansas)  
Producing formation None Depth to top Bottom Total Depth of Well 4870 Feet

Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Misner sand	Dry	4835	4849	10 3/4"	295	none
Chat	Dry	4522	4587	7"	4825	2789'
Perforated	4553-4587				625 Sks	
No show						

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Lane Well, s plug set @ 4530'  
Chat 4530-4540  
Rock bridge set @ 4530  
chat 4530-3490  
5 sacks cement @ 3490' set with dump bailer  
heavy mud 3490'-230'  
Wood plug set @ 230'  
20 sacks cement with dump bailer @ 230  
heavy mud from cement plug to 30'  
wood plug set @ 30'  
15 sacks cement with dump bailer @ 30'  
filled with soil from top of cement plug to surface  
Pipe pulled and plugging done by Jimmie Barnes & Sons  
Great Bend Kansas



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Barbara Oil Company  
Address Medicine Lodge Kansas

STATE OF \_\_\_\_\_, COUNTY OF \_\_\_\_\_, SS.

(employee of owner) or (owner or operator) of the above-described well,  
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-  
described well as filed and that the same are true and correct. So help me God.


(Signature) *J.P. Rodgers*

(Address)

SUBSCRIBED AND SWORN to before me this 28 day of July 1948

My commission expires June 18, 1952

Notary Public.



J. E. Holmes & 4A  
 410 ft. E of Cen. W.L.  
 SE Section 15-338-13W  
 Barber County, Kansas


Drilled for: Barbara Oil Company  
 Drilled by: S. A. Springer

Casing Records:

10" 300  
 7" 4825

Drilling Commenced: December 10, 1940  
 Drilling Completed: January 25, 1941

FORMATION	DEPTH	FORMATION	DEPTH
red shale	50	shale	3870
red rock & shale	550	hard shale	3885
red rock & gyp	850	sandy shale	3941
red rock & shells	985	core # 1	3959
shale & shells	1140	core # 2	3976
blue shale & shells	1280	lime	4210
shale & shells	1480	broken lime	4225
shale & gyp & salt	1605	sandy lime	4235
gyp & shale	1810	lime	4245
lime	1820	sandy lime	4255
lime & shale	1925	lime	4290
gyp & shale	1980	lime & shale	4295
lime	2045	lime & slate	4335
lime & shale	2215	lime & shale	4340
shale	2225	lime	4385
lime	2370	lime & shale	4415
sticky shale	2400	lime	4450
lime & shale	2410	hard lime	4480
lime shells & shale	2470	lime & shale	4495
sticky shale & lime	2510	cherty lime	4544
broken lime	2540	shale	4555
lime	2560	cherty lime	4590
shale & lime	2605	shale	4620
broken lime (sandy)	2628	lime & shale	4680
sticky shale	2650	lime	4685
shale	2690	hard lime	4725
lime	2700	lime	4740
shells & shale	2708	grey shale	4760
shale	2785	lime & shale	4775
broken lime	2820	lime	4785
broken lime & sticky shale	2875	shale	4790
shale & lime	2900	lime	4805
shale	2945	black lime	4815
shale & lime shells	3025	black shale	4825
lime & shale	3145	viola lime	4870 P.D.
lime	3470		
shale	3505		
lime & shale	3570		
shale	3620		
sandy shale	3645		
shale	3865		
shale & lime	3765		
shale	3800		
shale & lime	3820		
slate	3840		



I, S. A. Springer, certify that the above and within statement is a true and correct record and log of the well drilled on the location above described, to the best of my knowledge and belief.

*S. A. Springer*

**PLUGGING**  
 FILE SEC 15 T 33 R 13 W  
 BOOK PAGE 40 LINE 41