

15-151-10581-0000

WELL PLUGGING RECORD

FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging off formations.

STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission 800 Bitting Building Wichita, Kansas

OR


Pratt County, Sec. 19 Twp. 26 Rge. 12 (E) W. (W)

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines SW NW NW Lease Owner Hollow Drilling Company, Inc.

Lease Name Thompson Well No. 1

Office Address Inman, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Dry Date well completed 5-14 1943 Application for plugging filed 5-13 1943 Application for plugging approved 5-13 1943 Plugging commenced 5-14 1943 Plugging completed 5-14 1943 Reason for abandonment of well or producing formation Dry



Locate well correctly on above Section Plat

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well C. T. Alexander

Producing formation None Depth to top Bottom Total Depth of Well 4511 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS


CASING RECORD

Table with 7 columns: Formation, Content, From, To, Size, Put In, Pulled Out. Row 1: Surface, Water, 0, 415, 8 5/8, 415, None.

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Filled hole with heavy mud from 4511' to 415' -- wood plug and 15 sacks cement bridge at 415' to 370' through drill pipe.

Heavy mud from 370' to 26'--wood plug and 10 sacks cement plug 26' to 6' bottom of cellar.



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Hollow Drilling Company, Inc. Address Inman, Kansas

STATE OF Kansas, COUNTY OF McPherson, ss.


W. B. Hollow (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) [Handwritten Signature]

Inman, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 14th day of May

My commission expires 9-14-46



Notary Public.

15-151-10581-0000  
**HOLLOW DRILLING COMPANY, INC.**  
 INMAN, KANSAS

Log--Thompson No. 1  
 SW NW NW 19-26s-12w  
 Pratt County, Kansas

Hollow Drilling Company, Inc.  
 Inman, Kansas


Data: Elevation

Tools--Rotary  
 Date Started: 4-22-1943  
 Date Completed: 5-14-1943

Pipe record: 8 5/8" cemented at  
 415' with 225 sacks cement  
 circulated. Left in.

Log

0	10	Cellar			
10	65	Sandy shale			
65	85	Sand & gravel			
85	120	Shale, white & yellow			
120	230	Sand & gravel			
230	700	Red rock			
700	730	Sandy shale soft			
730	782	Red rock			
782	815	Anhydrite			
815	1295	Shale & shells			
1295	1500	Salt & shale breaks			
1500	1655	Shale & shells			
1655	1720	Sandy shale			
1720	1800	Shale & shells			
1800	1942	Lime			
1942	1997	Lime & shale breaks			
1997	2028	Lime			
2028	2040	Pyrite & lime			
2040	2080	Lime & shale			
2080	2155	Lime			
2155	2205	Sandy lime			
2205	2220	Chalk			
2220	2265	Lime			
2265	2300	Shale & shells			
2300	2398	Shale			
2398	2628	Shale & lime shells			
2628	2678	Shale			
2678	2949	Shale & lime shells			
2949	2975	Shale			
2975	3069	Lime	3999	4063	Lime
3069	3130	Shale & lime shells	4063	4143	Lime & shale
3130	3155	Lime & shale	4143	4162	Chert
3155	3203	Broken lime	4162	4173	Shale
3203	3222	Sandy Lime	4173	4189	Chert & Lime
3222	3264	Lime	4189	4248	Shale & Lime
3264	3285	Broken lime	4248	4270	Chert
3285	3328	Lime	4270	4293	Cherty Lime & shale
3328	3500	Broken Lime	4293	4307	Shale lime
3500	3554	Lime	4307	4342	Chert
3554	3593	Lime & shale	4342	4355	Chert & shale
3593	3752	Shale	4355	4365	Shale
3752	3765	Lime	4365	4380	Sandy shale
3765	3786	Lime & shale	4380	4392	Sand
3786	3883	Lime	4392	4409	Shale & chert
3883	3922	Lime & shale	4409	4461	Shale
3922	3999	Lime cherty	4461	4511	Dolomite
					T. D.
					Top Arbuckle 4461



Ran Schlumberger  
 P. & A. 5-14-43

This certifies that this a true and  
 correct copy of the log of Thompson  
 Well No. 1 as described above.

*W. B. Hollow*  
 W. B. Hollow

**PLUGGING**  
 FILE 19-26-12w  
 BOOK PAGE 74 LINE 37