· 20. 155					<b>N</b> 1
مرين مان الوادات المرين المراز	SIDE ONE AFFIDA	AVĮT	OF COMPLETI	ON FORM	(REV) ACO-1
in the second	This form shall be filed in duplicat rado Derby Building, Wichita, Kansas the well, regardless of how the well	67	202, within	ten days after the	ission, 200 Colo- e completion of
1.	Attach separate letter of request confidential, only file one copy. I side two will then be held confident	: if Infor	the information on si	tion is to be held	
	Circle one: Oil, Gas, Dry, SWD, OWW Applications must be filed for dual Attach wireline logs (i.e. electric KCC # (316) 263-3238. (Rules 82-2-	70, 1 comp ical	Injection. I Dletion, comm log, sonic	mingling, SWD and in	njection, T.A.
• •	OPERATOR Pickrell Drilling Company		<del></del>	API NO15-095-21	,217 0000
·	ADDRESS 110 N. Market, Suite 205		,	COUNTY Kingman	
	Wichita, Kansas 67202			FIELDWildcat	
	**CONTACT PERSONlay McNeil			PROD. FORMATION	
	PHONE 262-8427				•
	PURCHASER			LEASE Beck 'A'	
	ADDRESS			WELL NO. 1	
,				WELL LOCATION CS	
	DRILLING pickrell Drilling Company			660 Ft. from S	outh Line and
	CONTRACTOR ADDRESS 110 N. Market, Suite 205			660 Ft. from E	astLine of
			<del></del>	the SF/4SEC. 10	TWP - 305 RGE - 6W
	Wichita, Kansas 67202			WELL PLAT	
	PLUGGING <u>pickrell Drilling Company</u> CONTRACTOR		<del></del>		ксс
	ADDRESS110_NMarket, Suite 205	<del></del>		<b> </b>	KGS(Office
	Wichita, Kansas 67202				Use)
	TOTAL DEPTH 4500 PBTD	N/A	·	// //	<del>  </del>
	SPUD DATE 1/19/82 DATE COMPLETE	D1	/30/82		1
	ELEV: GR 1415 DF 1417 K	B	420		- <b>&gt;</b> -
	DRILLED WITH (CABLE) (ROTARY) (AIR)	TOOL	S		
	Amount of surface pipe set and cemen	ted	<u>3 5/8" @ 215</u>	5' w/165Sx <sup>DV</sup> Tool U	sed? <u>No</u>
	:	AF	FIDAVI	<u>T</u>	-
	STATE OF KANSAS	COUN	ry OF <u>Sedg</u> w	vick ss	s, I,
	C. W. Sebits 0	F LA	WFUL AGE, BE	ING FIRST DULY SWOR	W UPON HIS OATH,
	DEPOSES THAT HE IS Attorney-In-Fac	t	(FOR)	(XXX) Pickrell Drill	ling Company
	OPERATOR OF THE Beck 'A'				
	THIS AFFIDAVIT FOR AND ON THE BEHALF			•	
	SAID LEASE HAS BEEN COMPLETED AS OF				
				-	,
	ALL INFORMATION ENTERED HEREIN WITH I	TE COP	PORATION COMMIS	SION	RECT.
	FURTHER AFFIANT SAITH NOT.	ΑU	6 0 8 1983	CARLY	Alo
	BUE A BROWNLEE	CONCE	DI/ATION -	(S)	<u> </u>
	STATE UNIVERSE	Wi 3r	chita, Kanday OF	February	, 1982
	Appt. Expires	٠.	_	Auch.	Brouxlee
	MY COMMISSION EXPIRES: Jehneum	12	4 1985	NOTARY PUBL	
	**The person who can be reached by ph	none	regarding ar	y questions concern	ing this infor-
	mation. Within 45 days of completion required if the well produces more the	n, a	witnessed in	itial test by the C	ommission is
•					

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR CTHER DESCRIPTIVE INFORMATION.

Show all important zones of porosity and contents thereof; cared intervals, and all drill-sters tests, including depth interval tested, cushion used, time fool open, flowing and shut-in pressures, and recoveries.

TOP BOTTOM

PORMA	HOIL	DESCRIPTION, C			107		50110		· ·	·	DEFTIN	
DST #1: 1988-2012 (Indian Cave)							,		KB Log	Tops:		
	30"- rec IFP FFP ISII	-60"-10"-6 30' mud 47#-67# 57#-57# P 734#	out	/e)				٠,	Heebner Lansing Kansas Mississ Kinderh Simpsor	City Sippi Book	2990 3242 3512 4092 4386 4497	1
	30"- rec IFP FFP ISII	5–3720 (He -60"–60"–9 1305' wat 174#–298; 401#–586; P 1400#	90" ter # ,		,	,,,,		•- /	RTD LTD		4500 4500 ,	
-	30"- rec IFP FFP ISIF	5-4500 (S -60"-60"-9 3660' SG 789#-1268 1223#-140 1581# 1623#	90" CW 3#	, ,								
	ū	•		:		ł	, ,		,			
							,				•	-
		•					,		~w J			;
		, .	ζ.				\		,			
			, 	·								
	<del></del>	set — surface,	intermediate,	·		REC		(New)	or (Use	<del></del>	and percent	_
Purpose of string		Size hole drilled	(In O.D.)	Weight lbs/ft.	Setting depth	-	Type cem	•nt	Socks	1794	additives	_
Surface		12 3/4	8 5/8"	20#	215'	_C	ommon		165	Poz	nix (3-2	<u> </u>
		•							4			
<del></del>		LINER RECOR		<u> </u>	<u></u>	<u> </u>		ERECRA	TION REC			_
Tap, ft. Bottom, ft. Sacks cement		ment	Shots	per f	4.				th interval			
	 	TUBING RECO	PRD									
Size	Se	tting depth	Packer s	at at								
7/1			CID, FRACT		CEMENT SQ	UEE2	E RECO	RD	1			_
<del></del>		Ameu	nt and kind of	meterial used					<del>                                     </del>	epth Interva	tracted	_
			<u> </u>									
								,		•		_
Data of first production	n		Producin	method (flow	ing, pumping, g	es lif	t, etc.)		Gravi	ty		_
RATE OF PRODUCTION PER 24 HOURS Disposition of gas (ver		Oli	bb(	Gas s.		MCF	<del></del>	%	bbis.	as-oii ratio	CFPS	<u> </u>
							Perfo	ration	ıs			

## STATE OF KANSAS JATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completel	У			_		i .				
Make Required Affidavit		ingman	Cour	nty. Sec.	<u> 10</u>	30S_Rge. 6 XX/				
Mail or Deliver Report to	Locati	Location as "NE/CNW\SW\" or footage from lines								
Conservation Division		C SE SE								
State Corporation Comm. 245 North Water		Lease Owner Pickrell Drilling Company Lease Name Beck 'A' Well No. ]								
Wichita, KS 67202										
Wienita, No 101202	Office	Address_2	05 Litw	in Buildig	g, Wichit	a, Kansas 67202				
	Charac	Office Address 205 Litwin Building, Wichita, Kansas 67202 Character of Well (Completed as Oil, Gas or Dry Hole)								
		D & A			<del></del>					
		ell comple			1/30/82					
		ation for			1/29/82					
		ation for		g approved						
<del>   p </del>		ng commenc			1/30/82					
		ng complet		£	1/30/82					
	keason			or well or	producin	g formation				
	T.f. 0. 7:	D & A		handoned	data of	last production				
	пар		err 12 s	ibandoned,	date or	14St production 19				
	Viac po	N/A	htained	from the	Concervat	ion Division or				
Eucate well correctly on above Section Plat	•	ents befor								
Name of Conservation Agent who					mmenced:_	yes :				
Producing formation N/A	•	pth to top			Total Do	pth of Well				
Show depth and thickness of al		•				pen or werr				
.,,o, dopin and analysis										
OIL, GAS OR WATER RECORDS	•					CASING RECORD				
	CONTENT	EDOM	то	SIZE						
FOR ATION	TTRIENT	. FROM	10	8 5/8"	215'	. PULLED_OUT				
<u>-</u>	<del></del>			8 5/8"	215	None				
		<del></del>								
		<del> </del>				<del> </del>				
	<del></del>	<del> </del>								
feet for each pl	ug set.	60 Sx	@ 550 <b>'</b>		-					
<u> </u>			@ 200'		·					
				ith solid	bridge pl	uq				
			in rath							
		Compl	eted 3:0	O a.m. on	1/30/82					
(If additional	description	is necessa	ary, use	BACK of	this sheet	:)				
lame of Plugging Contractor	Pickrell	Drilling	Company							
TATE OFKANSAS	COUN	TY OF	edawick_		. :	ss.				
- KANSAS - C W Sehits - C			_(&&&\*\	PER PIV PWI		wner or operator				
the above-described well, be	ing first d	uly sworn		says: T	hat I have	e knowledge of				
he facts, statements, and matt	ers herein	contained	and the	log of th						
filed and that the same are	true and co	rrect. So	heard mo	Gog.						
	4		11/2SE	ZX 19	70					
	(Sign	nature) <u> </u>	W U		25	•				
	,	2	05_Litwi	n Ruilding	. Wichita	. KS 67202				
SUE A. BROWNLEE				(A)	ddress)	· · · · · · · · · · · · · · · · · · ·				
SUBSCRIBEDTANDPURDEN TO be	fore me this	s <u>3rd</u>	_ day g	f <u>Februa</u>	ary	, 1982				
- Appt. Expires			/	1	Z					
		4	ZU	<u> </u>	TAM.	unlu				
· commission surings 4	211	100			/ Not	ary Public.				
commission expires Jelini	acy 27;	1713		-						
·	1				RECEIVED					
	-			STATE CO	RPORATION COM	MISSION				
					0010	MINOOIN				

AUG O R 1983

CONSERVATION DIVISION Wichita, Kansas