KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

e ----

| Type Test: | : | 0.11 | | | (| See Inst | ructio | ns on Reve | rse Side |) | | | | | |
|--------------------------------------|-------------------------------|---|-------------------------------|---------------------------|------------------------------------|--|------------------|---|----------------------|---|--------------|--------------|--|------------------------------|---------------------------|
| = ' | en Flow liverabilty | | | | Test Date | a 0 | | 2 | | | No. 15 | | | | |
| Company | | | | | | 7,9 | - | Lease | | 02 | 5-20631-0 | 000 | | Well Nu | mher |
| R & B Oi | | Inc. | | | | | | Berrymar | 1 | | | | B1 | Well IND | ei |
| County Location Clark S/2-SE | | Section 13 | | | TWP 31S | | RNG (E/W) 21W | | | | Acres A | Attributed | | | |
| Field Wildcat | | | Reservoir Inola | | | Gas Gath DCP | | thering Co | nnection | 1 | | | | | |
| Completion Date 1-26-1983 | | | Plug Back Total Dep 5204 | | | n Pac | | Packer \$ | Set at | | | | | | |
| Casing Si 4 1/2 | _ | | | Internal Diameter | | | Set at 5242 | | Perforations 5159 | | | то 5164 | | | |
| Tubing Si 2 3/8 | ubing Size Weight 3/8 4.7 | | | Internal Diameter | | | Set at 5146 | | Perforations | | | То | | | |
| Type Completion (Describe) Single | | | Type Fluid Production None | | | 1 | | Pump Unit or Traveling Plung NO | | | nger? Yes | / No | | | |
| _ | Thru (A | nnulus / Tubir | ıg) | | % C | arbon D | ioxide | 1 | | % Nitrog | jen | | Gas Gi | ravity - (| 9° |
| Tubing Vertical D | epth(H) | | | | | Р | ressu | re Taps | | _ | | | (Meter | Run) (P | rover) Size |
| | | | | | | | | | | | | | | | |
| Pressure | Buildup: | Shut in 9 | -9 | 20 | 13 at 10 | <u>): [S</u> | @ | M) (PM) T | aken | | | 20 | at | | (AM) (PM) |
| Well on Li | • | Started | 1-10 | 20 | 13 at 1 | <u> </u> | <u> </u> | — 3M)γβM)1 | aken | | | 20 | at | | (AM) (PM) |
| | | | | | | | | | | | | | | | |
| | | Circle one: | Bro | ssure | | | | SURFACE Casin | | | Tubing | Dura | ation of Shut | <u>-in 2</u> T | Hours |
| Static / Dynamic | Orifice Size | Meter | Diffe | rential | Flowing Well H Temperature Tempera | | ead Wellhead F | | ressure Wellh | | ead Pressure | | Duration (Hours) | Liquid Produced (Barrels) | |
| Property | (inches) | Prover Press psig (Pm) | | in es H ₂ 0 | t | t | | (P _w) or (P _t) or (P _c) psig psia | | (P _w) or (P _t) or (| | | | (Dallels) | |
| Shut-In | | | | ĺ | | | | 25 | | | | | | | |
| Flow | | | | | | | | -0-3- | | | | | | | |
| | | | | • | | FLOW | STRE | AM ATTRIE | BUTES | | | L | | | |
| Plate Coeffiect | ient | Circle one: Meter or | | ess nsion | Gravity Factor | | Ten | lowing | | viation Mete | | Flow | GOR (Cubic Fe | | Flowing Fluid |
| (F _b) (F Mcfd | p' | Prover Pressure psia | \-\frac{1}{2} | P _m xh | F, | ' | | Factor F _{it} | | ρv | R (Mcfd |) | Barrel | | Gravity G _m |
| | | | | | | | | | | _ | | | | | |
| (P _c) ² = | | (P _w) ² | = | • | (OPEN FLO | OW) (DE | LIVEF % | RABILITY) | CALCUL - 14.4) + | | | | (P _a) (P _d) |) ² = 0.2 | 07 |
| <u> </u> | T | | Choose form | | | _ | = ~ | Backpress | | T. | | , T | · · · · · | | oen Flow |
| (P _c) ² - (F | | (P _c) ² - (P _w) ² | 1. P _e | - | LOG of formula 1, or 2. | | | |) = "n")r | n x | LOG | | Antilog | Del | iverability |
| (P _c) ² - (F | O _d) ² | | 2. P _c divided by: | _ | and divide by: | P _c ² - P _y | 2 | Assi Standar | gned d Slope | | L _ |] | | 1 * | R x Antilog (Mcfd) |
| | | | | <u> </u> | | | | | | | | | | | |
| | | | | | | | 1 | | | | | + | | | |
| Open Flor | w | | <u>M</u> cfd | @ 14.6 | 55 psia | | | Deliverabili | ity | | | Mcfd | @ 14.65 ps | ia | |
| The u | ındersian | ed authority, | on behalf | of the | Company, s | tates tha | at he | is duly auti | horized t | o make t | he above re | eport an | d that he ha | as know | ledge of |
| | - | ein, and that | | | | | | , i | \sim th | | Sept | ٠. | | , | 20 13 |
| | | | | | | | _ | _4 | Tou | | 3 | | | | ceived |
| _ | | Witness | (if any) | | | | | - | | | i | For Compar | ^{IY} K ANSA | S CORPO | RATION COMMIS |
| | | For Câm | mission | | | | _ | _ | | | (| Checked by | / | OCT | 2 9 2014 |

CONSERVATION DIVISION WICHITA, KS

| l de | clare under penalty of perjury under the laws of the state of Kansas that I am authorized to request |
|---------|---|
| xempt | status under Rule K.A.R. 82-3-304 on behalf of the operator R & B Oil & Gas, Inc. |
| | t the foregoing pressure information and statements contained on this application form are true and |
| orrect | to the best of my knowledge and belief based upon available production summaries and lease records |
| f equip | ment installation and/or upon type of completion or upon use being made of the gas well herein named. |
| í he | reby request a one-year exemption from open flow testing for the Berryman B1 |
| as wel | on the grounds that said well: |
| | (Check one) |
| Ė | is a coalbed methane producer |
| | is cycled on plunger lift due to water |
| | is a source of natural gas for injection into an oil reservoir undergoing ER |
| | is on vacuum at the present time; KCC approval Docket No |
| | is not capable of producing at a daily rate in excess of 250 mcf/D |
| | |
| | ther agree to supply to the best of my ability any and all supporting documents deemed by Commission |
| taff as | necessary to corroborate this claim for exemption from testing. |
| oate:_C | 7-13-2013 |
| | |
| | |
| | Signature: |
| | Title: Vice President |
| | |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

Received KANSAS CORPORATION COMMISSION

OCT 2 9 2014