KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Tes	t:					((See Instru	actions on F	Reverse Sid	e)					
Open Flow Deliverability							Test Date: 9/2/14				API No. 15 15-095-20476-00-00				
Company		PEF	RATING CC	MP	ANY, LLC			Lease VINE	· · · · · · · · · · · · · · · · · · ·			1	Well N	umber	
County Location KINGMAN NE NE SW					Section 17		TWP 28\$			W)		Acres	Attributed		
Field Reservoir BROADWAY WEST MISSISSIPPIAN										Gas Gat WEST	hering Conn WICHITA G	ection AS GATHERIN	IG_		
Completion Date Plug Back Total 4/23/76 3885						k Total De	pth		Packer S NONE	iet at					
Casing Size Weight 10.50				Internal (4.052	Diameter	Set	Set at		rations)	то 38 30					
Tubing S 2.375	Tubing Size Weight 2.375 4.70				Internal I 1.995	Internal Diameter 5			Perfor	To					
Type Completion (Describe) Type Fluid Pro SINGLE WATER								ion		Pump Un PUMP	it or Traveling ING	Plunger? Yes	/ No		
Producing ANNUL		(An	nulus / Tubin	g)		% C	arbon Dio	xide		% Nitrog	en	Gas G	ravity -	G	
Vertical D 3825	epth(f	1)				•••	Pre	essure Taps	<u>-</u>			(Meter	Run) (F	rover) Size	
Pressure	Buildu	 ip:	Shut in9/2	!/14	2	0 at		 _ (AM) (PM	1) Taken 9/	/3/14	20	at		(AM) (PM)	
			0 at	at (1) Taken	20		at	at (AM) (Pi					
							OBSERV	ED SURFA	CE DATA			Duration of Shut	-in	Hours	
Static / Dynamic Property	/namic Size		Circle one: Meter Prover Pressure psig (Pm)		Pressure Differential In Inches H ₂ 0	Flowing Temperature t	Well Head Temperatur t	Wellhea	asing ad Pressure (P ₁) or (P ₀) psia	Tubing Wellhead Pressure (P_w) or (P_t) or (P_c) psig psia		Duration (Hours)	Liquid Produced (Barrels)		
Shut-In								175	para	500	poid	24			
Flow	•								_	<u> </u>					
			-	T		1	FLOW ST	REAM ATT	RIBUTES	1					
Plate Coeffiecient (F _b) (F _p) Mcfd		Circle one:. Meter or Prover Pressure psia			Press Gra Extension Fac Pmxh F		tor Temperature		• Fa	Deviation Metered F R Factor R (Mcfd)		y GOR (Cubic Fe Barrel)		Flowing Fluid Gravity G _m	
						(OPEN FL	OW) (DELI	VERABILIT	Y) CALCUL	_ATIONS		(P.)	² = 0.2	207	
(P _c) ² =		<u>_:</u>	(P _w) ² =		<u>:</u>	P _d =		_%	(P _c - 14.4) +	+ 14.4 = <u> </u>	<u>:</u> :		2=		
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		(P _c) ² - (P _w) ²		1 2	se formula 1 or 2: $P_{c}^{2} - P_{a}^{2}$ $P_{c}^{2} - P_{d}^{2}$ ed by: $P_{c}^{2} - P_{w}^{2}$	LOG of formula 1, or 2, and divide	formula 1. or 2. and divide P2 P2		Backpressure Curve Slope = "n" or Assigned Standard Slope		.oo.	Antilog	De	Open Flow Deliverability Equals R x Antilog (Mcfd)	
										_					
Open Flo] w				 Mcfd @ 14.	65 osia		Deliver	abilitv			Mcfd @ 14.65 ps	 ia		
·		iano	d authority o				states that			to make th		rt and that he ha		dodge of	
		_	in, and that s					•			EPTEMBER		،	20 14	
			Witness (if any)				- 4	/m/	- Yel	company KAN	ISAS CO	RPORATION COM	
			For Comp	nissio							Cher	cked by	00	T 2 2 201	
			. ar contin											RVATION DIVIS WICHITA, KS	

	er penalty of perjury under the laws of the state of Kansas that I am authorized to request ler Rule K.A.R. 82-3-304 on behalf of the operator WOOLSEY OPERATING CO., LLC
and that the foregoenect to the best of equipment insta	poing pressure information and statements contained on this application form are true and of my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named.
	ounds that said well:
_	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing.
	Signature: Zunk Hallauge Title: FIELD MGR.

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.