

FORMATION RECORD

DESCRIBE EACH FORMATION DRILLED. INDICATE THICKNESS, CONTENT AND WHETHER DRY, OR OIL, GAS, OR WATER BEARING.

FORMATION	TOP	BOTTOM	FORMATION	TOP	BOTTOM
sand and gravel	0	165			
shale, shells	165	210			
red bed, shells and shale	210	678			
Anhydrite	678	693			
red shale	693	1020			
shale, shells	1020	1890			
shale, lime	1890	2275			
lime	2275	2430			
lime, shale	2430	2885			
shale	2885	2919			
lime, shale	2919	3045			
lime, shale	3045	3290			
lime	3290	3325			
lime, shale	3325	3394			
lime	3394	3415			
lime, shale	3415	3564			
Top Heebner	3564				
lime	3564	3599			
lime, shale	3599	3740			
Top Iatan	3740				
lime, shale	3740	3758			
Top Lansing	3758				
lime, shale	3758	3790			
lime w/slight oil shows	3790	3806			
lime, salt water	3806	4026			
lime	4026	4147			
Top Mississippian	4147				
lime	4147	4210			
lime and chert	4210	4297			
lime and shale	4297	4322			
Top Simpson	4322				
shale	4322	4360			
chert	4360	4367			
sand	4367	4375			
sand, shale	4375	4405			
shale	4405	4427			
Top Arbuckle	4427				
Lime	4427	4460			
Ran Schlumberger Elec. Log to T.D.					
Total Depth					
By Schlumberger		4460			
By Rotary Drill		4460			
Plugged Back Depth		4379			
Completed as a dry hole plugged and abandoned					

PLUGGING
 FILE SEC 24 T 27 R 13W
 ROCK PAGE 10 LINE 5

