Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

Type Test	t:			(See Instruct	tions on Rev	erse Side	<i>;)</i>			
□ Ор	en Flow			.				451	N. 40		
De	liverabilt	у		Test Date 08/19/20					No. 15 217560001		
Company MERIT E		Y COMPAN	Y			Lease AUSTIN	Α			4	Well Number
County MORTO	N		ation FSL & 330' FWL	Section 9		TWP 33S		RNG (E/ 42W	W)		Acres Attributed 640
Field MUSTAI	NG, EA	ST		Reservoir MORRO				Gas Gat	hering Conn	ection	
Completic 08/05/20			_	Plug Bac 5159'	k Total Dept	h		Packer S	Set at		
Casing Si 5.5"	ize	Wei 17.0	•	Internal E 4.892"	Diameter	Set at 519 9		Perfo 451	rations 0'	To 4816'	
Tubing Si 2.375"	ize	Wei ₂ 4.7#	-	Internal D 1.995"	Diameter	Set at 4861		Perfo	rations	То	
Type Con SINGLE		(Describe)		Type Flui WATE	d Production R	ו		Pump Ur YES -	nit or Traveling BEAM PUI	Plunger? Yes MP	/ No
Producing		Annulus / Tub	ing)	% C 0.3320	arbon Dioxi %	de		% Nitrog 10.86		Gas Gr 0.882	avity - G _g
Vertical D	Depth(H)				Pres: FLAI	sure Taps NGE				(Meter 3.068	Run) (Prover) Size
Pressure	Buildup:	Shut in A	UG 18 2	0_14_at_7	MA 00:	(AM) (PM)	Taken A	UG 19	20	14 at 7:00 A	M (AM) (PM)
Well on L	ine:	Started	2	0 at		(AM) (PM)	Taken	_	20	at	(AM) (PM)
					OBSERVE	D SURFACE	DATA			Duration of Shut-	in 24 Hours
Static / Dynamic Property	Orifice Size (inches	Prover Pres	Differential in	Flowing Temperature t	Well Head Temperature t	(P _w) or (P _t	Pressure) or (P _c)	Wellhe	Tubing ad Pressure r (P _t) or (P _c)	Duration (Hours)	Liquid Produced (Barrels)
Shut-In		Post	,			30.0	psla 44.4	psig	psia	24	
Flow								<u> </u>			
					FLOW STR	EAM ATTRI	BUTES				
Plate Coeffied (F _b) (F Mofd	cient ,)	Circle one: Meter of Prover Pressure psia	Press Extension √P _m xh	Grav Faci F	tor 1	Flowing Femperature Factor F _{II}	Fa	riation actor = p*	Metered Flow R (Mcfd)	w GOR (Cubic Fe Barrel)	Gravitu
									_ -		
(P _c) ² =		: (P _w):	²=:	(OPEN FL		ERABILITY)	CALCUL - 14.4) +		:	(P _a) (P _d)	² = 0.207 ² =
(P _c) ² - (or (P _c) ² - ((P _c) ² ~ (P _w) ²	Choose formula 1 or 2 1. P _c ² - P _d ² 2. P _c ² - P _d ² divided by: P _c ² - P _d	LOG of formula		Slop Ass	sure Curve e = "n" origned and Slope	n x	roe	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)
	_					 					
Open Flo))W	<u> </u>	Mcfd @ 14.	65 psia		J Deliverabi	lity			Mcfd @ 14.65 ps	I ia
						-			-	ort and that he ha	_
the facts s	stated the	erein, and that	said report is true	and correc	t. Executed	this the 7T	<u>H</u>	-	OVEMBER		, 20 <u>14</u>
		Witnes	s (if any)		Rer	eived –		ME		GY COMPAN	<u> Y</u>
		For Co	mmission	KA!	NSAS CORPOR	NATION COMMIS	SIGIANN	NA BUR	TON	ckedby ama_ (Gurten
					MOV	1 2 201/				•	

NUV 14 ZUI4

is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No	
is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No	

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.