KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:				6	See Instruc	tions on Rev	erse Side)				
Оре	n Flow			Test Date	,.			ΔPI	No. 15			
Deli	verabilty		-	07/14/20	•				033-21731-0	000		
Company Sandridge	e Expl 8	& Prod LLC				Lease Bayne 3	319			5-5	Vell Number	
County Location Comanche N2-SW-SE-SE		Section 5		TWP 33S			W)	,	Acres Attributed			
Field Bird Sout	—— h			Reservoir Mississi					hering Conne idstream	ection		
Completion 12/21/201		_		Plug Back 5098	k Total Dept	th		Packer S	entat A			
Casing Size Weight 5 1/2 17#		Internal Diameter		Set at 6094		Perforations 5020		то 5074				
Tubing Siz	e	Weight Internal Diameter Set at 6.5# 5235			Perforations To							
Type Comp	pletion (I			Type Flui	d Production			Pump Ur	it or Traveling	Plunger? Yes	/ No	
Producing Thru (Annul Tubing		nnulus / Tubing			% Carbon Dioxide		% Nitro 3.787		en		Gas Gravity - G _e 0.6519	
Vertical De	epth(H)			0.304	Pres	sure Taps		3.707	···		Run) (Prover) Size	
6108						•						
Pressure E	Buildup:	Shut in _07/	3 20	14 at 8:	:10AM	(AM) (PM)	Taken_7/	14	20	14 _{at 2014}	(AM) (PM)	
Well on Lin	ne:	Started	20) at		(AM) (PM)	Taken		20	at	(AM) (PM)	
					OBSERVE	D SURFACE	DATA			Duration of Shut-i	nHours	
Static / Dynamic Property	Orifice Size (inches)	Gircle one: Meter Prover Pressu	Pressure Differential re in	Flowing Temperature t	Well Head Temperature t	Casir Wellhead F (P _w) or (P ₁	ressure	Wellhe	ubing ad Pressure (P ₁) or (P _c)	Duration (Hours)	Liquid Produced (Barrels)	
Shut-In	(inches)	psig (Pm)	Inches H ₂ 0			psig	psia	psig O	psia	24		
Flow								-		_·		
		1			FLOW STR	EAM ATTRI	BUTES					
Plate Coeffiecie (F _b) (F _p Mcfd		Circle one: Meter or Prover Pressure psia	Press Extension ✓ P _m x h	Grav Fact F _g	or o	Flowing Temperature Factor F _{f1}	Fa	ation ctor	Metered Flow R (Mcfd)	GOR (Cubic Fee Barrel)	Flowing Fluid Gravity G _m	
			<u></u>							,		
(P _c) ² =		(P _w) ² =		(OPEN FLO		'ERABILITY) % (P.	CALCUL - 14.4) +			(P _e) ² (P _a) ²	= 0.207 =	
(P _o) ² - (P _o or (P _o) ² - (P _o			2. P _c ² - P _d ²	LOG of formula 1. or 2. and divide	P.2-P.2	Backpres Slope	sure Curve e = "n" origned		_oe	Antilog	Open Flow Deliverability Equals R x Antilog	
			divided by: P _c ² - P _w ²	by:	<u>'</u> ° ' <u>*</u> _	Standa	rd Slope				(Mcfd)	
						-						
Open Flow		Mcfd @ 14.65 psia				Deliverability		Mcfd @ 14.65 psia				
The u	ndersign	ed authority, or	behalf of the	Company, s	states that h	ne is duly au			// -	rt and that he ha	_	
the facts sta	ated ther	ein, and that sa	id report is true	and correc			th	day of _C	ctober	<i>(</i>	, 20 <u>14</u> .	
		Witness (ii	any)	KA	NSAS CORPO	Ceived RATION COMMI	SSION-		For C	ompany ompany	·- -	
		For Comm			DEC	0 8 2014			Chec	ked by		

	ler penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator Sandridge Expl & Prod LLC
	going pressure information and statements contained on this application form are true and
correct to the bes	t of my knowledge and belief based upon available production summaries and lease records
	allation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the Bayne 3319 -5
	rounds that said well:
(Check	one) is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No
	is not capable of producing at a daily rate in excess of 250 mcf/D
_	e to supply to the best of my ability any and all supporting documents deemed by Commissio y to corroborate this claim for exemption from testing.
Date: <u>/0/20</u> /	14
KAI	Received NSAS CORPORATION COMMISSION Signature: DEC 0 8 2014 SP. 60.0 G. 7.0

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.