KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test | : | | | | (| See Instruci | tions on Re | verse Side |) | | | | | |
|---|--------------|------|--|--|---|---|---|------------------------------------|--|------------------------------|----------------------------|-----------------------|---|--|
| | | | | Test Date: November 7, 2014 | | | | | No. 15 7-20521-(| | | | | |
| Company | | | | | Novem | iber 7, 20 | Lease | | 097 | 7-20021-L | | Well No | umber | |
| Trans Pacific Oil Corp. | | | | | Grove Riley | | | | | | 2 | | | |
| County Location Kiowa 300' S/C SE NE | | | Section 24 | | TWP 27S | | RNG (E/ 18W | W) | | Acres | Attributed | | | |
| Field Greensburg | | | | - | | Reservoir Mississippian | | | | Gathering Connection IEOK | | | | |
| Completion Date 3/27/79 | | | | Plug Back Total D 4768' | | | th | Packer Set at None | | | | | | |
| Casing Size 4-1/2" | | | Weight 10.5# | | Internal Diameter 4" | | Set at 4812' | | Perforations 4710 | | | | • | |
| Tubing Size 2-3/8" | | | Weight 4.7# | | Internal Diameter 1.995" | | Set at 4732' | | Perforations None | | То | | | |
| Type Completion (Describe) Single | | | | | Type Fluid Production Salt Water | | | | nit or Traveling | 7 No | | | | |
| Producing Annulus | _ | (Anı | ulus / Tubing |) | % C | arbon Dioxi | de | | % Nitrog | en | Gas G | aravity - | G _g | |
| Vertical D | |) | | | | Pres Flan | sure Taps de | | | | (Meter 2.06 | | Prover) Size | |
| Pressure | Buildup |); | Shut in Nov | 6 2 | 0 14 at 1 | | - | Taken_No | ov 7 | 20 | 14 at 1:00 | | (AM) (PM) | |
| Well on L | | | | | | | | | | | at | | (AM) (PM) | |
| | | | | | | OBSERVE | D SURFAC | E DATA | | | Duration of Shu | _{it-in} _24 | Hours | |
| Static / Dynamic Property | Dynamic Size | | Circle one: Meter Prover Pressu psig (Pm) | | Flowing Well Heat Temperature Temperature t | | Wellhead Pressure $(P_w) \text{ or } (P_t) \text{ or } (P_c)$ | | Tubing Wellhead Pressure (P _w) or (P _t) or (P _c) | | Duration (Hours) | | Liquid Produced (Barrels) | |
| Shut-In | Shut-In | | psig (Fili) | inches H₂0 | | | 125.0 | 139.4 | psig | psia | 24 | | | |
| Flow | | | | | | | | | | | | | | |
| | - 1 | | | | | FLOW STR | EAM ATTR | IBUTES | 1 | | | | T | |
| Plate Coeffiecient (F _b) (F _p) Mcfd | | | Circle one: Meter or ver Pressure psia | Press Extension √ P _m x h | Gravity Factor F _g | | Temperature F. | | viation Metered actor R F _{pv} (Mctd | | W GOF (Cubic F Barre | eet/ | Flowing Fluid Gravity G _m | |
| | | | | | | | | | | | | | | |
| (P _c) ² = | | | (P_)² = | | (OPEN FLO | OW) (DELIV | |) CALCUL ² - 14.4) + | | | | a) ² = 0.2 | 207 | |
| $(P_c)^2 - (P_A)^2$ or $(P_c)^2 - (P_d)^2$ | | (P | c)2- (P _w)2 | inocse formula 1 or 2 1. P _c ² -P _d ² 2. P _c ² -P _d ² ivided by: P _c ² -P _w ² | LOG of formula | P _c ² - P _w ² | Backpressure Curve Slope = "n" or Assigned Standard Slope | | \neg | .og [] | Antilog | O De Equal | Open Flow Deliverability Equals R x Antilog (Mcfd) | |
| | 1 | | | | | | <u> </u> | | | | | - | | |
| Open Flow | | | Mcfd @ 14.65 psia | | | | Deliverab | ility | I | Mcfd @ 14.65 psia | | | | |
| | | | | behalf of the | and correc | | this the 1 | 9th | | ovember | ort and that he h | | vledge of 20 14 . | |
| | | | Witness (if | any) | _ | | | CM | | For | Company | | | |
| | | | For Commi | sion | <u>-</u> | 40V 2 1 | ZU14 - | | | Che | cked by | | | |

CONSERVATION DIVISION WICHITA, KS

| exempt status und and that the foreg correct to the bes of equipment insta I hereby requ | der penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator Trans Pacific Oil Corp going pressure information and statements contained on this application form are true and tof my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named. Lest a one-year exemption from open flow testing for the Grove Riley #2 rounds that said well: |
|--|--|
| gas well on the gr | ounds that said well. |
| _ | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission y to corroborate this claim for exemption from testing. |
| Date: November | 19th, 2014 |
| , | Received KANSAS CORPORATION COMMISSIONS Ignature: Full Superations Manager Title: Operations Manager |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.