Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

Type Test	:				0	See Instruct	tions on Re	verse Side)					
√ Op	en Flov	N			Test Date				ΛDI	No. 15				
De	liverab	ilty			10/3/14				AFI	033	3-20487	- 000	21	
Company BEREXO		С				,	Lease KENN	EDY				1-17	/ell Numi	ber
County Location COMANCHE C N/2 NE			Section 17		TWP 31S				Acres Attributed					
Field WILMC	RE				Reservoir ALTAN			-	Gas Gati	hering Conne	ection		KCC	- Min
Completion Date 3/26/2007			Plug Bac	Plug Back Total Depth 5000			Packer Set at 4866			To RECEIVED				
Casing Size Weight 4.5 10.5			t	Internal D	Diameter		Set at Perforations 5139 4889				To 4894	REC	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
Tubing Size 2.375			Weight 4.7#		Internal D	Internal Diameter		Set at 4866		Perforations		То		VED
Type Con		•			Type Flui WTR	d Production			Pump Ur	nit or Traveling	Plunger?	Yes /		
Producing Thru (Annulus / Tubing)			% C	% Carbon Dioxide			% Nitrogen			Gas Gravity - G _g				
TUBING Vertical D		IV.			0.1040		sure Taps		1.2080			0.6239 (Meter R		ver) Size
		''				FLAI	NGE							761) SIZE
Pressure	Buildu	p:	Shut in	22	0 14 at 1	1:00 am	(AM) (PM)	Taken_10)/3	20	14 at 1	11:00 a	m (Al	M) (PM)
Well on L	ine:		Started	2	0 at		(AM) (PM)	Taken		20	at		(A	vI) (PM)
						OBSERVE	D SURFAC	E DATA	T		Duration	of Shut-ir	24	Hours
Static / Orifice Dynamic Size Property (inches)		е	Circle one: Meter Prover Pressu		Flowing Well Head Temperature t t		Casing Wellhead Pressure (P _w) or (P _t) or (P _c)		Tubing Wellhead Pressure (P_w) or (P_t) or (P_c)		Duration (Hours)		Liquid Produced (Barrels)	
Shut-In			psig (Pm)	Inches H ₂ 0			psig	psia	psig 267	psia	24			
Flow														
						FLOW STF	REAM ATTR	IBUTES						
Plate Coeffiecient (F _b) (F _p) Mcfd		Pro	Circle one: Meter or over Pressure psia	Press Extension ✓ P _m x h	Extension Fact		or Temperature		iation ctor : pv	Metered Flov R (Mcfd)		GOR (Cubic Feet/ Barrel)		Flowing Fluid Gravity G _m
(P \2			(P _w) ² =		•	OW) (DELIV) CALCUL 2 - 14.4) +				(P _a) ² (P _d) ²	= 0.207 -	,
(P _c) ² =				Choose formula 1 or 2		<u>`</u>	Backpre	ssure Curve		<u>·</u>		(, a)		ı Flow
(P _c) ² - (l or (P _c) ² - (l		(r	P _c) ² - (P _w) ²	 P_c² - P_a² P_c² - P_d² divided by: P_c² - P_w 	formula 1. or 2. and divide	P _c ² -P _w ²	As	pe = "n" - or signed lard Slope	n x 1	LOG	Antil	og	Equals R	erability I x Antilog cfd)
				owned by. Te Tw		<u> </u>		элоро					· ·	
_														
Open Fio	w			Mcfd @ 14	.65 psia		Deliverat	oility			Mcfd @ 1	4.65 psia	l .	
The	unders	igne	d authority, o	n behalf of the	Company, s	states that h	ne is duly a			-	ort and tha	at he has		_
the facts s	tated t	herei	in, and that s	aid report is tru	e and correc	t. Executed	I this the 8	th B	day of <u>D</u>	ecember Black			, 20	14
			Witness (f any)			-	,,,	<i>~</i> γ/	For	Company			
			For Comm	ission	<u> </u>		-			Chec	cked by			

exempt status un and that the fore correct to the bes of equipment inst	der Rule K.A.R. 82-3-304 on beha going pressure information and s t of my knowledge and belief bas allation and/or upon type of comp	aws of the state of Kansas that I am authorized to request alf of the operator Berexco LLC statements contained on this application form are true and sed upon available production summaries and lease records letion or upon use being made of the gas well herein named. Deen flow testing for the Kennedy #1-17
as well on the g	rounds that said well:	KCC WICHITA
-	is a coalbed methane producer is cycled on plunger lift due to is a source of natural gas for in is on vacuum at the present time is not capable of producing at a	water RECEIVED jection into an oil reservoir undergoing ER le; KCC approval Docket No a daily rate in excess of 250 mcf/D ity any and all supporting documents deemed by Commission
		re: Both Blow the: Petroleum Engineer

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.