

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Biting Building
Wichita, Kansas

OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging of formations.

Pratt County. Sec. 11 Twp 28 Rge. (E) 11 (W)

Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines NW NE NE

Lease Owner S. K. Myers

Lease Name Bucklin Well No. 1

Office Address 1311 Madison St., Great Bend, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Gas

Date well completed 11-2 19 39

Application for plugging filed 10-20 19 48

Application for plugging approved 11-2 19 48


Plugging commenced 11-23 19 48

Plugging completed 12-11 19 48

Reason for abandonment of well or producing formation Would not feed into Skelly Line. Well pressure too low

If a producing well is abandoned, date of last production November 19 48

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well C. D. Stough

Producing formation 4246' Depth to top 4246' Bottom 4254' Total Depth of Well 4254' Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Viola	Gas	4246'	4254'	10 3/4" 5 1/2"	357' 4246'	0 3047'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Pumped in mud and 15 sacks cement to shut off gas, 4254' to 4246'
" in mud and sand, killed well and sand plugged back to 3763', ran 5 sacks cement
total plug back 3700'
Mud 3700' to 250'
Rock bridge + 250' to 240'
20 sacks cement 240' to 195'
Mud 195' to 25'
Cement 25' to bottom of cellar 5' below ground level.

DEC 30 1948
STATE CORPORATION COMMISSION
KANSAS
12-30-48

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to S. K. Myers
Address 1311 Madison St., Great Bend, Kansas

STATE OF Kansas, COUNTY OF Barton, ss.
S. K. Myers (employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) *S. K. Myers*

1311 Madison St., Great Bend, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 28th day of December, 19 48

My commission expires July 29, 1951

Notary Public.

22-2625
PLUGGING
FILE SEC 11 T 28 R 48
BOOK PAGE 60 LINE 8


3568' - K.C.
 4045' - Miss.
 4244' - Viola

PARKER DRILLING COMPANY

E11 = 1764'


BUCKLIN #1
NW NE NE 11-28-11W- PRATT COUNTY- KANSAS

FROM	TO	FORMATION	FROM	TO	FORMATION
0	83	Cellar	4020	4051	Lime & shale stks.
	28	Surface Soil & Clay	406	4060	Chert
	160	Sand		4080	Chert & shale
	280	Red bed & shells		4115	Shale & cht. stks.
	330	Sand and shells		4137	Shale & lime shells
	372	Shale & shells		4174	Shaley shells
	380	Broken Lime & shale		4205	Shale sdy.
	435	Red bed		4220	Shale gummy
	609	Red bed & shells		4244 $\frac{1}{2}$	Shale
	624	Sand & shale		4246	Lime TD
	637	brkn. Lime & shale			
	680	Shale & shells			
	692	Sand			
	700	Shale & lime			
	780	Shale & red bed			
	1244	Shale & shells			
	1442	Salt			
	1534	Shale & Lime shells			
	1755	Brkn. Lime & shale			
	1804	Hd. Sdy shale & lime			
	1846	Brkn. lime & shale			
	1912	Lime			
	1950	Sand			
	2025	Brkn. lime w/ shale			
	2055	Lime			
	2074	Brkn. Lime & shale			
	2087	Lime			
	2105	Lime & shale			
	2149	Lime			
	2304	Brkn. Lime & shale			
	2357	Shale & shells			
	2398	Lime			
	2426	Lime & shells			
	2528	Shale & brkn. lime			
	2681	Lime			
	2712	Brken lime			
	2753	Lime Dense			
	2833	Lime			
	2905	Lime & shale			
	2985	Shale & brkn. Lime			
	3074	Lime & shale			
	3106	Lime dense			
	3112	Lime			
	3160	Soft Broken lime			
	3205	Lime Dense			
	3228	Shale w/lime			
	3268	Lime brkn.			
	3294	Soft lime sdy.			
	3575	Lime			
	3587	Lime med soft-smell of oil			
	3613	Lime			
	3621	Lime med. soft.			
	3627	Lime			
	3633	Lime Soft			
	3657	brkn. lime			
	3718	Lime dense			
	3743	Lime stks. chert			
	3990	Lime			
	4020	Shale & brkn. lime			



PARKER DRILLING COMPANY

by *H.B. Lynn*
 H.B. Lynn, Drkg. Supt.



PLEASE RETURN TO
 SKAYERS

PARKER DRILLING COMPANY

BOCKLIN #1

NW NE NE 11-28-11W, Pratt County, Kansas

275 sacks cement 357' 10 3/4"

200 sacks cement 4246' - 5 1/2", H-40
Nat'l tube

Two joints 5 9/16" drill pipe

<u>FROM</u>	<u>TO</u>	<u>FORMATION</u>	<u>TO</u>	<u>FORMATION</u>
0	83	Cellar		
	128	Surface soil and clay	3627	Lime
	160	Sand	3633	Lime Soft
	280	Red bed and shells	3657	Brkn. lime
	330	Sand and shells	3718	Lime dense
	372	Shale and shells	3743	Lime stks. chert
	380	Broken lime and shale	3990	Lime
	435	Red bed	4020	Shale and brkn lime
	609	Red bed and shells	4051	Lime & shale stks.
	624	Sand and shale	4060	Chert
	637	Brkn lime and shale	4080	Chert & shale
	680	Shale and shells	4115	Shale & chert stks.
	692	Sand	4137	Shale & lime shells
	700	Shale and lime	4174	Shaley shells
	780	Shale and red bed	4205	Shale sdy
	1244	Shale and shells	4220	Shale gummy
	1442	Hard Salt	4244 1/2	Shale
	1534	Shale and lime shells	4246	Lime
	1755	Brkn lime and shells	4254	TD
	1804	Hd. sdy. shale & lime		
	1846	Brkn lime and shale		
	1912	Lime		
	1950	Sand		
	2025	Brkn. lime w/shale		
	2055'	Lime		
	2074'	Brkn lime and shale		
	2087	Lime		
	2105	Lime and shale		
	2149	Lime		
	2304	Brkn lime and shale		
	2357	Shale and shells		
	2398	Lime		
	2426	Lime and shells		
	2528	Shale and brkn lime		
	2681	Lime		
	2712	Brkn lime		
	2753	Lime Dense		
	2833	Lime		
	2905	Lime and shale		
	2985	Shale and broken lime		
	3074	Lime and shale		
	3106	Lime dense		
	3112	Lime		
	3160	Soft broken lime		
	3205	Lime dense		
	3228	Shale w/lime		
	3268	Lime brkn.		
	3294	Soft lime sdy.		
	3575	Lime		
	3587	Limed soft, smell of oil		
	3613	Lime		
	3621	Lime med. soft		

*This is what I received
from Parker Drilling Co.*

DEC 1940

PLUGGING

FILE SEC 11 T 28 R 11

BOOK PAGE 8 LINE 8