

ORIGINAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

Operator: License # 32198
Name: PETROSANTANDER (USA) INC
Address: 6363 WOODWAY suite 350
City: HOUSTON
State/Zip: TEXAS 77057
Purchaser: NA
Operator Contact Name: JASON SIZEMORE
Phone: (713) 784-8700
Contractor: Name: _____
License: _____
Wellsite Geologist: _____

Designate Type of Completion
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: PETROSANTANDER (USA) INC
Well Name: SMU 305
Original Comp. Date 12/08/00 Original TD 6100'
 Deepening Re-perf. Conv. to Enhr/SWD
 Plug Back PBDT
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Inj?) Docket No. E-27792
09/24/01 09/24/01 09/25/01
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API NO. 15- 119-20593-0002
County MEADE
 - NW - SW - NW Sec. 3 Twp. 33S Rge. 30 E
1830 Feet from S/N (circle one) Line of Section
660 Feet from E/W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
NE, SE, NW or SW (circle one)
Lease Name STEVENS (MORROW) UNIT Well # SMU 305
Field Name STEVENS
Producing Formation MORROW
Elevation: Ground 2728' KB 2740'
Total Depth 6100' PBDT 5730'
Amount of Surface Pipe Set and Cemented at 1615' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.


~~Drilling Fluid Management Plan Workover well 10.6.05
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name _____
Lease Name _____ License No. _____
_____ Quarter Sec. _____ Twp. _____ S Rng. _____ E/W
County _____ Docket No. _____~~

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature [Signature]
Title Vice-President, Operations Date 10/11/2001
Subscribed and sworn to before me this 12TH day of OCTOBER,
20 01.
Notary Public [Signature]
Date Commission Expires 9/07/2003

K.C.C. OFFICE USE ONLY
F N Letter of Confidentiality Attached
C N Wireline Log Received
C N Geologist Report Received
Distribution
 KCC SWD/Rep NGPA
 KGS Plug Other
(Specify)



RECEIVED
KANSAS CORPORATION COMMISSION

OCT 15 2001

CONSERVATION DIVISION
WICHITA, KS

Form ACO-1 (7-91)

Operator Name PETROSANTANDER (USA) INC Lease Name STEVENS (Morrow) UNIT Well # SMU 305

Sec. 3 Twp. 33S Rge. 30 East West

County MEADE

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets.)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy.)
 List ALL E Logs run

Log Formation (Top), Depth and Datums Sample
 Name Top Datum

RECEIVED
 KANSAS CORPORATION COMMISSION

OCT 15 2001

CONSERVATION DIVISION
 WICHITA, KS

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used | | | | | | | |
|---|-------------------|---------------------------|-----------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. | | | | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs./Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| SURFACE | 12-1/4" existing | 8-5/8" existing | 24# | 1615' | LITE/Class H | 600/200 | 2%cc/- |
| PRODUCTION | 7-7/8" existing | 5-1/2" existing | 10.5# | 6100' | Class H | 280 | |

ADDITIONAL CEMENTING/SQUEEZE RECORD

| Purpose: | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives |
|--|------------------|----------------|-------------|----------------------------|
| <input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone | | | | |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) | Depth |
|----------------|--|--|-------|
| 4/4/2/2 | (Existing) 5619-24/5631-36/5649-51/5659-67 | | |
| | (Existing) CIBP at 5730' | | |
| 2/4/2/4 | (Existing) 5742-46/5761-67/5888-98/6006-08 | | |
| | (Existing) CIBP at 5850' and 5960' | | |

| TUBING RECORD | Size | Set At | Packer At | Liner Run |
|--|--|---------|-------------|---|
| | 2-3/8" | 5590' | 5588' | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| Date of First, Resumed Production, SWD or Inj (AWAITING INJECTION AUTHORIZATION) | Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input checked="" type="checkbox"/> Other (Explain) | | | INJECTION |
| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water Bbls. | Gas-Oil Ratio Gravity |

Disposition of Gas:

METHOD OF COMPLETION

Production Interval

Vented Sold Used on Lease
 (If vented, submit ACO-18.)

Open Hole Perf. Dually Comp. Commingled _____

Other (Specify) INJECTION

ORIGINAL

ALLIED CEMENTING CO., INC. 4554

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Menard Lodge

| | | | | | | | |
|--|-------------------|---|------------------|------------------------|-------------------------|------------------------|---------------------------|
| DATE <u>1-2-00</u> | SEC <u>3</u> | TWP. <u>33S</u> | RANGE <u>30W</u> | CALLED OUT <u>5:30</u> | ON LOCATION <u>9:30</u> | JOB START <u>10:30</u> | JOB FINISH <u>3:00 PM</u> |
| LEASE <u>SMV</u> | WELL # <u>305</u> | LOCATION <u>MANOS, KS 3 1/2 S EAST SIDE</u> | | | COUNTY <u>MEADE</u> | STATE <u>Ks</u> | |
| <input checked="" type="radio"/> OLD OR NEW (Circle one) | | | | | | | |

CONTRACTOR PETROSANTANDER USA Inc OWNER

TYPE OF JOB Squeeze

| | |
|-----------------------------------|-------------------|
| HOLE SIZE | T.D. |
| CASING SIZE <u>4 1/2</u> | DEPTH |
| TUBING SIZE <u>2 3/8</u> | DEPTH <u>4447</u> |
| DRILL PIPE | DEPTH |
| TOOL | DEPTH |
| PRES. MAX | MINIMUM |
| MEAS. LINE | SHOE JOINT |
| CEMENT LEFT IN CSG. <u>100 ft</u> | |
| PERFS. | |
| DISPLACEMENT <u>17.34 bbls</u> | |

CEMENT
AMOUNT ORDERED 50 sks ASC + 27% C.C.
150 sks Class A neat
USED 100%

| | | | | |
|-----------------------|-------------|---|--------------|---------------|
| COMMON <u>A</u> | <u>100</u> | @ | <u>7.55</u> | <u>755.00</u> |
| POZMIX | | @ | | |
| GEL | | @ | | |
| CHLORIDE | <u>1</u> | @ | <u>28.00</u> | <u>28.00</u> |
| <u>ASC</u> | <u>50</u> | @ | <u>9.05</u> | <u>452.50</u> |
| | | @ | | |
| | | @ | | |
| | | @ | | |
| | | @ | | |
| REHANDLING <u>154</u> | | @ | <u>1.05</u> | <u>161.70</u> |
| MILEAGE <u>154</u> | <u>x 50</u> | @ | <u>.04</u> | <u>308.00</u> |

EQUIPMENT

| | |
|------------------|-----------------------------|
| PUMP TRUCK | CEMENTER <u>LARRY STEAM</u> |
| # <u>356-302</u> | HELPER <u>DAVID WEST</u> |
| BULK TRUCK | |
| # <u>059-252</u> | DRIVER <u>JASON</u> |
| BULK TRUCK | |
| # | DRIVER |

OCT 15 2001

TOTAL 1705.20

CONSERVATION DIVISION
WICHITA, KS

SERVICE

REMARKS:

Rigged up and tested to locate leak
Set packer at 4447 ft. Pressured Annulus
to 500# Test Rate of 1 1/2 bbl per at 700#
Mixed 50 sks ASC + 27% C.C. AND TAPPED
with 100 sks Class A neat. Well took 6
bbls displacement over cement. Pumped 3 bbl
per to reach squeeze of 1500# with 15
bbls out. washed excess to pit

| | |
|---------------------------|-----------------------------|
| DEPTH OF JOB <u>4447'</u> | |
| PUMP TRUCK CHARGE | <u>1080.00</u> |
| EXTRA FOOTAGE | @ |
| MILEAGE <u>20</u> | @ <u>3.00</u> <u>60.00</u> |
| PLUG | @ |
| <u>SQUEEZE MANIFOLD</u> | @ <u>75.00</u> <u>75.00</u> |
| | @ |

TOTAL 1215.00

CHARGE TO: PETROSANTANDER USA Inc.
STREET _____
CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

| | | | |
|--|---|--|--|
| | @ | | |
| | @ | | |
| | @ | | |
| | @ | | |
| | @ | | |

TOTAL _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

| | |
|-----------------------------|--------------------|
| TAX <u>186.90</u> | |
| TOTAL CHARGE <u>3106.90</u> | |
| DISCOUNT <u>292.00</u> | IF PAID IN 30 DAYS |
| <u># 2814.90</u> | |

SIGNATURE ORDERED BY PETE KUNEK

PRINTED NAME

ALLIEL CEMENTING CO., INC.

Federal Tax I.D.# 48-0727860

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Med Lodge

| | | | | | | | |
|-------------------------|------------------|--------------------------------------|---------------------|---------------------------|----------------------------|---------------------------|---------------------------|
| DATE <u>10-30-00</u> | SEC. <u>3</u> | TWP. <u>33S</u> | RANGE <u>30W</u> | CALLED OUT <u>6:00 AM</u> | ON LOCATION <u>9:00 AM</u> | JOB START <u>10:40 AM</u> | JOB FINISH <u>1:50 PM</u> |
| LEASE <u>SMV</u> | WELL# <u>305</u> | LOCATION <u>Plains East Edge 33S</u> | COUNTY <u>Meade</u> | STATE <u>KS</u> | | | |
| OLD OR NEW (Circle one) | | | <u>1/8 E 1/5</u> | | | | |

CONTRACTOR Post & Martin
 TYPE OF JOB Squeeze
 HOLE SIZE _____ T.D. _____
 CASING SIZE 4 1/2 DEPTH _____
 TUBING SIZE 2 3/8 DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL 4260 packer DEPTH 4260
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. 4365
 DISPLACEMENT 1002 Fresh H₂O
 EQUIPMENT
 PUMP TRUCK Max Bull CEMENTER Justin Hart
 # 261-265 HELPER Mark Brungardt
 BULK TRUCK _____
 # 259-252 DRIVER David Felio
 BULK TRUCK _____
 # _____ DRIVER _____

OWNER Petrosantander USA Inc.
 CEMENT
 AMOUNT ORDERED 100 SX ASC 2% CC
+ 5# Kol-seal/sack 150 SX CLASS A
+ 2% CC + 1/4# Flo-seal
(used 100 SX ASC)
 COMMON _____ @ _____
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE _____ @ _____
 ASC 100 @ 9.05 905.00
 Kol-Seal 500# @ .38 190.00
 _____ @ _____
 _____ @ _____
 _____ @ _____
 RECEIVING 273 @ 1.05 286.65
 MILEAGE 2013 x 50 @ .04 546.00
 OCT 15 2001
 TOTAL 1927.65

REMARKS:

CONSERVATION DIVISION
WICHITA, KS

SERVICE

Test plug @ 5195 1000# test again
 @ 4619 500# set packer pressure up
 annulus 500# Mix 100 SX ASC @ 2 1/2 BPM
 @ 17.8# Succeeded off @ 100 SX Mixed
 Reverse Diso 1 BBL Reverse out
 Long way 72 BBLs test squeeze
 1000# held trip out of Hole load
 casing pressure up to 500# shut in
 4 1/2 BBLs

DEPTH OF JOB 4365
 PUMP TRUCK CHARGE _____ 1080.00
 EXTRA FOOTAGE _____ @ _____
 MILEAGE 20 @ 3.00 60.00
 PLUG _____ @ _____
 _____ @ _____
 _____ @ _____
 TOTAL 1140.00

CHARGE TO: Petrosantander USA Inc.
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

Squeeze Manifold 75.00
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 TOTAL 75.00

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment
 and furnish cementer and helper to assist owner or
 contractor to do work as is listed. The above work was
 done to satisfaction and supervisor owner agent or
 contractor. I have read & understand the "TERMS AND
 CONDITIONS" listed on the reverse side.

TAX 20.13
 TOTAL CHARGE 3343.78
 DISCOUNT 314.27 IF PAID IN 30 DAYS
3029.51

SIGNATURE _____

PRINTED NAME

DAVID FELIO

7700011



ORIGINAL

Dowell a Division of Schlumberger Technology Corporation
 204 S Missouri
 Ulysses, KS 67880
 Tel: 316 356 1272
 Fax: 316 356 1911

INVOICE

ORIGINAL

| | | | | | | | |
|--------------|------------|------------|----------|--------------|------------|---------|------------|
| Service Date | 10/17/2000 | Job Number | 20183211 | Invoice Date | 10/27/2000 | Invoice | 9090546042 |
|--------------|------------|------------|----------|--------------|------------|---------|------------|

| | | |
|--|---|---|
| Bill To: PETROSANTANDER (USA) INC. PO Box 781 GARDEN CITY KS 67846 | Remit To: Dowell a Division of Schlumberger Technology Corporation PO Box 201556 Houston TX 77216-1556 | RECEIVED KANSAS CORPORATION COMMISSION OCT 15 2001 CONSERVATION DIVISION WICHITA, KS |
|--|---|---|

Tax Registration Number: 22-1692661
 We can invoice you EDI. Call (281) 285 4230 for more information.

| | | | |
|-----------------------------|---|-------------------------------------|-------------------------------------|
| Terms 30 Days Net | Service Description DW Cementing-Sqz Hole in CasePerf | | |
| Customer PO | Contract | AFE | Price Reference Dowell US |
| Well SMY 305 | State KS | County/Parish/Block Clark | Legal Location |
| Field | Customer or Authorized Representative Pete Kucyil | | Rig |

| Item | Description | Quantity | List Price | Disc | Net Price | Net Amount |
|--|---|------------|------------|-----------|------------|-----------------|
| 49100000 | Service Chg Cement Matl Land All DW Fur | 289.000 CF | 2.10 | -25.000 % | 1.5750 | 445.72 |
| 49102000 | Transportation Cement Ton Mile | 829.000 MI | 1.55 | -25.000 % | 1.1625 | 963.71 |
| 59200002 | Mileage, All Other Equipment | 130.000 MI | 4.15 | -25.000 % | 3.1125 | 404.62 |
| 59697004 | PRISM | 1.000 JOB | 810.00 | -25.000 % | 607.5000 | 607.50 |
| 102872040 | Liner/Sqz/Plug 3501-4000' 1st 4hr | 1.000 EA | 2,420.00 | -25.000 % | 1,815.0000 | 1,815.00 |
| Sub-Total Services | | | | | | 4,236.55 |
| 102946000 | Fuel Surcharge | 1.000 EA | 90.00 | | 90.0000 | 90.00 |
| D042 | KOLITE Lost Circulation Additive D42 | 800.000 LB | 0.77 | -25.000 % | 0.5775 | 462.00 |
| D804A-H | Cement, RFC Regulated Fillup D804A | 100.000 SK | 20.59 | -25.000 % | 15.4425 | 1,544.25 |
| D909 | Cement, Class H D909 | 150.000 CF | 12.90 | -25.000 % | 9.6750 | 1,451.25 |
| S001 | Calcium Chloride 77% S1 | 188.000 LB | 0.59 | -25.000 % | 0.4425 | 83.19 |
| Sub-Total Products | | | | | | 3,630.69 |
| Total before tax | | | | | | 7,867.24 |
| Tax, USState/CanGST 4.900 % | | | | | | 220.72 |
| Tax, US City 1.000 % | | | | | | 45.04 |
| Total Amount Due on or Before 11/26/2000 PAYABLE IN USD FUNDS | | | | | | 8,133.00 |

RECEIVED
 Property AFE 001 well 102
 7200103.0000-1213001101
 NOV 07 2000
 Description SMY 305
Cement
 Approved _____

Please reference invoice number 9090546042 on payment.

Thank-you for calling Dowell

ALLIEL CEMENTING CO., INC.

Federal Tax I.D.# 48-0727860

4209 ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
MEDICINE LODGE

| | | | | | | | |
|----------------------------------|-------------------|--|------------------|------------|----------------------------|--------------------------|----------------------------|
| DATE <u>10-14-00</u> | SEC. <u>3</u> | TWP. <u>33s</u> | RANGE <u>30W</u> | CALLED OUT | ON LOCATION <u>8:00 AM</u> | JOB START <u>9:05 AM</u> | JOB FINISH <u>12:45 PM</u> |
| LEASE <u>Smu</u> | WELL # <u>305</u> | LOCATION <u>FLAINS 3 1/2, 1/8 E, N/5</u> | | | COUNTY <u>MEADE</u> | STATE <u>KANSAS</u> | |
| <u>(OLD)</u> OR NEW (Circle one) | | | | | | | |

CONTRACTOR TOST + MASTIN #41

TYPE OF JOB SQUEEZE

| | |
|-----------------------------------|--------------------|
| HOLE SIZE | T.D. |
| CASING SIZE <u>4 1/2"</u> | DEPTH |
| TUBING SIZE <u>2 3/8"</u> | DEPTH |
| DRILL PIPE | DEPTH |
| TOOL <u>PACKER</u> | DEPTH <u>2789'</u> |
| PRES. MAX <u>1000#</u> | MINIMUM |
| MEAS. LINE | SHOE JOINT |
| CEMENT LEFT IN CSG. | |
| PERFS. <u>Class 2890' - 2914'</u> | |
| DISPLACEMENT | |

OWNER PETROSANTANDER USA INC.

CEMENT AMOUNT ORDERED

50sx ASC + 2% CACZ + 1/4# FLO-SEAL
150sx CLASS A

| | | | |
|-------------------------|------------|----------------|----------------|
| COMMON <u>A</u> | <u>150</u> | @ <u>7.55</u> | <u>1132.50</u> |
| POZMIX | | @ | |
| GEL | | @ | |
| CHLORIDE <u>5</u> | | @ <u>28.00</u> | <u>140.00</u> |
| <u>ASC</u> | <u>50</u> | @ <u>9.05</u> | <u>452.50</u> |
| <u>SAND</u> | <u>2</u> | @ <u>5.60</u> | <u>11.20</u> |
| <u>FLO-SEAL</u> | <u>13#</u> | @ <u>1.15</u> | <u>14.95</u> |
| | | @ | |
| | | @ | |
| HANDLING <u>2.09</u> | | @ <u>1.05</u> | <u>219.45</u> |
| MILEAGE <u>208 x 50</u> | | @ <u>.04</u> | <u>418.00</u> |

EQUIPMENT

| | |
|------------------|---------------------------------|
| PUMP TRUCK | CEMENTER <u>KEVIN BRUNGARDT</u> |
| # <u>261-202</u> | HELPER <u>MARK BRUNGARDT</u> |
| BULK TRUCK | |
| # <u>33-250</u> | DRIVER <u>DAVID FELIO</u> |
| BULK TRUCK | |
| # | DRIVER |

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 15 2001

TOTAL \$ 2388.61

REMARKS:

LOAD PRESSURE ANNULUS TO 500' / 9 1/2 BBLs
TAKE INT. RATE 4 BPM @ 400#
MIX 50sx ASC + 2% CACZ + 1/4# FLO-SEAL/SACK
MIX 100sx CLASS A + 2% C
MIX 50sx CLASS A NEXT, WASH LINES
TAKES 4 BBLs ON VAC. - PUMP 2 BBLs @ 1/4 BPM
STATE TIL 1 1/2 - SQUEEZE TO 1000#
REVERSE OUT TO 6' / 1.5 BBLs + PRESSURE TO 1000#
PULL TEG - LOAD HOLE / 5 1/2 BBLs TO 400#

CONSERVATION DIVISION
WICHITA, KS SERVICE

| | |
|-------------------|--------------------------|
| DEPTH OF JOB | |
| PUMP TRUCK CHARGE | <u>1080.00</u> |
| EXTRA FOOTAGE | @ |
| MILEAGE <u>20</u> | @ <u>3.00</u> <u>N/C</u> |
| PLUG | @ |
| | @ |
| | @ |

TOTAL \$ 1080.00

CHARGE TO: PETROSANTANDER USA INC.

STREET P.O. Box 481

CITY GARDEN CITY STATE KANSAS ZIP 67846

FLOAT EQUIPMENT

| | | |
|--|---|--|
| | @ | |
| | @ | |
| | @ | |
| | @ | |
| | @ | |

TOTAL _____

TAX 221.99

TOTAL CHARGE 3690.59

DISCOUNT 346.86 IF PAID IN 30 DAYS

3343.73

PETE KENEY

PRINTED NAME

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE

ALLIED CEMENTING CO., INC. 4208

Federal Tax I.D.# 48-0727860

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
MEDICINE LODGE

| | | | | | | | |
|--|-------------------|---|------------------|------------|---------------------------|--------------------------|---------------------------|
| DATE <u>10-13-00</u> | SEC. <u>3</u> | TWP. <u>33s</u> | RANGE <u>30W</u> | CALLED OUT | ON LOCATION <u>2:30PM</u> | JOB START <u>4:00 PM</u> | JOB FINISH <u>5:30 PM</u> |
| LEASE <u>SMU</u> | WELL # <u>305</u> | LOCATION <u>PLAIN 3 1/2 S, 1/8 E, 1/4 S</u> | | | COUNTY <u>MEADE</u> | STATE <u>KANSAS</u> | |
| <input checked="" type="radio"/> OLD OR NEW (Circle one) | | | | | | | |

CONTRACTOR POST + MASTEN
 TYPE OF JOB SQUEEZE
 HOLE SIZE _____ T.D. _____
 CASING SIZE 4 1/2" DEPTH RECEIVED
 TUBING SIZE 2 3/8" DEPTH AS CORPORATION COMMISSION
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH OCT 15 2001
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT _____

OWNER PETROSANTANDER USA INC
 CEMENT AMOUNT ORDERED
50% CLASS A + 2% CLASS
50% CLASS A NEAT
 COMMON A 100 @ 7.55 755.00
 POZMIX @ _____
 GEL @ _____
 CHLORIDE 2 @ 28.00 56.00
 @ _____
 @ _____
 @ _____
 @ _____
 @ _____
 HANDLING 102 @ 1.05 107.10
 MILEAGE 102 @ 2.00 204.00
 TOTAL 1122.10

EQUIPMENT

PUMP TRUCK CEMENTER KEVIN BRUNBARDT
 #261-302 HELPER MARK BRUNBARDT
 BULK TRUCK
 #353-250 DRIVER DAVID FELIO
 BULK TRUCK
 # _____ DRIVER _____

REMARKS:

TRY TO LOAD HOLE - DON'T LOAD
SPOT 25% SAND / 10 BBL'S
TAKE INT RATE 3 BBL @ 100#
MIX 50% CLASS A + 2% CLASS
MIX 50% CLASS A NEAT
TAKE ALL DESP. ON 1 1/2 BBL VAC
OVERDISPLACE + PULL TBC

SERVICE

DEPTH OF JOB 294'
 PUMP TRUCK CHARGE _____ 1080.00
 EXTRA FOOTAGE @ _____
 MILEAGE 20 @ 3.00 N/C
 PLUG @ _____
 @ _____
 @ _____
 TOTAL 1080.00

CHARGE TO: PETROSANTANDER USA INC
 STREET P.O. Box 781
 CITY GARDEN CITY STATE KANSAS ZIP 67846

FLOAT EQUIPMENT

@ _____
 @ _____
 @ _____
 @ _____
 @ _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to the contractor to do work as is listed. The above work was done to satisfaction and supervision of the contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL _____
 TAX 140.04
 TOTAL CHARGE 2343.04
 DISCOUNT 220.21 IF PAID IN 30 DAYS
2122.83

SIGNATURE [Signature]

PIE KUNEHL
PRINTED NAME