

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

API NO. 15- 119-20593 0001

ORIGINAL

County MEADE

 - NW - SW - NW Sec. 3 Twp. 33S Rge. 30 ^E
 _X W

1830 Feet from S/N (circle one) Line of Section

660 Feet from E/W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
NE, SE, NW or SW (circle one)

Lease Name STEVENS (MORROW) UNIT Well # SMU 305

Field Name STEVENS

Producing Formation MORROW

Elevation: Ground 2728' KB 2740'

Total Depth 6100' PBDT 5730'

Amount of Surface Pipe Set and Cemented at 1615' Feet

Multiple Stage Cementing Collar Used? Yes X No

If yes, show depth set Feet

If Alternate II completion, cement circulated from

feet depth to w/ sx cmt.

Drilling Fluid Management Plan OWWO 8/14/01 JB
(Data must be collected from the Reserve Pit)

Chloride content ppm Fluid volume bbls

Dewatering method used

Location of fluid disposal if hauled offsite:

Operator Name

Lease Name License No.

 Quarter Sec. Twp. S Rng. E/W

County Docket No.

Operator: License # 32198

Name: PETROSANTANDER (USA) INC

Address 6363 WOODWAY suite 350

City HOUSTON

State/Zip TEXAS 77057

Purchaser: NA

Operator Contact Name: JASON SIZEMORE

Phone (713) 784-8700

Contractor: Name:

License:

Wellsite Geologist:

Designate Type of Completion

 New Well Re-Entry X Workover

X Oil SWD SIOW Temp. Abd.

 Gas ENHR SIGW

 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: PETROSANTANDER (USA) INC

Well Name: JENNINGS 3-1

Original Comp. Date 07/17/83 Original TD 6100'

 Deepening Re-perf. Conv. to Enhr/SWD

X Plug Back 5730' PBDT

 Commingled Docket No.

 Dual Completion Docket No.

 Other (SWD or Inj?) Docket No.

10/10/00 11/10/00 12/08/00

Spud Date or Date Reached TD Completion Date or

Recompletion Date Recompletion Date

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature *[Signature]*


Title Vice-President, Operations Date 07/30/01

Subscribed and sworn to before me this 30th day of July, 2001.

Notary Public *[Signature]*

Date Commission Expires 9/07/2003

K.C.C. OFFICE USE ONLY					
F	<input type="checkbox"/>	Letter of Confidentiality Attached			
C	<input type="checkbox"/>	Wireline Log Received			
C	<input type="checkbox"/>	Geologist Report Received			
Distribution					
<input checked="" type="checkbox"/>	KCC	<input type="checkbox"/>	SWD/Rep	<input type="checkbox"/>	NGPA
<input type="checkbox"/>	KGS	<input type="checkbox"/>	Plug	<input type="checkbox"/>	Other
(Specify)					



RECEIVED
KANSAS CORPORATION
Form ACO-1 (7-91)
AUG 02 2001
CONSERVATION DIVISION

X

Operator Name PETROSANTANDER (USA) INC

Lease Name STEVENS (Morrow) UNIT Well # SMU 305

Sec. 3 Twp. 33S Rge. 30 East West

County MEADE

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken (Attach Additional Sheets.)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Log Formation (Top), Depth and Datums	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Electric Log Run (Submit Copy.)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
List ALL E Logs run			

CASING RECORD							
<input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING/SQUEEZE RECORD					
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives	
<input type="checkbox"/> Perforate	2914	Class A	100	2% cc + 1/4# floreal	
<input checked="" type="checkbox"/> Protect Casing	2890-2914	Class A	250	2% cc + 1/4# floreal	
<input type="checkbox"/> Plug Back TD	3501-4000	Class H	250	2% cc + 1/4# floreal	
<input type="checkbox"/> Plug Off Zone	4365 4447	Class A (both)	250 100	2% cc + 1/4# floreal	

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4/4/2/2	(Existing) 5619-12/5631-36/5649-51/5659-67		
	(New) CIBP at 5730'		
2/4/2/4	(Existing) 5742-46/5761-67/5888-98/6006-08		
	(Existing) CIBP at 5850' and 5960'		

TUBING RECORD	Size 2-3/8"	Set At 5717'	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumed Production, SWD or Inj 01/20/01	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		INJECTION	
Estimated Production Per 24 Hours	Oil Bbls. 5	Gas Mcf 0	Water Bbls. 7	Gas-Oil Ratio Gravity 32

Disposition of Gas:
 Vented Sold Used on Lease
 (If vented, submit ACO-18.)

METHOD OF COMPLETION
 Open Hole Perf. Dually Comp. Commingled
 Other (Specify)

Production Interval
5619'/5667'

RECEIVED
 KANSAS CORPORATION COMMISSION

AUG 02 2001

CONSERVATION DIVISION

ORIGINAL

ALLIED CEMENTING CO., INC. 4554

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Menard Lodge

DATE <u>1-2-00</u>	SEC <u>3</u>	TWP. <u>33S</u>	RANGE <u>30W</u>	CALLED OUT <u>5:30</u>	ON LOCATION <u>9:30</u>	JOB START <u>10:30</u>	JOB FINISH <u>3:00 PM</u>
LEASE <u>SMV</u>	WELL# <u>305</u>	LOCATION <u>Haros, Ks 3 1/2 S EASTSIDE</u>			COUNTY <u>MEADE</u>	STATE <u>Ks</u>	

OLD OR NEW (Circle one)

CONTRACTOR Petrosantander USA Inc. OWNER

TYPE OF JOB Squeeze

HOLE SIZE	T.D.
CASING SIZE <u>4 1/2</u>	DEPTH
TUBING SIZE <u>2 3/8</u>	DEPTH <u>4447</u>
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG. <u>100 ft</u>	
PERFS.	
DISPLACEMENT <u>17.34 bbls</u>	

CEMENT
AMOUNT ORDERED 50 sks ASC + 27% C.C.
150 sks class A neat
USED 100 sks

COMMON <u>A</u>	<u>100</u>	@ <u>7.55</u>	<u>755.00</u>
POZMIX		@	
GEL		@	
CHLORIDE	<u>1</u>	@ <u>28.00</u>	<u>28.00</u>
<u>Asc</u>	<u>50</u>	@ <u>9.05</u>	<u>452.50</u>
		@	
		@	
		@	
		@	
		@	
HANDLING <u>154</u>		@ <u>1.05</u>	<u>161.70</u>
MILEAGE <u>154</u>	<u>x 50</u>	<u>.04</u>	<u>308.00</u>
			TOTAL <u>1705.20</u>

EQUIPMENT

PUMP TRUCK	CEMENTER <u>LARRY STEEM</u>
# <u>356-302</u>	HELPER <u>DAVID WEST</u>
BULK TRUCK	
# <u>059-252</u>	DRIVER <u>JASON</u>
BULK TRUCK	
#	DRIVER

REMARKS:

Rigged up and tested to locate leak
Set packer at 4447 ft. Pressured Annulus
to 500#. Try Rate of 1 1/2 bbl per at 700#
Mixed 50 sks ASC + 27% C.C. and talled
with 100 sks Class A neat. Well took 6
bbls displacement over run. Pumped 3 bbl
out to reach squeeze of 1500# with 15
bbls out. Washed excess to pit

SERVICE

DEPTH OF JOB <u>4447'</u>	
PUMP TRUCK CHARGE	<u>1080.00</u>
EXTRA FOOTAGE	@
MILEAGE <u>20</u>	@ <u>3.00</u> <u>60.00</u>
PLUG	@
<u>SQUEEZE MANIFOLD</u>	@ <u>75.00</u> <u>75.00</u>
	@
TOTAL <u>1215.00</u>	

CHARGE TO: Petrosantander USA Inc.

STREET _____

CITY _____ STATE _____ ZIP _____

RECEIVED
KANSAS CORPORATION COMMISSION
AUG 02 2001
CONSERVATION DIVISION

FLOAT EQUIPMENT	@	
	@	
	@	
	@	
	@	
TOTAL _____		

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX <u>186.90</u>	
TOTAL CHARGE <u>3106.90</u>	
DISCOUNT <u>292.00</u>	IF PAID IN 30 DAYS
<u># 2814.90</u>	

SIGNATURE ORDERED BY PETE KUNEK

PRINTED NAME

ALLIEL CEMENTING CO., INC.

Federal Tax I.D.# 48-0727860

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT
Med Lodge

DATE <u>12-30-00</u>	SEC. <u>3</u>	TWP. <u>33S</u>	RANGE <u>30W</u>	CALLED OUT <u>6:00 AM</u>	ON LOCATION <u>9:00 AM</u>	JOB START <u>10:40 AM</u>	JOB FINISH <u>1:50 PM</u>
LEASE <u>SMV</u>	WELL # <u>305</u>	LOCATION <u>Pinias East Edge 33S</u>			COUNTY <u>Meade</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)		<u>1/8 E 1/5</u>					

CONTRACTOR <u>Post + Martin</u>	OWNER <u>Petrosantander USA INC.</u>
TYPE OF JOB <u>Squeeze</u>	
HOLE SIZE _____ T.D. _____	CEMENT
CASING SIZE <u>4 1/2</u> DEPTH _____	AMOUNT ORDERED <u>100 SX ASC 2% CC</u>
TUBING SIZE <u>2 3/8</u> DEPTH _____	<u>+ 5# Kol-seal/sack 150 SX CBSSA</u>
DRILL PIPE _____ DEPTH _____	<u>+ 2% CC + 1/4# Flo-seal</u>
TOOL <u>4260 packer</u> DEPTH <u>4260</u>	<u>(used 100 SX ASC)</u>
PRES. MAX _____ MINIMUM _____	COMMON _____ @ _____
MEAS. LINE _____ SHOE JOINT _____	POZMIX _____ @ _____
CEMENT LEFT IN CSG. _____	GEL _____ @ _____
PERFS. <u>4365</u>	CHLORIDE _____ @ _____
DISPLACEMENT <u>1 BBL Fresh H₂O</u>	<u>ASC 100 @ 9.05 905.00</u>

<u>KOL-SEAL 500# @ .38 190.00</u>	
HANDLING <u>279 @ 1.05 286.65</u>	
MILEAGE <u>273 x 50 .04 546.00</u>	
TOTAL 1927.65	

EQUIPMENT	
PUMP TRUCK <u>Max Ball</u>	CEMENTER <u>Justin Hart</u>
# <u>261-265</u>	HELPER <u>Mark Brungardt</u>
BULK TRUCK # <u>259-252</u>	DRIVER <u>David Felio</u>
BULK TRUCK # _____	DRIVER _____

REMARKS:
Test plug @ 5195 1000# test again
@ 4619 500# set packer pressure up
annulus 500# Mix 100 SX ASC @ 2 1/2 BPM
@ 17.8# Squeezed off @ 100 SX Mixed
Reverse also 1 BBL Reverse out
Long way 72 BBLs test squeeze
1000# held drip out of hole load
casing pressure up to 500# shut in
4 1/2 BBLs

SERVICE	
DEPTH OF JOB <u>4365</u>	
PUMP TRUCK CHARGE _____	<u>1080.00</u>
EXTRA FOOTAGE _____ @ _____	
MILEAGE <u>20 @ 3.00 60.00</u>	
PLUG _____ @ _____	
TOTAL 1140.00	

CHARGE TO: Petrosantander USA Inc.
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT	
<u>Squeeze Manifold</u>	<u>75.00</u>
_____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	
TOTAL 75.00	

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervisor owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX <u>20.13</u>	
TOTAL CHARGE <u>3343.78</u>	
DISCOUNT <u>314.27</u>	IF PAID IN 30 DAYS
<u>3029.51</u>	

SIGNATURE _____
 RECEIVED
 KANSAS CORPORATION COMMISSION
 AUG 02 2001
 CONSERVATION DIVISION

PRINTED NAME
PETE HUNDELL

7700011

Schlumberger

ORIGINAL

Dowell a Division of Schlumberger Technology Corporation
 204 S Missouri
 Ulysses, KS 67880
 Tel: 316 356 1272
 Fax: 316 356 1911

INVOICE

ORIGINAL

Service Date	10/17/2000	Job Number	20183211	Invoice Date	10/27/2000	Invoice	9090546042	
Bill To: PETROSANTANDER (USA) INC. PO Box 781 GARDEN CITY KS 67846				Remit To: Dowell a Division of Schlumberger Technology Corporation PO Box 201556 Houston TX 77216-1556				
				Tax Registration Number: 22-1692661 We can invoice you EDI. Call (281) 295 4230 for more information.				
Terms 30 Days Net		Service Description DW Cementing-Sqz Hole in CasePerf						
Customer PO		Contract		AFE		Price Reference	Dowell US	
Well	SMY 305	State	KS	County/Parish/Block	Clark	Legal Location		
Field		Customer or Authorized Representative				Pete Kuncyl	Rig	

Item	Description	Quantity	List Price	Disc	Net Price	Net Amount
49100000	Service Chg Cement Matl Land All DW Fur	283.000 CF	2.10	-25.000 %	1.5750	445.72
49102000	Transportation Cement Ton Mile	829.000 MI	1.55	-25.000 %	1.1625	963.71
59200002	Mileage, All Other Equipment	130.000 MI	4.15	-25.000 %	3.1125	404.62
59697004	PRISM	1.000 JOB	810.00	-25.000 %	607.5000	607.50
102872040	Liner/Sqz/Plug 3501-4000' 1st 4hr	1.000 EA	2,420.00	-25.000 %	1,815.0000	1,815.00
Sub-Total Services						4,236.55
102946000	Fuel Surcharge	1.000 EA	90.00		90.0000	90.00
D042	KOLITE Lost Circulation Additive D42	800.000 LB	0.77	-25.000 %	0.5775	462.00
D804A-H	Cement, RFC Regulated Fillup D804A	100.000 SK	20.59	-25.000 %	15.4425	1,544.25
D909	Cement, Class H D909	150.000 CF	12.90	-25.000 %	9.6750	1,451.25
S001	Calcium Chloride 77% S1	188.000 LB	0.59	-25.000 %	0.4425	83.19
Sub-Total Products						3,630.69
Total before tax						7,867.24
Tax, US State/Can GST 4.900 %						220.72
Tax, US City 1.000 %						45.04
Total Amount Due on or Before 11/26/2000 PAYABLE IN USD FUNDS						8,133.00

RECEIVED
 KANSAS CORPORATION COMMISSION
 AUG 02 2001
 CONSERVATION DIVISION

RECEIVED
 Property AFE call scf/102
 7700103.0000-121300110
 NOV 07 2000
 Description SMY 305
Cement
 Approved _____

Please reference invoice number 9090546042 on payment.

Thank-you for calling Dowell

ALLIEL CEMENTING CO., INC. 4209

Federal Tax I.D.# 48-0727860

ORIGINAL
SERVICE POINT:

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

MEDICINE LODGE

DATE <u>10-14-00</u>	SEC. <u>3</u>	TWP. <u>33s</u>	RANGE <u>30W</u>	CALLED OUT	ON LOCATION <u>8:00AM</u>	JOB START <u>9:05 AM</u>	JOB FINISH <u>12:45 PM</u>
LEASE <u>SMU</u>	WELL # <u>305</u>	LOCATION <u>FLAINS 3 1/2 S, 1/8 E, N1/4</u>			COUNTY <u>MEADE</u>	STATE <u>KANSAS</u>	
<input checked="" type="radio"/> OLD <input type="radio"/> NEW (Circle one)							

CONTRACTOR TOST + MASTIN #41
 TYPE OF JOB SQUEEZE
 HOLE SIZE _____ T.D. _____
 CASING SIZE 4 1/2" DEPTH _____
 TUBING SIZE 2 3/8" DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL PACKER DEPTH 2789'
 PRES. MAX 1000# MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. CLASS 2890' - 2914'
 DISPLACEMENT _____

OWNER PETROSANTANDER USA INC.

CEMENT AMOUNT ORDERED
50% ASC + 2% CMC + 1/4# FLO-SEAL
150% CLASS A

COMMON <u>A</u>	<u>150</u>	@ <u>7.55</u>	<u>1132.50</u>
POZMIX		@	
GEL		@	
CHLORIDE	<u>5</u>	@ <u>28.00</u>	<u>140.00</u>
<u>ASC</u>	<u>50</u>	@ <u>9.05</u>	<u>452.50</u>
<u>SAND</u>	<u>2</u>	@ <u>5.60</u>	<u>11.20</u>
<u>FLO-SEAL</u>	<u>13#</u>	@ <u>1.15</u>	<u>14.95</u>
		@	
		@	
HANDLING	<u>209</u>	@ <u>1.05</u>	<u>219.45</u>
MILEAGE	<u>209 x 50</u>	<u>.04</u>	<u>418.00</u>

TOTAL \$ 2388.61

EQUIPMENT

PUMP TRUCK CEMENTER KEVIN BRUNARDI
 # 261-202 HELPER MARK BRUNARDI
 BULK TRUCK
 # 353-250 DRIVER DAVID FELIO
 BULK TRUCK
 # _____ DRIVER _____

REMARKS:

LOAD PRESSURE ANNULUS TO SDT / 9 1/2 BBLs
TAKE INJ. RATE 4 BPM @ 400#
MIX 50% ASC + 2% CC + 1/4# FLO-SEAL/SACK
MIX 100% CLASS A + 2% CC
MIX 50% CLASS A NEAT, IN A SACK PULVERIZER
TAKE 4 BBLs ON VAC. - PUMP 2 BBLs @ 1/4 BPM
STAGE FOR 1 Hr - SQUEEZE TO 1000#
REVERSE OUT TO 6/15 BBLs + REPRESSURE TO 1000#
PUL 786 - LOAD HOLE / 5 1/2 BBLs TO 400#

SERVICE

DEPTH OF JOB _____
 PUMP TRUCK CHARGE _____ 1080.00
 EXTRA FOOTAGE @ _____
 MILEAGE 20 @ 3.00 N/C
 PLUG @ _____
 @ _____
 @ _____

TOTAL \$ 1080.00

CHARGE TO: PETROSANTANDER USA INC.
 STREET P.O. Box 481
 CITY GARDEN CITY STATE KANSAS ZIP 67846

FLOAT EQUIPMENT

@ _____
 @ _____
 @ _____
 @ _____
 @ _____

TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand "TERMS AND CONDITIONS" listed on the reverse side.

TAX 221.99
 TOTAL CHARGE 3690.59
 DISCOUNT 346.86 IF PAID IN 30 DAYS
3343.73

SIGNATURE [Signature] RECEIVED
 KANSAS CORPORATION COMMISSION

PETE KUNEYL
 PRINTED NAME

AUG 02 2001

CONSERVATION DIVISION

ALLIED CEMENTING CO., INC. 4208

Federal Tax I.D.# 48-0727860

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
MEDICINE LODGE

DATE <u>10-13-00</u>	SEC. <u>3</u>	TWP. <u>33s</u>	RANGE <u>30W</u>	CALLED OUT	ON LOCATION <u>2:30PM</u>	JOB START <u>4:00 PM</u>	JOB FINISH <u>5:30 PM</u>
LEASE <u>SMU</u>	WELL # <u>305</u>	LOCATION <u>FLAINS 3 1/2s, 1/8e, 1/4s</u>			COUNTY <u>MEADE</u>	STATE <u>KANSAS</u>	
<input checked="" type="radio"/> OLD OR NEW (Circle one)							

CONTRACTOR POST + MASTEN
 TYPE OF JOB SQUEEZE
 HOLE SIZE _____ T.D. _____
 CASING SIZE 4 1/2" DEPTH _____
 TUBING SIZE 2 3/8" DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT _____

OWNER PETROSANTANDER USA INC
 CEMENT AMOUNT ORDERED
50SK CLASS A + 2% CAS
50SK CLASS A NEAT
 COMMON A 100 @ 7.55 755.00
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE 2 @ 28.00 56.00
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 HANDLING 102 @ 1.05 107.10
 MILEAGE 102 x 50 .04 204.00
 TOTAL 1122.10

EQUIPMENT

PUMP TRUCK CEMENTER KEVIN BRUNBAUDT
 #261-302 HELPER MARK BRUNBAUDT
 BULK TRUCK DRIVER DAVID FELIO
 #353-250
 BULK TRUCK DRIVER _____
 # _____

REMARKS:

TRY TO LOAD EBLE - DON'T LOAD
SPOT 2SK SAND / 10 BBL'S
TAKE INT RATE 3 BBL/P 100#
MIX 50SK CLASS A + 2% CAS
MIX 50SK CLASS A NEAT
TAKES ALL DESP. ON 1 1/2 BBL VAC
OVERDISPLACE + PULL TBC

SERVICE

DEPTH OF JOB 294'
 PUMP TRUCK CHARGE 1080.00
 EXTRA FOOTAGE @ _____
 MILEAGE 20 @ 3.00 N/C
 PLUG @ _____
 _____ @ _____
 _____ @ _____
 TOTAL 1080.00

CHARGE TO: PETROSANTANDER USA INC
 STREET P.O. Box 781
 CITY GARDEN CITY STATE KANSAS ZIP 67846

FLOAT EQUIPMENT

@ _____
 @ _____
 @ _____
 @ _____
 @ _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL _____
 TAX 140.94
 TOTAL CHARGE 2343.04
 DISCOUNT 220.21 IF PAID IN 30 DAYS
2122.83

SIGNATURE [Signature]

PIE KUNEHL
 PRINTED NAME