Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements perein are complete and correct to the best of my knowledge.

Signature Maron a. Cook Sharon A. Cook	
<i>'</i>	K.C.C. OFFICE USE ONLY F Letter of Confidentiality Attached
Title _Regulatory Assistant Date 2-13-95	C Wireline Log Received
Subscribed and sworn to before me this 13th day of Lebruay.	C Geologist Report Received Distribution
Notary Public Seekl Lymilon	KCC SWD/Rep NGPA Other
Date Commission ExpiresAUGUST 18, 1998	(Specify)

DEW95097.SAC

NOTARY PUBLIC - State of Kansas KATHLEEN R. POULTON My Appt. Exp. <u>\$\sigma_8-18-78</u>

STATE CORPORATION LONGO HIS SACOLA (7-91)

FEB 1 7 1995

	-			SIDE TWO)				:	i.	
Operator NameMobil	Oil Corporati	ion		Lease	Name CP-	SHAFER	#1 UNIT	Well # .	3	<u> </u>	
Sec5 Twp33	Rge38	East X West		County	s	TEVENS					
INSTRUCTIONS: Show interval tested, time hydrostatic pressures if more space is need	e tool open a , bottom hole :	nd closed, f temperature,	lowing a	nd shut-in	pressure	es, wheth	er shut-in pre	essure reac	hed stati	ic level,	
Drill Stem Tests Taken (Attach Additional Sheets.) Samples Sent to Geological Survey Cores Taken Electric Log Run Yes X No Yes X No			□ □ □ X	Log Formation (Top), Depth and D					Datums Sample		
			Name		-	Тор		Datum	-		
				SEE ATTACHED DRILLER'S LOG							
(Submit Copy.)											
List All E.Logs Run: Electric Resistance L	og - Attached	ı					·				
	Report a		RECORD	New (mediate,	production, et	c.			
Purpose of String	Size Hole Drilled	Size Cas Set (In	- 1	Weight Lbs./Ft		etting epth	Type of Cement	# Sacks Used	Type and Addit		
	<u> </u>	<u> </u>									
	ADDITIONAL C	EMENTING/SQUI	EEZE RECO	ORD							
Purpose: Perforate	Depth Top Bottom	Type of Ce	ement	#Sacks Us	#Sacks Used Type and Percent Additives						
Protect Casing Plug Back TD	(1) First p	(1) First plug - Bentonite set at 13' - 3' plug.									
X Plug Off Zone	(2) Second	olug - Bentor	nite set	at 32' - 3	0' plug.						
Shots Per Foot	PERFORATION Specify Footage	N RECORD - Br	idge Plu nterval P	gs Set/Type erforated	(A		Fracture, Shot, d Kind of Mater			ord epth	
First anode set at	90', second a	enode at 65'	, third	anode at 55	7.						
											
										-	
TUBING RECORD 1" PVC vent from	Size TD to 3' above	Set At surface.		Packer At	Li	ner Run NA	☐ Yes ☐	No			
Date of First, Resum Installed 1/10/95	med Production	, SWD or Inj.	Produ	ncing Method NA	Flow	ing \square_{Pu}	mping Gas L	ift Ot	her (Expl	ain)	
Estimated Production Per 24 Hours	oil	Bbls.	Gas	Mcf NA	Water N/	Bbls.				iravi ty	

METHOD OF COMPLETION

Disposition of Gas:

Vented Sold Used on Lease (If vented, submit ACO-18.)

Other (Specify)

GUALDON IN PROJECTION OF THE STATE OF TH

 \square Open Hole \square Perf. \square Dually Comp. \square Commingled

Production Interval