SIDE ONE

ACO-1	MELL	HISTORY	
		Compt	

F	Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed. Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential. Applications must be made on dual completion, commingling, salt water disposal,									
С	injection and temporarily abandoned wells. Attach one copy only wireline logs (i.e. electroneutron log, etc.). (Rules 82-2-105 & 82-2-125) KO	cical log, sonic log, gamma ray								
	LICENSE # 5307 EXPIRATION DATE									
	OPERATOR Gold Energy Corporation	_ API NO 15-001-25,309 0000								
	ADDRESS 5959 Woodson	COUNTY_ Allen								
		FIELD								
	** CONTACT PERSON Ronald L. Gold PHONE 913-677-1049	PROD. FORMATION Bartlesville								
	PURCHASER	LEASE Jarred-Chessman WELL NO. 4								
	ADDRESS									
		WELL LOCATION N/2 NE/4								
	DRILLING Specialty Drilling	165 Ft. from N Line and								
	CONTRACTOR ADDRESS RR #4, Box 149	1815 Ft. from E Line of (E)								
		the NE (Qtr.)SEC17 TWP26 RGE 19 (W).								
	Chanute, Kansas 66720	WELL PLAT (Office								
	PLUGGING CONTRACTOR	Use Only)								
	ADDRESS	KCC								
•	· · · · · · · · · · · · · · · · · · ·	KGS								
	TOTAL DEPTH 900' PETD	SWD/REPPLG.								
	SPUD DATE 1/8/82 DATE COMPLETED 2-18-82	NE/4 PLG								
	ELEV: GR DF KB									
	DRILLED WITH (CARLE) (ROWNY) (AIR) TOOLS.									
	DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE									
	Amount of surface pipe set and cemented 110'	DV Tool Used?								
•	THIS AFFIDAVIT APPLIES TO: (Circle ONE) - (Oil), Gas, Injection, Temporarily Abandoned, OWWO. Other	• • • • •								
	ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATION OF THE RU	ONS PROMULGATED TO REGULATE THE OIL								
		• ••								
	A 123 123 127 124 A 127 127 129	•								
	AFFIDAVIT Ronald L. Gold									
	that:	ing of lawful age, hereby certifies								
	I am the Affiant, and I am familiar with the con The statements and allegations contained therein are	ntents of the foregoing Affidavit. true and correct.								
		My LCO Me								
		(Name)								
	SUBSCRIBED AND SWORN TO BEFORE ME this 28xx									
	1983 - STATE CORPORA	EIVED TON COMMISSION								
	·	Ann dead be lead and								
	AUG O MY COMMISSION EXPIRES: 6/6/87	CANDRA ICATELSON -								
		ON DIVISION STATE NOTARY PUBLIC								
	· · · · · · · · · · · · · · · · · · ·	AGISES JOHNSON COUNTY KANSAS								
	** The person who can be reached by phone regarding information.	any questions concerning this								

FILL IN WELL INFORMATION AS REQUIRED:

LEASE Jarred-ChessmanSEC.17 TWP. 26 RGE. 19

WELL NO.

FILL IN WELL Show all Important zones of persilit		HOW GEOLOGICAL MARKERS, LOGS RUN, R OTHER DESCRIPTIVE INFORMATION.										
cluding depth Interval tested, cushion used, time tool open, flowing and tool open, flowing			shut-in pressu TOP			. на	ME	DEPTH				
Check if no Drill			1		<u></u>							
Shale Sand, slightly cale Sand, very cementa mica Sand, slightly cale	careous, car	d, mica mica mica mica mica	843' 849' 850' 851' 852' 853' 854'	8! 8! 8!	49.5' 50' 51' 52' 53' 54'		٠.					
gilcinite		ilitea,	855'		56'	ł						
Shale			856'	85	57 '							
) 									
							,					
							• • •					
a	٠							<u></u> .				
·		• .										
	•	-						_ ·				
·		•										
	٠				•		·					
If additional space is needed use Page 2, Side 2												
Report of all strings set — surfac			CASING	RECOR	D (Nev	7) or (U						
Purpose of string Size hole drill	d Size casing ant (in O.D.)	Weight lbs/ft.	Setting depth	Tyj	e cement	. Socks		edditives				
Surface 8 5/8	7"		110'	<u> </u>								
Production 6 1/4	" 2 1/2"		61' Portland A		160 2%		el					
	1	•										
		. :										
LINER REC	ORD				PERFO	RATION RE	CORD					
Top, ft. Bottom, ft. Socks coment			Shets per ft. Six			Hza & type	Depth Interval 849-853					
TUBING RE	CORD		1		_	•						
Size Setting depth	Pocker te	et at	1.									
	ACID, FRACTU	RE, SHOT,	CEMENT SQ	UEEZE	RECORD		1					
Amount and kind of material used							Depth Interval treated					
18 sacks 12 X 30 sand; 39 sacks 10 X 20 sand; 4.6							849-853'					
sacks 8 X 12 sand; 140 lbs. gel; 3 gal. cloystoy;							<u>-</u>					
5.4 sacks rock salt Date of first production Producing method (flowing, pumping, per lift, stc.)							 					
Pumping						Gra	Gravity 22					
Estimated Production -I.P. unk	nown	. Gai .) 		-,	bbls.	1	- CFPS				