MAY 2'9 1981

Form CP-4 Rev. 12-15-80

STATE OF KANSAS
STATE CORPORATION COMMISSION
200 Colorado Derby Bldg,
Wichita, Kansas 67202

WELL PLUGGING RECORD

	Location a	s in quar	cters or	_	from lines:	
	I Lease Owne					
	Lease Owne	Ge	roge_R	Jones	17-7	1 N.
						1 No. 1
	Character	of Well ((Complet	ed as Oil	, Gas or Dry	chita, Kansas Hole):
	Date Well	Completed	i	5	-28-81	
	Applicatio	n for plu	igging f	iled_ <u>5-2</u>	8-81	
	Plugging c	ommenced_		6:00 AM	5=28=81	
4	Plugging c	$ompleted_{_}$		7:30 AM	5-28-81	· · · · · · · · · · · · · · · · · · ·
I t	Reason for	abandonn	ent of	well or p	roducing for	mation
Locate Well correctly on above		·			Dry	
Section Platt.	Was permis	sion obta	ined fr	om the Con	nservation D	ivision or it's
•	Agent's be	fore plug	ging wa	s commenc	ed?Yes_	
me of Conservation Age	ent who superv	ised plug	ging of	this well	l Normi e	[ag] (a
oducing formation		Depth to	top	bot	tom	T.D. 3910
now depth and thickness						
L, GAS OR WATER RECORI		•	J			<u>.</u>
rmation			Y m		, , , , , , , , , , , , , , , , , , ,	Casing Record
THRETOH	Content	From	То	Size	Put in	Pulled Out
			 	0.5/0	325	
and & Shele	0	La2 9	325	8 3/8	929	
Describe in detail t uid was placed and the other plugs were used	method or med l. state the cl	which the	well w	troducing	I, indicating	g where the mid
Describe in detail the luid was placed and the other plugs were used	he manner in we method or me	which the thods use haracter	well well with din in of same	as plugged troducing and depth	i, indicating it into the placed, from	g where the mid
Describe in detail t uid was placed and the other plugs were used	he manner in we method or me	which the thods use haracter	well well with din in of same	as plugged troducing and depth with Mud	i, indicating it into the placed, from	g where the mid
Describe in detail t uid was placed and the other plugs were used	he manner in we method or me	which the thods use haracter	well well with the distribution of same to the distribution of the	as plugged troducing and depth	i, indicating it into the placed, from	g where the mid
Describe in detail t uid was placed and the other plugs were used	he manner in we method or me	which the thods use haracter Fill Spo	well well well well well well well well	as plugged troducing and depth with Mud acks @ 700 acks @ 32!	i, indicating it into the placed, from	g where the mid
Describe in detail t uid was placed and the other plugs were used	he manner in we method or med, state the clack plug set.	which the thods use haracter	well well well well well well well well	as plugged troducing and depth with Muducks @ 700 teks @ 321 teks @ 400 teks	i, indicating it into the placed, from place	g where the mid
Describe in detail t uid was placed and the other plugs were used	he manner in we method or med, state the clack plug set.	which the thods use haracter Fill Spo on S	well well with the same of same to sam	as plugged troducing and depth with Muducks @ 700 toks @ 400 toks	i, indicating it into the placed, from placed, from the placed in placed, from the placed in pla	g where the mid
Describe in detail the detail the describe in detail the describe and the describe and the describe described by the described and the described by the describ	he manner in we method or med, state the cluch plug set.	which the thods use haracter Fil Spo on S Used 105 Plugge	well well with din in of same 1 Hole t 50 ss 10	as plugged troducing and depth with Mud loke 0 700 loke 0 320 loke 0 400 loke	i, indicating it into the placed, from place	where the mud hold. If cement om feet
Describe in detail to uid was placed and the other plugs were used feet for each feet for each feet of Plugging Contract	he manner in we method or med, state the clack plug set	which the thods use haracter Fil Spo on Sel 105 Plugger is neces	well well well well well well well well	as plugged troducing and depth with Mud loke @ 700 loke @ 32 loke @ 40 loke	i, indicating it into the placed, from place	where the mud hold. If cement om feet
Describe in detail the duid was placed and the other plugs were used feet for each feet for each feet of Plugging Contract	he manner in we method or med, state the clack plug set	which the thods use haracter Fil Spo on Sel 105 Plugger is neces	well well well well well well well well	as plugged troducing and depth with Mud loke @ 700 loke @ 32 loke @ 40 loke	i, indicating it into the placed, from place	where the mud hold. If cement om feet
Describe in detail to luid was placed and the cother plugs were used feet for each feet feet for each feet feet feet feet feet feet feet fee	he manner in we method or	which the thods use haracter Fil Spo on Sel 105 Plugger is neces	well well well well well well well well	as plugged troducing and depth with Mud loke @ 700 loke @ 32 loke @ 40 loke	i, indicating it into the placed, from place	where the mud hold. If cement om feet
Describe in detail the luid was placed and the other plugs were used feet for each of the luid was placed and the control of the luid was placed and the luid was plugging feet for each of the luid was of plugging feet received.	he manner in we method or med, state the clack plug set	which the thods use haracter Fil Spo on S Used 105 Plugge is neces	well well with din in of same to same	as plugged troducing and depth with Mud loke @ 700 loke @ 32 loke @ 40 loke	i, indicating it into the placed, from place	where the mud hold. If cement om feet
Describe in detail to uid was placed and the other plugs were used feet for each feet feet feet feet feet feet feet fee	he manner in we method or method or method or method or method or method, state the cluck plug set. I description tor COUNTY OF	which the thods use haracter Fil Spo on S Used 105 Plugge is neces r, wichi (employed)	well well with din in of same to same	as plugged troducing and depth with Mud loke @ 700 loke @ 320 loke @ 400 loke	i, indicating it into the placed, from placed, from placed, from placed, from placed in this sheet. (owner or open part I have been placed in the placed in	where the mud hold. If cement om feet
Describe in detail to uid was placed and the other plugs were used feet for each feet feet for each feet feet feet feet feet feet feet fee	he manner in we method or method or method or method or method, state the cluch plug set. I description tor COUNTY OF ing first duly atters herein	which the thods use haracter Fil Spo on S Used 105 Plugge is neces year D contained contained	well well with din in of same to same	as plugged troducing and depth with Mud loke 0 700 loke 0 32 loke 0 40 loke	i, indicating it into the placed, from placed, from placed, from placed, from placed in this sheet. (owner or open part I have been placed in the placed in	where the mud hold. If cement om feet
Describe in detail to uid was placed and the other plugs were used feet for each feet feet for each feet feet feet feet feet feet feet fee	he manner in we method or method or method or method or method, state the cluch plug set. I description tor COUNTY OF ing first duly atters herein	which the thods use haracter Fil Spo on S Used 105 Plugge is neces year D contained contained	well well with din in of same to same	as plugged troducing and depth with Mud loke 0 700 loke 0 32 loke 0 40 loke	i, indicating it into the placed, from placed, from placed, from placed, from placed in this sheet. (owner or open part I have been placed in the placed in	where the mud hold. If cement om feet
Describe in detail to uid was placed and the other plugs were used feet for each feet feet for each feet feet feet feet feet feet feet fee	he manner in we method or method or method or method or method, state the cluch plug set. I description tor COUNTY OF ing first duly atters herein	which the thods use haracter Fil Spo on S Used 105 Plugge is neces year D contained contained	well well with a same of same of same of same of sacks of	as plugged troducing and depth with Mud loke @ 700 loke @ 32 loke @ 40 loke	i, indicating it into the placed, from place	where the mud hold. If cement on feet on feet on feet on the nowledge of the escribed well as
Describe in detail to uid was placed and the other plugs were used feet for earlier feet feet for earlier feet feet feet for earlier feet feet feet feet feet feet feet fe	he manner in we method or method or method or method or method, state the cluch plug set. I description tor COUNTY OF ing first duly atters herein	which the thods use haracter Fil Spo on S Used 105 Plugge is neces year D contained contained	well well with a same of same of same of same of sacks of	as plugged troducing and depth with Mud loke @ 700 loke @ 32 loke @ 40 loke	i, indicating it into the placed, from placed, from the placed in placed, from the placed in pla	where the mud hold. If cement om feet feet feet feet feet feet feet fee
Describe in detail tould was placed and the other plugs were used feet for each feet feet feet feet feet feet feet fee	he manner in the method or method or method or method, state the clack plug set. I description tor COUNTY OF ing first duly atters herein are true and or	is neces Sadgw: (employer sworn or contained correct.	well well with a same of same of same of same of sacks of	as plugged troducing and depth with Mud loke @ 700 loke @ 32 loke @ 40 loke	i, indicating it into the placed, from placed, from the placed, from the placed in placed, from the placed in the	where the mud hold. If cement om feet feet feet feet feet feet feet fee
Describe in detail to uid was placed and the other plugs were used feet for each feet feet feet for each feet feet feet feet feet feet feet fee	he manner in the method or method or method or method, state the clack plug set. I description tor COUNTY OF ing first duly atters herein are true and or	is neces Sadgw: (employer sworn or contained correct.	well well with a same of same of same of same of sacks of	as plugged troducing and depth with Mud loke @ 700 loke @ 32 loke @ 40 loke	i, indicating it into the placed, from placed, from the placed, from the placed in placed, from the placed in the	where the mud hold. If cement om feet feet feet feet feet feet feet fee
Describe in detail to uid was placed and the other plugs were used feet for earlier feet feet feet feet feet feet feet fe	he manner in the method or method or method or method, state the clack plug set. I description tor COUNTY OF ing first duly atters herein are true and or	is neces Sadgw: (employer sworn or contained correct.	well well with din in of same 1 Hole to 50 same 10 Sam	as plugged troducing and depth with Mud loke @ 700 loke @ 32 loke @ 40 loke	i, indicating it into the placed, from placed, from the placed, from the placed in placed, from the placed in the	erator) of the nowledge of the scribed well as

RECEIVED.

JUN 2 9 1983

r s

	TION REPORT		. v :		e ja engli	Y.	9	2 n 14 🗱
RILLER'S LOG Pi No. 15 —	185	21,2			•		SE SW	SE
aret or	County	// Re	mber		k. Digitalia	-	Activity	afford
George R	. Jones	As the s		· · · · · · · · · · · · · · · · · · ·			4	IO Acres
125 No. Mar	ket, Suite 13	10. Wic	hita, KS	67202		,	上	
1	Drall.	e .	A STATE OF THE STA		A TO WASH			\
to Lacotton 330 foot from	XMX (5) M/40	330	- Sect 1	from (E) (W)	tine			HHY
Bergman Dri	en green francisco est a s	do d	obert W.	an a a a a a a a a a a a a a a a a a a			160	60
d Dete	Date Completed 1 May 28, 19	Yele	1 D-yris 910 '	P.B.7.0			194	The section of the se
ectional Deviation	19 Play 20, 19		and/or Cas Purel	(oper		, , , , , , , , , , , , , , , , , , ,		кв 1945 '
y - Ang sand Car		1	CASING	RECORD				
Report of all stein	gs set — surface, inte	vmediate		· · · · · · · · · · · · · · · · · · ·	 	Control of the	a ar ar ar .	, , , , , , , , , , , , , , , , , , ,
Purpura of string		o cacing set		Setting depth	Туре се	nament	Saaks	Type and persont
urface		8-5/8"		325	60/40 P	osmix	300	3% gel, 2% c.c.
					7 17 71		300	301, 2000
र राजा के सम्बद्धाः हो । स्टब्स्ट्रेस		rena de la re		-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			error en epologija e	,
Tay of the state o	+		,		 		·	
aran an an ann an a		पण्डल स	1		<u> </u>			
>, (t) .	LINER RECORD	Spela e	oment	Shet	par H.		TION RECOR	Danis Island
est team is the		्राच्या विकास स्थापना क्षेत्र के स्थापना क्षेत्र के स्थापना के स्थापना क्षेत्र के स्थापना क्षेत्र के स्थापना क स्थापना स्थापना स्थापन			TO ENGLISH		ा गामकारः, प्रमुख्यान् । स्टब्स्स्य	7 7 1 8 8 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8
The state of the s	TUBING RECORD			<u> </u>	·		and the state of the state of	
	Setting depth	Pacher	987 6 7					
या चन्नु व्याप्त स्था । राजन्यस्थलसम् याजितसः	of a secondary to the second		ure, shot,	CEMENT SC	uieze asc	200	er en jaren er Per en jaren er en jaren e	
	Amount o	and kind of	material and					CEIVED
and the state of the state of the		; ;		· · · · · · · · · · · · · · · · · · ·			ATE CORPOR	ATION COMMISSION
	-,,	·		7		and the same	JUN	2 9 1983
	····	· .	· 4		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	OUNGERY	A LON DIVISION
			INITIAL PR	ODUCTION			Wich	ta, Kansas
to of first production	en en de de la companya de la compa La companya de la companya della companya del	Producta	g method (flow	ing, pumping,	pas lift, etc.)		The second section of the sect	**
ATE OF PRODUCTION ER 24 HOURS	Oil .	entropie en	Ges		Weter		to.	all ratio
		-	Mar. I		MCF		ا علقت	CFPS

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shell be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Konsas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be an open file in the Oil and Gos Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

May 29, 1981

JUN S 9 1983

TATE CORPORATION COMMISSION

RECEIVED