

STATE OF KANSAS
STATE CORPORATION COMMISSION
Finney State Office Building
130 South Market, Rm 2078
Wichita, Kansas 67202

WELL PLUGGING RECORD
K.A.R.-82-3-117

API NUMBER 15-129-21654-0000

LEASE NAME EITHIAN "A"

WELL NUMBER 2

4630 Ft. from S Section Line

650 Ft. from E Section Line

SEC. 9 TWP. 33S RGE. 39 (E) or (W)

COUNTY MORTON

Date Well Completed 11-10-2001

Plugging Commenced 11-11-2001

Plugging Completed 11-11-2001

RECEIVED
12-10-01
DEC 10 2001
KCC WICHITA

NOTICE: TYPE OR PRINT
Fill out completely
and return to Cons. Div.
office within 30 days

LEASE OPERATOR ANADARKO PETROLEUM CORPORATION

ADDRESS 701 S. TAYLOR, SUITE 400, AMARILLO, TEXAS 79101

PHONE # (806) 457-4600 OPERATORS LICENSE NO. 4549

Character of Well D&A

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

The plugging proposal was approved on 11-10-2001 (date)

by DODGE CITY OFFICE (KCC District Agent's Name).

Is AC0-1 filed? YES If not, is well log attached? _____

Producing Formation NONE Depth to Top _____ Bottom _____ T.D. 6250

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				8-5/8"	1695	NONE

Describe in detail, the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from ___ feet to ___ feet each set. TIH W/4 1/2" DP TO 3100' & SPOT 100 SKS 60/40 POZMIX, 6%GEL @ 3100', TOH TO 1720' & SPOT 50 SKS, TOH TO 600' & SET 50 SKS, TOH TO 40' & SET 10 SKS FROM 40' TO 0'. SET 10 SKS IN MH & 15 SKS IN RH. CUT OFF 8-5/8" 3' BELOW GI AND CAP, PERMANENTLY INSCRIBE WELL NAME, NUMBER AND DATE PLUGGED ON CAP.

(If additional description is necessary, use BACK of this form.)


Name of Plugging Contractor HALLIBURTON ENERGY SERVICES License No. 5287

Address P. O. BOX 1598, LIBERAL, KANSAS 67905-1598

NAME OF PARTY RESPONSIBLE FOR PLUGGING FEES: ANADARKO PETROLEUM CORPORATION

STATE OF TEXAS COUNTY OF POTTER, ss.

L. MARC HARVEY, ENGINEERING TECHNICIAN III (Employee of Operator) or (Operator) of above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed that the same are true and correct, so help me God.



(Signature) L. Marc Harvey

(Address) L. MARC HARVEY, ENGINEERING TECHNICIAN III
701 S. TAYLOR, SUITE 400, AMARILLO, TX, 79101

SUBSCRIBED AND SWORN TO before me this 6 day of December, 2001

Lori Pearson
Notary Public

My Commission Expires: 2/26/05

OR

JOB SUMMARY

SALES ORDER NUMBER, TICKET DATE 11/11/01, REGION North America Land, NWA / COUNTRY Mid Continent, BDA / STATE KS, COUNTY Morton, H.E.S EMPLOYEE NAME Danny McLane, PSL DEPARTMENT Cementing Services, COMPANY Anadarko Petroleum Corporation, CUSTOMER REP / PHONE, API/MI # 15-129-21654, SAP BOMB NUMBER 7528, Description Cement Plug to Abandon, LEASE NAME Fithian, Well No. A-2, SEC / TWP / RNE 9 33S 35W, HES FACILITY (CLOSEST TO WELL SITE) Hugoton

Table with columns: HES EMP NAME / EMP # / (EXPOSURE HOURS), HRS. Rows include: McLane, D - 106322 (9.0), Cochran, M - 217398 (9.0), Tate, N - 105953 (9.0), Ferguson, R - 106154 (8.0). Includes handwritten notes: 'BEG TO 2001' and 'NO WICHITA'.

Table with columns: HES. UNT #S / (R / T MILES), R / T MILES. Rows include: 420995 (80), 10251401 (80), 10240236 10240245 (15).

Form fields: Form. Name, Type, Form. Thickness From To, Packer Type Set At, Bottom Hole Temp. Pressure, Retainer Depth Total Depth.

Table with columns: Date, Called Out, On Location, Job Started, Job Completed, Time. Values: 11/10/2001, 11/11/2001, 11/11/2001, 11/11/2001, 2230, 0100, 0400, 0830.

Table with columns: Type and Size, Qty, Make. Rows include: Float Collar, Float Shoe, Centralizers, Top Plug, HEAD, Limit clamp, Weld-A, Guide Shoe, BTM PLUG.

Table with columns: New/Used, Weight, Size, Grade, From, To, Max. Allow, Shots/Ft. Rows include: Casing, Liner, Tubing, Drill Pipe (used, 16.6, 4 1/2, KB), Open Hole, Perforations.

Table with columns: Materials, Density, Lb/Gal, Size, Lb, Gal., %.

Table with columns: Hours On Location, Operating Hours, Description of Job. Includes 'See Job Log'.

Table with columns: Ordered, Hydraulic Horsepower Avail., Used, Treating, Average Rates in BPM, Disp., Overall, Feet, Cement Left in Pipe, Reason.

Table with columns: Stage, Sacks, Cement, Bulk/Sks, Additives, W/Rq., Yield, Lbs/Gal. Row 1: 1, 235, 40/60 POZ, Bulk, 6%Gel, 1/4#Polyflake, 7.66, 1.54, 13.50.

Summary table with columns: Circulating Breakdown, Displacement, Preflush, BBI, Load & Bkdn, Gal - BBI, Excess Return PSI, Calc. TOC, Actual TOC, Frac. Gradient, Treatment, Gal - BBI, Cement Slurry, BBI, Total Volume, BBI, Type, Pad:Bbl - Gal, Calc. Dis - Bbl, Actual Disp, Disp:Bbl.

THE INFORMATION STATED HEREIN IS CORRECT CUSTOMER REPRESENTATIVE SIGNATURE

