

TO:
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
266 N. Main St., Ste. 220
Wichita, KS 67202-1513

API Well Number: 15-167-08221-00-00
Spot: SESWNE Sec/Twnshp/Rge: 15-14S-15W
2970 feet from S Section Line, 1650 feet from E Section Line
Lease Name: ROUBACK Well #: 2-A
County: RUSSELL Total Vertical Depth: 3219 feet

Operator License No.: 31528
Op Name: MIKE KELSO OIL, INC.
Address: PO BOX 467
CHASE, KS 67524

| String | Size | Depth (ft) | Pulled (ft) | Comments |
|--------|------|------------|-------------|----------|
| PROD | 7 | 3213 | | 150 SX |
| SURF | 10 | 837 | | 100 SX |

Well Type: OIL UIC Docket No: _____ Date/Time to Plug: 01/28/2015 9:30 AM
Plug Co. License No.: 31529 Plug Co. Name: MIKE'S TESTING & SALVAGE, INC.
Proposal Rcvd. from: MIKE KELSO Company: MIKE KELSO OIL, INC. Phone: (620) 938-2943

Proposed Plugging Method: Ordered 450 sx 60/40 pozmix 4 % gel cement, 18 sx gel and 700 # hulls.

Plugging Proposal Received By: RAY DINKEL Witness Type: COMPLETE (100%)
Date/Time Plugging Completed: 01/27/2015 2:30 PM KCC Agent: RAY DINKEL

Actual Plugging Report:

Perforations at 1500', 840' and 350'. Dug out Braden Head. No 10" casing was found. 5 1/2" liner was found in well. No records found.
Ran tubing to 3100' and pumped 10 sx gel followed by 40 sx cement w/50 # hulls. Circulated fluids from backside and braden head. Pulled tubing to 1500' and pumped 100 sx cement w/200 # hulls. Pulled tubing to 500' and pumped 75 sx cement. Cement circulated out braden head. POOH. Hooked to casing and pumped 10 sx cement. Closed well with pressure.

GPS: 38.83540 -098.97156

Perfs:

| Top | Bot | Thru | Comments |
|------|------|------|----------|
| 3213 | 3219 | | |

Remarks: COPELAND ACID AND CEMENTING TICKET # 42167

Plugged through: TBG

2/18/15 CKM

District: 04

Signed Ray A Oinkel
(TECHNICIAN)

CM

KCC WICHITA

FEB 13 2015

RECEIVED