STATE CORPORATION COMMISSION CONSERVATION DIVISION - PLUGGING SECTION CONSERVATION DIVISION - PLUGGING REPORT  TECHNICIAN'S PLUGGING REPORT  Operator: Rine Drilling Company  Address 300 W. Douglas, Suite 600.  Wichita, KS 67202  Conductor Pipe: Size  Surface Casing: Size 8 5/8 feet 850  Abendoned Oil Well Gas Well Input Well SWO Well OAA X  Other well as herelaster indicates  Plugging Contractor Rine Drilling Company  Address 300 W. Douglas, Suite 600, Wichita, KS 67202  Company to plug et: Hour: 8:00 pm Day: 14 Month: September Year: 19 84  Plugging Proposal received from Jerry Young  (company name) Rine Drilling  Yera: to fill hole with Heavy mud and spot cement through drill pipe  1st plug at 900' with 40 ax cement  2nd plug at 480' with 40 ax cement  2nd plug at 480' with 40 ax cement  5th plug to circulate nouse hole with 10 sx cement  5th plug to circulate rat hole with 10 sx cement  5th plug to circulate nouse hole with 10 sx cement  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT 1st plug at 900' with 40 ax cement, 2nd plug at 480' with 40 ax  Cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with  10 ax cement, 5th plug to circulate rat hole with 10 sx cement, 2nd plug at 480' with 40 ax  Cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with  10 ax cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug at 480' with 40 ax  Cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with  10 ax cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to surface with  10 ax cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to surface with  10 ax cement, 5th plug to circulate rat hole with 10 sx cement.  Signed Publication  ONESSHAPING COMMISSION  Signed Publication  ONESSHAPING COMMISSION  ATEURICIAN)  ONESSHAPING COMMISSI		1000940		
COMSERVATION DIVISION - PLUCGING SECTION NW NW NW. SEC. 21. 7 34 s. 8. 21 n. 720 COLORADO DERBY BUILDING NICHITA, KANSAS 67202  TECHNICIAN'S PLUCGING REPORT Operator License 5554  Operator: Kine Drilling Company Nesed Address 300 W. Douglas, Suite 600.  Wichita, KS 67202  Conductor Pipe: Size Surface Casing: Size 8 5/8 test 850  Abandoned Oil Well Gas Well Other well as herelaster indicated Plugging Confractor Rine Drilling Company Company to plug et: Hour: 8:00 pm Day: 14 Month: September Year: 19 84  Plugging proposal received from Ligrry Young (company name) Rine Drilling (company name) Rine Drilling (company name) Rine Drilling (company to plug et: Hour: 8:00 pm Day: 14 Month: September Year: 19 84  Plugging proposal received from Ligrry Young (company name) Rine Drilling (company name) Rine Drilling (phone) 316-267-1333  were: to fill hole with heavy mud and spot cement through drill pipe lat plug at 480' with 40 sx cement  2nd plug at 480' with 40 sx cement Plugging Proposal Received by Plus Address Sidid.bridge 3rd plug hulls englag at 40' cement to curface with 10 sx cement Cfit plug to circulate rat hole with 10 sx cement Plugging Operations attended by Agent?: All Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT Lat plug at 900' with 40 sx cement. Company to circulate rat hole with 10 sx cement.  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT Lat plug at 900' with 40 sx cement. 2nd plug at 480' with 60 sx cement.  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT Lat plug at 900' with 40 sx cement. 2nd plug at 480' with 60 sx cement.  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT Lat plug at 900' with 40 sx cement. 2nd plug at 480' with 60 sx cement.  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT Lat plug at 900' with 40 sx cement. 2nd plug at 480' with 60 sx ceme	STATE CORPORATION COMMISSION CONSERVATION DIVISION - PLUGGING SECTION 200 COLORADO DERBY BUILDING WICHITA, KANSAS 67202		API NUMBER 15- 025-20,836-00-00	
## A 1950   feet from REXX section   International Sec			NW NW NW , SEC. 21 , T 34 S, R 21 W/E	
TECHNICIAN'S PLUGGING REPORT  Operator License # 5554  Lease NameShupe Well # 3-A  Operator: Rine Drilling Company Nesse 300 W. Douglas, Suite 600.  Wichita, KS 67202  Conductor Pipe: Size test Surface Casing: Size 8 5/8 feet 850  Abandoned Oll Well Gas Well Input Well SNO Well D&A X  Other well as hereinafter indicated Plugging Contractor Rine Drilling Company Address 300 W. Douglas, Suite 600, Wichita, KS 67202  Company to plug et: Hour: 8:00 pm Day: 14 Month: September Year: 19 84  Plugging proposal received from Jerry Young (company name) Rine Drilling (phone) 316-267-1333  were: to fill hole with heavy mud and spot cement through drill pipe  List plug at 480' with 40 sx cement Sch plux to circulate rat hole with 10 sx cement Sch plux to circulate mouse hole with 10 sx cement Sch plux to circulate mouse hole with 10 sx cement Sch plux to circulate mouse hole with 10 sx cement Sch plux to Report Is: plug at 900' with 40 sx cement Sch plux to Sch plus at 400' as cement Sch plux to Circulate Report Is: plug at 900' with 40 sx cement. 2nd plug at 480' with 40 sx cement.  Operations Completed: Hour: 10:00pm Day: 14 Month: Scptember Year: 1984  ACTUAL PLUGGING REPORT Is: plug at 900' with 40 sx cement. 2nd plug at 480' with 40 sx cement.  Operations Completed: Hour: 10:00pm Day: 14 Month: Scptember Year: 1984  ACTUAL PLUGGING REPORT Is: plug at 900' with 40 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to specifically with 40 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to specifically with 40 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to specifically with 40 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to specifically with 40 sx cement.  Operations Completed: Hour: 10:00pm Day: 14 Month: Scptember Year: 1984  ACTUAL PLUGGING REPORT 15: plug at 900' with 40 sx cement, 6th plug to specifically with 40 sx cement.  Operations Completed: Hour: 10:00pm Day: 14 Month: 10 sx cement 5th plug at 480' with 40 sx cement 6th			N SE Corner of 4950 feet from MXX section line	
Operator: Rine Drilling Company Operator: Rine Drilling Company Operator: Rine Drilling Company Named Address 300 W. Douglas, Suite 600. Well Total Depth S578 /6/.27  Surface Casing: Size 8 5/8 feet Surface Casing: Size 8				
Operator: Rine Drilling Company Name4 Address 300 W. Douglas, Suite 600, Well Total Depth 5578 / 8/ 2 to Wichita, KS 67202 Conductor Pipe: Size feet Surface Casing: Size 8 5/8 feet 850 Abandoned Oll Well Gas Well Input Well SND Well 04A x Other well as hereinafter indicated Plugging Contractor Rine Drilling Company License Number 5654 Address 300 W. Douglas, Suite 600, Wichita, KS 67202 Company to plug et: Hour: 8:00 pm Day: 14 Month: September Year: 19 84 Plugging proposal received from Jerry Young (company to the with Hole with heavy mud and spot cement through drill pipe List plug at 900' with 40 sx cement Sth plug to directly at 40' comment to conface with 10 cx cement Sth plug to circulate mouse hole with 10 sx cement Sth plug to circulate mouse hole with 10 sx cement Sth plug to circulate mouse hole with 10 sx cement Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984 ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement, September Year: 1984 ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' - cement to surface with 10 sx cement, Sth plug to circulate rat hole with 10 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' - cement to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to confortable to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to confortable to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to confortable to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to circulate  **CONSENSATION OF STATES OF S		!		
Maddrass 300 W. Douglas, Suite 600, Meli Total Depth 5578 /8/. 2 to Wichita, KS 67202 Conductor Pipe: Size feet Surface Casing: Size 8 5/8 feet 850  Abendoned Oli Meli 638 Meli 1 Input Weli 5MD Well 04A x  Other well as hereinstfer indicated Plugging Contractor Rine Drilling Company License Number 5654  Address 300 W. Douglas, Suite 600, Michita, KS 67202  Company to plug at: Hour: 8:00 pm Day: 14 Honth: September Year: 19 84  Plugging proposal received from Jerry Young (company name) Rine Drilling (phone) 316-267-1333  vera: to fill hole with heavy mud and spot cement through drill pipe 1st plug at 900' with 40 sx cement 2nd plug at 480' with 40 sx cement 2nd plug at 480' with 40 sx cement 55th plug to circulate rat: hole with 10 sx cement 55th plug to circulate mouse hole with 10 sx cement 55th plug to circulate mouse hole with 10 sx cement 55th plug to circulate mouse hole with 10 sx cement 7 lugging Operations Standed by Agent7: All Part None X  Operations Completed: Hour: 10:00pm Day: 14 Meath: September Year: 1984  ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' - cement to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug togetrgulate mouse hole with 10 sx cement.  SEPP 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 · · · · · · · · · · · · · · · · · · ·			
Wichita, KS 67202  Conductor Pipe: Size feet 850  Surface Casing: Size 8 5/8 feet 850  Abandoned Oli Well Gas Well Input Well SWD Well OAA X  Other well as hereinafter indicated Plugging Contractor Rine Drilling Company License Number 5654  Address 300 W. Douglas, Suite 600, Wichita, KS 67202  Company to plug at: Hour: 8:00 pm Day: 14 Month: September Year: 19 84  Plugging proposal received from Jerry Young (company ame) Rine Drilling Open Day: 14 Month: September Year: 19 84  Plugging proposal received from Jerry Young (company name) Rine Drilling Open Day: 14 Month: September Year: 19 84  Plugging open Strick 40 sx cement 2nd plug at 480' with 40 sx cement 801d. bridge 3rd plug hills plug at 40' occament to surface with 10 sx cement 6th plug to circulate mouse hole with 10 sx cement 7 lugging Proposal Received by Padama M. Jacop (TECHNICIAN)  Plugging Operations attended by Agenti: All Part None X  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug togethrulate mouse hole with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug togethrulate mouse hole with 10 sx cement.  SEPP20 Solw  OMNSBNYATHOR MARKET AND	Name&		County Clark	
Surface Casing: Size 8 5/8 feet 850  Abandoned Oli Well Gas Well Input Well SWO Well DAA X  Other well as hereinafter indicated  Plugging Contractor Rine Drilling Company License Number 5654  Address 300 W. Douglas, Swite 600, Wichita, KS 67202  Company to plug at: Hour: 8:00 pm Day: 14 Month: September Year:19 84  Plugging proposal received from Jerry Young  (company name) Rine Drilling (phone) 316-267-1333  were: to fill hole with heavy mud and spot cement through drill pipe  let plug at 900' with 40 sx cement  2nd plug at 480' with 40 sx cement  Solid.bridge  3rd plug hulls - plug at 400' comment to surface with 10 sx cement  5th plug to circulate rat hole with 10 sx cement  Solid bridge Proposal Received by Bullary M. Lacey  (TECHNICIAN)  Plugging Operations attended by Agent?: All Part None X  Operations Completed: Hour: 10:00pm Bay: 14 Month: September Year:1984  ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement. 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' - cement to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement. 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' - cement to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug togs. Interest of the plug togs. Inter				
Other well as hereinafter indicated  Plugging Contractor Rine Drilling Company  Address 300 W. Douglas, Suite 600, Wichita, KS 67202  Company to plug et: Hour: 8:00 pm Day: 14 Month: September Year: 19 84  Plugging proposal received from Jerry Young  (company name) Rine Drilling (phone) 316-267-1333  were: to fill hole with heavy mud and spot cement through drill pipe  List plug at 900' with 40 sx cement  and plug at 480' with 40 sx cement  and plug at 480' with 40 sx cement  and plug at 1900 at 400' as cement to surface with 10 sx cement  and plug to circulate rat hole with 10 sx cement  and plug to circulate mouse hole with 10 sx cement  by Plugging Operations attended by Agent?: All Pert None X  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT lat plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to system to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to system to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to system to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to system to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to system to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to system to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to system to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to system to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to system to surface with 10 sx cement, 6th plug to system to surface with 10 sx cement with 10 sx cement to surface with 10 sx cemen		Wichita, KS 67202		
Other woll as hereinafter indicated  Plugging Confractor Rine Drilling Company  License Number 5654  Address 300 W. Douglas, Suite 600, Wichita, KS 67202  Company to plug at: Hour: 8:00 pm Day: 14 Month: September Year: 19 84  Plugging proposal received from Jerry Young  (company name) Rine Drilling (phone) 316-267-1333  vere: to fill hole with heavy mud and spot cement through drill pipe  st plug at 900' with 40 sx cement  Ind plug at 480' with 40 sx cement  solid bridge  red plug hulls - plug at 40' — cement to surface with 10 sx cement  th plug to circulate rat hole with 10 sx cement  th plug to circulate mouse hole with 10 sx cement  Plugging Operations attended by Agent?: Al! Part None X  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' — cement to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug togsing late house hole with 10 sx cement.  SEPTE AGENT THE AGENT AND AGEN				
Plugging Contractor Rine Drilling Company  Address 300 W. Douglas, Suite 600, Wichita, KS 67202  Company to plug at: Hour: 8:00 pm Day: 14 Month: September Year:19 84  Plugging proposal received from Jerry Young  (company name) Rine Drilling (phone) 316-267-1333  were: to fill hole with heavy mud and spot cement through drill pipe  st plug at 900' with 40 sx cement  and plug at 480' with 40 sx cement  solid bridge  red plug hulls = plug at 40' cement to surface with 10 sx cement  the plug to circulate rat: hole with 10 sx cement  Plugging Proposal Received by Palara M. Lacry  (TECHNICIAN)  Plugging Operations attended by Agent?: All Part None X  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year:1984  ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with  O sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug together with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with  O sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug together with 10 sx cement with 10 sx ce	Abandoned	Oll Well Gas Well	Input Well SWD Well D&AX	
Company to plug at: Hour: 8:00 pm Day: 14 Month: September Year:19 84  Plugging proposal received from Jerry Young  (company name) Rine Drilling (phone) 316-267-1333  vere: to fill hole with heavy mud and spot cement through drill pipe  st plug at 900' with 40 sx cement  and plug at 480' with 40 sx cement  and plug at 480' with 40 sx cement  and plug to circulate rat hole with 10 sx cement  but plug to circulate mouse hole with 10 sx cement  Plugging Operations attended by Agent?: All Part None X  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year:1984  ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' - cement to surface with  O sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug togetrculate house hole with 10 sx cement.  SEPTEMBER ON SEMINATION COMMISSIONE  Remarks: Used 60/40 Pozmix 2% gel 3% cc by Halliburton  (If additional description is necessary, use BACK of this form.)  NEW Company name 184  Signed Readwall All Part 185  Signed Readwall Part 185  Sign	Other wel	1 as hereinafter indicated		
Company to plug at: Hour: 8:00 pm Day: 14 Month: September Year: 19 84  Plugging proposal received from Jerry Young  (company name) Rine Drilling (phone) 316-267-1333  were: to fill hole with heavy mud and spot cement through drill pipe  1st plug at 900' with 40 sx cement  1nd plug at 480' with 40 sx cement  1nd plug at 480' with 40 sx cement  1nd plug at 480' with 40 sx cement  1nd plug at 40' cement to surface with 10 sx cement  1nd plug to circulate rat hole with 10 sx cement  1nd plug to circulate rat hole with 10 sx cement  1nd plug to circulate mouse hole with 10 sx cement  1nd plug to circulate mouse hole with 10 sx cement  1nd plug to circulate rat hole with 10 sx cement  1nd plug to circulate rat hole with 10 sx cement  1nd plug to circulate rat hole with 10 sx cement  1nd plug to circulate rat hole with 10 sx cement  1nd plug to circulate rat hole with 10 sx cement  1nd plug to circulate rat hole with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with  1nd sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement rather rather rather rather	Plugging	Contractor Rine Drilling Compan	ny License Number 5654	
Piugging proposal received from	Address	300 W. Douglas, Suite 600, Wich:	ita, KS 67202	
Plugging proposal received from	•			
Rine Drilling (phone) 316-267-1333  were: to fill hole with heavy mud and spot cement through drill pipe  Let plug at 900' with 40 sx cement  2nd plug at 480' with 40 sx cement  Solid bridge  Flugging Proposal Received by Ridard Mc Lacay  (TECHNICIAN)  Plugging Operations attended by Agent?: All Part None X  Operations Completed: Hour: 10:00pm Day: 14 Moath: September Year: 1984  ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' - cement to surface with  10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug togetroulate  Solid Bridge  CONSERVATION COMMISSIONE  Remarks: Used 60/40 Pozmix 2% gel 3% cc by Halliburton  (If additional description is necessary, use BACK of this form.)  N WER AGE TO Deserve this plugging.  Signed Ridde Report 1 st plugging.  Signed Ridde Report 1 st plugging.				
were: to fill hole with heavy mud and spot cement through drill pipe  Let plug at 900' with 40 sx cement  And plug at 480' with 40 sx cement  Bright plug hulls = plug at 40! — cement to surface with 10 sx cement  Sth plug to circulate rat hole with 10 sx cement  Sth plug to circulate mouse hole with 10 sx cement  Plugging Proposal Received by Fill And Andrew  Plugging Operations attended by Agent?: All Part None X  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' - cement to surface with  O sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug together to surface with  O sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug together to surface with  ONSERVATION COMMISSION  Remarks: Used 60/40 Pozmix 2% gel 3% cc by Halliburton  (If additional description is necessary, use BACK of this form.)  NAME AND		•		
ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement.  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement. 2nd plug at 480' with 40 sx cement. 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement. 3rd & 4th plugs circulate rat hole with 10 sx cement. 3rd & 4th plugs circulate rat hole with 10 sx cement. 3rd & 4th plugs at 900' with 40 sx cement, 6th plug to circulate are hole with 10 sx cement, 6th plug to circulate are hole with 10 sx cement. 3rd & 4th plugs of the state of the surface with 10 sx cement. 3rd & 4th plugs of the surface with 10 sx cement. 3rd & 4th plugs of the surface with 10 sx cement. 5th plug to circulate are hole with 10 sx cement, 6th plug to circulate are hole with 10 sx cement. 5th plug to circulate are hole with 10 sx cement. 6th plug to				
Actual Plugging Operations attended by Agent?: All Part None X  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  Actual Plugging Report Ist plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement. Style Completed: With 40 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 9th plug to circulate rat hole with 10 sx cement, 9th plug to circulate rat hole with 10 sx cement, 9th plug to circulate rat hole with 10 sx cement, 9th plug to circulate rat hole with 10 sx cement, 9th plug to circulate rat hole with 10 sx cement, 9th plug to circulate rat hole with 10 sx cement, 9th plug to circulate rat hole with 10 sx cement, 9th plug to circulate rat hole with	were:	to fill hole with heavy mud and	spot cement through drill pipe	
Solid.bridge  Brd plug hulls = plug at 40! — cement to surface with 10 sx cement  Sich plug to circulate rat hole with 10 sx cement  Sich plug to circulate mouse hole with 10 sx cement  Plugging Proposal Received by Fidewal M. Lacey  (TECHNICIAN)  Plugging Operations attended by Agent?: All Part NoneX  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT _ 1st plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with  10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug togetrulate nouse hole with 10 sx cement.  SFP 2d 30 M ONNERWATHIN PROPERTY OF THE P	st plug a	t 900' with 40 sx cement	<del></del>	
ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement. 2nd plug at 480' with 40 sx cement. 3nd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement. 3nd & 4th plugs coirculate rat hole with 10 sx cement. 3nd & 4th plugs in solid bridge - hulls - plug at 40' cement to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement. 7th plug to circulate rat hole with 10 sx cement. 7th plug to circulate rat hole with 10 sx cement. 7th plug to circulate rat hole with 10 sx cement. 7th plug	nd plug a	t 480' with 40 sx cement		
th plug to circulate rat hole with 10 sx cement th plug to circulate mouse hole with 10 sx cement Plugging Proposal Received by Pidewal M. Lacop (TECHNICIAN)  Plugging Operations attended by Agent?: All Part None X  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with  O sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug togetrulate  Nouse hole with 10 sx cement.  SEP 24 1904  CONSERVATION FROM TOWN COMMISSION  OWNSERVATION FROM TOWN COMMISSION  Signed Additional description is necessary, use BACK of this form.)  Note 1 Signed Additional Additional Conserve this plugging.  Signed Additional Additional Conserve this plugging.	srd plug b	olid.bridge	gunface with 10 are compat	
Plugging Proposal Received by Roll M. Lacop (TECHNICIAN)  Plugging Operations attended by Agent?: All Part None X  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 0 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug togetrulate rouse hole with 10 sx cement.  SIFP 20 1500 COMSERVADURA DEPORT.  Remarks: Used 60/40 Pozmix 2% gel 3% cc by Halliburton  (If additional description is necessary, use BACK of this form.)  N Will Act To Observe this plugging.  Signed Reduct M. Lacop (TECHNICIAN)				
Plugging Operations attended by Agent?: All Part None X  Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug togetreulate nouse hole with 10 sx cement.  SFP 20-13001  CONSERVATION OF MISSION  ON SERVATION OF MISSION  CONSERVATION OF MISSION  ON SERVATION OF MISSION  Signed Redward M. Lacy  Signed Redward M. Lacy  TECHNICIAN)  Signed Redward M. Lacy  TECHNICIAN)			x cement Billian In f	
Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug togetrulate house hole with 10 sx cement.  SEPTEMBER OF THE STATE CONFORM TOWN COMMISSION WICHIELD WICHIEL		Plugging Pro	(TECHNICIAN)	
Operations Completed: Hour: 10:00pm Day: 14 Month: September Year: 1984  ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rouse hole with 10 sx cement.  SEPTEMBER OF THE COMPTON OF THE PROPERTY OF THE	Plugging	Operations attended by Agent?:	AliPartNone_X	
ACTUAL PLUGGING REPORT 1st plug at 900' with 40 sx cement, 2nd plug at 480' with 40 sx ement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 0 sx cement, 5th plug to circulate rat hole with 10 sx cement, 6th plug to circulate rouse hole with 10 sx cement.  STOP 20 1904  CONSERVATION COMMISSION  CONSERVATION COMMISSION  WICHTEL Kansag.  N Value 1 GG food observe this plugging.  Signed Related M Lacy  TECHNICIAN)  Signed Related M Lacy  TECHNICIAN)		•		
Remarks: Used 60/40 Pozmix 2% gel 3% cc by Halliburton  (If additional description is necessary, use BACK of this form.)  Signed Relationships of the plugging.  Signed Relationships of the plugging.  Signed Relationships of the plugging.				
Remarks: Used 60/40 Pozmix 2% gel 3% cc by Halliburton  (If additional description is necessary, use BACK of this form.)  N WAS 1 de To 2 observe this plugging.  Signed Redwall M. Lacy  (TECHNICIAN)				
Remarks: Used 60/40 Pozmix 2% gel 3% cc by Halliburton  (If additional description is necessary, use BACK of this form.)  N WED / Gra Food observe this plugging.  Signed Redward W Lacy  (TECHNICIAN)	<del></del>			
Remarks: Used 60/40 Pozmix 2% gel 3% cc by Halliburton  (If additional description is necessary, use BACK of this form.)  N Value Color observe this plugging.  Signed Redward W. Lacy  (TECHNICIAN)		<del></del>	e with 10 sx cement, oth plug togetculate	
Remarks: Used 60/40 Pozmix 2% gel 3% cc by Halliburton  (If additional description is necessary, use BACK of this form.)  N Value / Gid Food observe this plugging.  Signed Richard W. Lacy  (TECHNICIAN)	ouse hole	with 10 sx cement.	- SEATONATION'COMMISSION	
Remarks: Used 60/40 Pozmix 2% gel 3% cc by Halliburton  (If additional description is necessary, use BACK of this form.)  N Value / Gid Food observe this plugging.  Signed Redward W. Lacy  (TECHNICIAN)			SFP 2.4 1984	
Remarks: Used 60/40 Pozmix 2% gel 3% cc by Halliburton  (If additional description is necessary, use BACK of this form.)  N Value / Gid Food observe this plugging.  Signed Richard W. Lacy  (TECHNICIAN)			OONSERVATION NEWSCO.	
N VID 1 de En O observe this plugging.  Signed Richard M Lacy  (TECHNICTAN)	Remarks:	Used 60/40 Pozmix 2% gel 3% cc 1	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
TE - TO- TECHNICIAN)		(If additional description )	s necessary, use <u>BACK</u> of this form.)	
TE - 13981	N WAR 1	did to D observe this plugging.	12 - 1 1 an D	
re -1-3981	16 -	2.81	Signed Kedhard W Lacy	
FORM CP-2/	LE -	381	.,,	
	/. NO	9-16	FORM CP-2/3 Rev.01-84	