KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test | : | | | | | (| See Instru | ucti | ions on Rev | erse Side |) | | | | | | |
|--|--------------|---|---|---------------------------------------|---|--|-------------------------------------|---|---|--|--|-----------------------------|-------------------|--|---------------------------------------|--|---|
| Open Flow | | | | | Test Date | · | | | | ΔĐI | No. 1 | 5 | | | | | |
| √ De | liverab | ilty | | | | 10/15/20 | | | | | | | | 0000 | 9 | | |
| Company Becker C | | гр. | | | | | | | Lease Aistrup | | | | | • | 1 . | Well Nu | mber |
| County Location Hodgeman N/2 SE/4 NE/4 SW/4 | | | | Section 27 | | | TWP 22 | RNG (E/W) 21w | | | | Acres Attributed 640 | | | | | |
| Field Kingry N | orth | | | | | Reservoir Chase | , | | | | Gas Gat | | Conn | ection | Gra | rek | Energ |
| Completic 02/23/20 | | e | | | | Plug Back 2405 | k Total De | epti | h | | Packer 5 | et at | | 20(7 | | | THEFY |
| Casing Size Weight 4.5 10.5 | | | | Internal Diameter 4.052 | | | Set a 2563 | | Perforations 2371 | | | | то 2392 | | | | |
| Tubing Size Weight 2.375 4.7 | | | | | Internal Diameter 1,995 | | | Set a 2310 | | Perforations | | | | То | | | |
| Type Con Single | npletio | n (D | escribe) | | | Type Flui SW | d Product | tion | 1 | | Pump U | nit or T | raveling | Plunge | er? Yes | / No | |
| Producing Thru (Annulus / Tubing) tubing | | | | % C | arbon Did | oxic | ie | | | | Nitrogen 6.8517 | | | Gas Gravity - G _g 0.6663 | | | |
| Vertical Depth(H) 2392 | | | | | Pressure Taps Flange | | | | | | | | | (Meter Run) (Prover) Size 2.067 | | | |
| Pressure | Buildu | p: | Shut in 10 | 12 | 20. | 14 at A | | | | Taken_10 |)/15 | | 20 | 14 at | | | AM) (PM) |
| Well on L | ine: | | Started | | 20 _ | at | | _ | (AM) (PM) | Taken | | _ | 20 | at | | (| AM) (PM) |
| ٠, | | | | | | | OBSER | VE | SURFACE | DATA | | | | Duratio | n of Shut- | in | Hours |
| Static / Dynamic Property | Dynamic Size | | Gircle one: Meter Prover Press psig (Pm) | | tial Te | Flowing Well He Temperature Tempera | | Wellhead Pressure (P_w) or (P_1) or (P_c) | | Pressure) or (P _c) | Tubing Wellhead Pressure (P_w) or (P_t) or (P_c) | | (P _c) | Duration (Hours) | | Liquid Produced (Barrels) | |
| Shut-In | | | poig (riii) | inches ! | 120 | | | _ | 535 | psia | 545 | + | psia | | | | |
| Flow | | | | | | | | | | | | | | | | | |
| | | | | | | | FLOW S | TR | EAM ATTRI | BUTES | | | . <u>-</u> | , | | | , |
| Plate Coefficcient (F _b) (F _p) Mcfd | | Circle one: Meter or Prover Pressure psia | | Extens | Press Extension √ P _m xh | | Gravity Factor F _g | | Flowing emperature Factor F | Deviation Factor F _{pv} | | Metered Flow R (Mcfd) | | w | GOR (Cubic Feel Barrel) | | Flowing Fluid Gravity G _m |
| | | | | | | | | | | | | | | | | | |
| (P _c) ² = | | _: | (P _w) ² = | · | _ | OPEN FLO P _d = | | _IVI % | ERABILITY) | | ATIONS 14.4 == | _ | _:_ | | (P _a): | 2 = 0.2 2 = | 07 |
| $(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$ | | (P _c) ² - (P _w) ² | | 2. P _c ² -F | 1. $P_a^2 - P_a^2$ LOG 2. $P_c^2 - P_d^2$ formula 1. or and divided by: $P_c^2 - P_w^2$ by: | | f a. | | Backpressure Curve Slope = "n" or Assigned Standard Slope | | n x log | | | Antilog | | Open Flow Deliverability Equals R x Antilog (Mcfd) | |
| } | | | | | | | | | | | | | | | | - | |
| Open Flo | | | | Mcfd @ | 14.65 | psla | | | Deliverab | lity | | | | Mcfd @ | 14.65 psi | a | |
| | | iane | d authority, o | | | | states tha | t h | e is dulv au | thorized t | o make ti | ne abo | ve repo | ort and | that he he | ıs know | ledge of |
| | | | in, and that s | | | | | | | | | | | | | | |
| | | | Witness | (il anv) | | ĸ | ANSAS COR | Re Po | ceived RATION COMM | iission | | | Fort | Company | · · · · · · · · · · · · · · · · · · · | | |
| | | | | · · · · · · · · · · · · · · · · · · · | | | | | 3 1 2U# | | | | | | | | |
| | | | For Com | mission | | | | | TION DIVISIO | | | | Che | cked by | | | |

CONSERVATION DIVISION WICHITA, KS

| exempt status und and that the fore correct to the bes of equipment inst | der penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator Becker Oil Corp. going pressure information and statements contained on this application form are true and it of my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the Aistrup rounds that said well: |
|---|---|
| , | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission y to corroborate this claim for exemption from testing. |
| Date: 11/24/2014 KANSAS C | |

Instructions: If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

> At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

> The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.