## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

		For Comm	ission		F	RECEIVE	D		Chec	ked by		
<u>.</u>					FE	B 0 6 20 <u>1</u>	5				_	
		Witness (i	f any)		KC(	3 MICH	115/	al	ForC	ompany		
the facts state	d there	in, and that sa	aid report is true	and correc				day of M	ay		, ,	20 <u>14</u> .
The und	ersigne	d authority, or	behalf of the	Company, s	states that I	he is duly au				rt and that he l	nas knov	vledge of
Open Flow			Mcfd @ 14,	j 65 psia		Deliverabi	ility			Mcfd @ 14.65 p	sia	
,												
(P <sub>c</sub> ) <sup>2</sup> - (P <sub>a</sub> ) <sup>2</sup> or (P <sub>c</sub> ) <sup>2</sup> - (P <sub>d</sub> ) <sup>2</sup>		$ (P_c)^2 - (P_w)^2 $ 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w^2$		formula 1. or 2.  and divide   p 2 _ p 2		Slope = "n" or Assigned Standard Slope		n x LOG		Antilog	De	liverability s R x Antilog (Mcfd)
(P <sub>c</sub> ) <sup>2</sup> =			Choose formula 1 or 2:	(OPEN FLO		Backpres	<sub>c</sub> - 14.4) + sure Curve	14.4 =	: :		) <sup>2</sup> = 0.	
Plate Coefficcient (F <sub>b</sub> ) (F <sub>p</sub> ) Mctd		Circle one: Pr Meter or Exte Prover Pressure psia		Gravity Factor F <sub>g</sub>		Flowing Temperature Factor Fit		iation ctor : pv	Metered Flow R (Mcfd)	y GOF (Cubic F Barre	eet/	Flowing Fluid Gravity G <sub>m</sub>
Flow												
Shut-In					_	poig	282.5	Parg	pour			
Static / Orifice Dynamic Size Property (inches)		Circle one: Meter Prover Pressu psig (Pm)	Pressure Differential in Inches H <sub>2</sub> 0	Flowing Well Head Temperature Temperature t t		Casing Wallhead Pressure		Tubing Wellhead Pressure $(P_w)$ or $(P_1)$ or $(P_c)$ psig psia		Duration of Shu Duration (Hours)		
						ED SURFACE						
Pressure Buildup: Well on Line:		Shut in 05/13 20 Started 20					(AM) (PM) Taken					
5106		05/	13	_ 14			OF	5/14		14		
Annulus Vertical Dept	h(H)				Pres	ssure Taps				(Mete	r Run) (F	Prover) Size
Single Producing Thru (Annulus / Tubing)			% Carbon Dioxide				% Nitrog	<u> </u>	Gas	Gas Gravity - G <sub>g</sub>		
Type Completion (Describe)				Type Fluid Production Oil/Water/Gas				Pump Unit or Traveling Plunger? Yes / No Pumping Unit				
Tubing Size Weight 2.875 6.5			Internal I 2.441	Diameter	Set at 4575		Perforations Open		То			
Casing Size Weight 5.5 15.5			Internal [ 4.95	Diameter		Set at 5106		Perforations 4492		то 4540		
Completion Date 02/10/2010			Plug Back Total Depth 5060				Packer Set at None			-		
Field Roundup South			Reservoir Mississippian				Gas Gathering Connection Oneok Field Services Company, LIC					
County Barber	•		Section 4		TWP 34S		RNG (E/W) 11W			Acres Attributed		
Company Chieftain Oil Co., Inc.			Lease Boyd				-	·	2	Well Number		
Deliverabilty				Test Date: 05/13/2014				API No. 15 15-007-23473 <b>~ 0000</b>				
Type Test:  Open	Flow			(	See Instru	ctions on Rev	rerse Side	<del>)</del>				

er ers
I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Chieftain Oil Co., Inc.
and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.  I hereby request a one-year exemption from open flow testing for the Boyd #2  gas well on the grounds that said well:
(Check one)  is a coalbed methane producer  is cycled on plunger lift due to water  is a source of natural gas for injection into an oil reservoir undergoing ER  is on vacuum at the present time; KCC approval Docket No  is not capable of producing at a daily rate in excess of 250 mcf/D
staff as necessary to corroborate this claim for exemption from testing.  Date: _05/15/2014
Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.