	TYPE AFFIDAVIT OF COMPLETION FO	ORM ACO-1 WELL HISTORY								
	side one	Compt.								
F	Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) lays after the completion of a well, regardless of how the well was completed. Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential. Applications must be made on dual completion, commingling, salt water disposal,									
С	Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray leutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238No Log									
	LICENSE # 6539 EXPIRATION DATE 6-30-83 renewal date									
	OPERATOR DLB Energy Corporation	API NO. 15-007-21,503								
	ADDRESS 5600 N. May Ave, Suite 145	COUNTY Barber								
	Oklahoma City, OK 73112	FIELD								
	** CONTACT PERSON Mark Liddell PHONE 405-848-8808	DD. FORMATION NA								
	PURCHASER N/A	LEASE Clark								
	ADDRESS	WELL NO. 18-7								
		WELL LOCATION CW/2 500 NE/4 18-345-134								
	DRILLING 1. Dellwin Drilling Corporation CONTRACTOR	330 Ft. from WEST Line and								
	ADDRESS Box 627	990 Ft. from South Line of (E)								
	Winfield, KS 67156	the NE (Qtr.) SEC 18 TWP 345 RGE 13 (W)								
	PLUGGING Sun Oilwell Cementing	WELL PLAT (Office Use Only)								
	CONTRACTOR ADDRESS P. D. Box 169	KCC KCC								
	Great Bend, KS 67530	KGS								
	TOTAL DEPTH 5030' PBTD N/A	SWD/REP_								
	SPUD DATE 10-5-82 DATE COMPLETED 10-17-82	PLG.								
	ELEV: GR 1759 DF 1770 KB 1764	_								
	DRILLED WITH (CABLE) (ROTARY) (AIR) TOOLS.									
	DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE N/A									
	Amount of surface pipe set and cemented	DV Tool Used? No								
	THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil, Gas, Shut-in Gas, Dry Disposal, Injection, Temporarily Abandoned, OWWO. Other									
	ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATION OF THE RULES AND RE	ONS PROMULGATED TO REGULATE THE OIL								
	Mark Liddell , be									
	that:	eing of lawful age, hereby certifies								
I am the Affiant, and I am familiar with the contents of the foregoing Affiday. The statements and allegations contained therein are true and correct.										
	•	(Name)								
	SUBSCRIBED AND SWORN TO BEFORE ME this 85.	day of Folruary,								
	- 	<								
	MY COMMISSION EXPIRES: May 12, 1984	STATION AND COMMISSION								
	** The person who can be reached by phone regarding information.									
		00%								

		٠ ٦					-				•
SIDE TWO	•						ACO-1 W	ELL.HI	S TO RY	(E)	
OPERATOR DLB	Energy	Corporat	LEASI	Clar	K		C. <u>18</u> TWP	345 R	GE.13	(W)	>
FILI	L IN WELL	INFORMATI	ON AS REC	QUIRED:	MĒTT	7	18-7				
	als, and all drill-stem tests, in- thut-in pressures, and recoveries.			SHOW GEOLOGICAL MARKER'S, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.							
	DESCRIPTION,			ТОР	вотто.		NAME		DEPTH		
Check if	no Drill	Stem Test	s Run.		·						
Elain 5a	nd			3860	3986	b					
Elqin Sand Heebner				4067	400	+					
lansing			,	4243	4660			i			
Lansing Hertha Mississi				4697	482	°					
Mississi	ppi			4831	499	0					
Kinderha	ookian			5005	503						
1.											
. 4			•		1						
DST#1 4	226-70	31. 20	- (-0-/ 0	L.60 1			ורו באנו	ے ، را م	fover	ecl	
P 1# TRQ	1011 00		= 60-60 =0 - 01w	00, 7	ED.	برمور، عددار	つして	1 00	Dlugo	_a ed	فدا
1	FBHP-	COC, I	1 U . ~	14ex, r	450	۱, د	a4, 11	1	, ,	•	
	Григ	410)	1, n, -a	bo i a	754						
•					1						
					-						
					ł						
'											
	₩ .										
	•					-		1			
								1			
			- D 2	044- 2					•		
If additional						(27)	7 ("				
Report of all strings	Size hole drilled	•	 	Setting depth		(New)	or (Use		ond percent		
		(Jn 0.b.)			Setting depth Type cement				50-50 POS 3 90		
Surface	8%	8%	1100	1100			425	Cac	L 495	<u>G</u> e1	ı
					_		100	3%	6% Cach 2% Gel		
	-	<u> </u>	 					 	<u>.</u>		
	LINER RECOI	<u> </u>	<u> </u>	1			<u></u>				
	<u> </u>			ATION RECO							
Top, H. NAB	ottom, ft.	Sacks co	ement	Shots N	_	Six	e & type	Dep	oth interval		
	TUBING RECO	DRD	<u> </u>	7							
	ietting depth	Packer	set at					+			
NA	- -										
		unt and kind of		CEMENT SQU	EMENT SQUEEZE RECORD						
	Amo				Depth interval treated						
						AIN					
							1				
in and soft	15 A 15 6							.,,,			
Date of first production		Producin	ig method (flow	ing, pumping, go	os lift, etc.)		Gravi	t.v			
Estimated) <u>ry</u>		1001	1	Gravity						
Production -I.	P. Dy	СУ Ы		<u>, 47, </u>	ACF	%	bbis.	<u> </u>	c	FPB_	
Disposition of gas (vented	used on lease or	sold)		ľ	Perf	oratio	ons N	A		•	