


STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to
Conservation Division
State Corporation Comm.
245 North Water
Wichita, KS 67202

Pratt County, Sec. 9 Twp. 28 Rge. 13 ~~W~~
Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines
C NE SW

Lease Owner Woolsey Petroleum Corporation
Lease Name Buckner Well No. 2
Office Address 300 W. Douglas, Suite 400, Wichita, Ks. 67202
Character of Well (Completed as Oil, Gas or Dry Hole)



Locate well correctly on above
Section Plot

D & A
Date Well completed July 27, 1980
Application for plugging filed July 27, 1980
Application for plugging approved July 27, 1980
Plugging commenced July 27, 1980
Plugging completed July 27, 1980
Reason for abandonment of well or producing formation

D & A
If a producing well is abandoned, date of last production
N/A 19

Was permission obtained from the Conservation Division or
its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Bill Owens
Producing formation NONE Depth to top X Bottom X Total Depth of Well 3928'
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				10-3/4	389	0
				8-5/8	1058	201'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid
was placed and the method or methods used in introducing it into the hold. If cement or other
plugs were used, state the character of same and depth placed, from _____ feet to
_____ feet for each plug set.

First plug @ 700' w/50 sacks cement, second plug @ 380' w/50 sacks cement.
Mud to 40' w/1/2 sack Hulls Bridge Plug 20 sacks cement. 5 sacks in rat hole.
Plug down 12:30 P.M. 7/27/80.

RECEIVED
STATE CORPORATION COMMISSION

AUG 13 1980

(If additional description is necessary, use BACK of CONSERVATION DIVISION
Name of Plugging Contractor Mustang Drilling, Inc. Wichita, Kansas

STATE OF Kansas COUNTY OF Sedgwick, ss.
Mikeal K. Maune (employee of owner) or (owner or operator)
of the above-described well, being first duly sworn on oath, says: That I have knowledge of
the facts, statements, and matters herein contained and the log of the above-described well
as filed and that the same are true and correct. So help me God.

(Signature) Mikeal K. Maune
300 West Douglas, Suite 400, Wichita, Ks. 67202
(Address)

SUBSCRIBED AND SWORN TO before me this 11th day of August, 1980

My appointment expires January 29, 1984

Shirley Wilkie
Shirley Wilkie Notary Public.



DRILLERS' WELL LOG

DATE COMMENCED: July 16, 1980
 DATE COMPLETED: July 27, 1980

WOOLSEY PETROLEUM CORP
 "BUCKNER # 2"
 C NE SW
 Sec 9-T28S-R13W
 Pratt County, Kansas

FORMATION TOPS

0 - 313' Sand, Red Bed
 313 - 403' Shale
 403 - 1059' Red Be,d Shale
 1059 - 1820' Shale
 1820 - 2480' Shale, Lime
 2480 - 2720' Lime, Sahle
 2720 - 2850' Shale, Lime
 2850 - 3221' Lime, Shale
 3221 - 3495' Shale, Lime
 3495 - 3649' Lime, Shale
 3649 - 3653' Shale
 3653 - 3665' Lime, Shale
 3665 - 3834' Lime
 3834 - 3857' Lime, Shale
 3857 - 3928' Lime
 3928' RTD

Chase 2038
 Tarkio 3046
 Bern 3100
 Topeka 3291
 Heebner 3649
 Toronto 3665
 Brown Lime 3834
 Lansing 3857
 RTD 3928

SURFACE PIPE:

Set new 10 3/4", 30# pipe
 @ 389' w/375 sacks Common
 2% Gel, 3% cc on 7-17-80
 Set new 8 5/8", 23# pipe
 @ 1058' w/180 sacks Common,
 2% Gel, 3% cc on 7-18-80

A F F I D A V I T


STATE OF KANSAS)
 COUNTY OF BARTON) ss.

I, Milford Martin, of Mustang Drilling, Inc. state that the above
 is true and correct to the best of my knowledge.

Milford Martin
 Milford Martin

Subscribed and sworn to before me this 30th day of July, 1980.

Beverly Shewbart
 Beverly Shewbart
 Notary Public

 BEVERLY SHEWBART
 Barton County, Kansas
 My Appointment Expires: ~~My App. Exp. 14, 1982~~

My Appointment Expires: ~~My App. Exp. 14, 1982~~

RECEIVED
 STATE CORPORATION COMMISSION
 JUL 31 1980
 CONSERVATION DIVISION
 Wichita, Kansas

Woolsey Petroleum Corporation #2 Buckner C NE SW
Pratt County, Kansas Section 9-T28S-R13W

Contr: Mustang Drilling, Inc.

Elev: 1920'KB Comm: 7/16/80 Comp: 7/27/80 I.P. D & A

Casing: 10 3/4" @ 389'/375 sks. 8 5/8" @ 1058'/180 sks.

Rotary Total Depth: 3928' Log Total Depth: 3930'

<u>LOT TOPS</u>	<u>DEPTH</u>	<u>DATUM</u>
Chase	2054'	(- 134)
Red Eagle	2677'	(- 757)
Indian Cave	2829'	(- 909)
Wabaunsee	2873'	(- 953)
Tarkio	3047'	(-1127)
Heebner	3649'	(-1729)
Lansing 'B'	3885'	(-1965)
LTD	3930'	(-2010)

DST #1 2046-2117
45-45-45-45
Rec. 8' M
IFP 62-62#
ISIP 493#
FFP 1099#
FSIP 411#

DST #2 2826-2884
60-60-60-120
Rec. 160' M
IFP 62-113#
ISIP 1088#
FFP 93-113#
FSIP 1037#

DST #3 3103-3113
60-60-60-120
Rec. 30' DM
110' SGCWM
IFP 41-113#
ISIP 945#
FFP 82-92#
FSIP 1037#

DST #4 3889-3903
60-60-60-120
1st Op: GTS Guage 12.7 MCFD
2nd Op: GTS TSTM
Rec. 120' HOCM
180' HO&WCM
1750' SW
IFP 133-647#
ISIP 1397#
FFP 657-1006#
FSIP 1418#

RECEIVED
STATE CORPORATION COMMISSION

AUG 13 1980

CONSERVATION DIVISION
Wichita, Kansas

15-151-20786-0000

KANSAS DRILLERS LOG

S. 9 T. 28 R. 13 W
 Loc. C NE SW
 County Pratt

API No. 15 — 151 — 20,786
 County Number

Operator
 Woolsey Petroleum Corporation

Address
 300 West Douglas, Suite 400, Wichita, Kansas 67202


Well No. 2 Lease Name Buckner

Footage Location
 feet from (N) (S) line feet from (E) (W) line

Principal Contractor Mustang Drilling, Inc. Geologist Jim Iniguez

Spud Date 7/16/80 Total Depth 3928' P.B.T.D. D & A

Date Completed 7/27/80 Oil Purchaser



Elev.: Gr. 1911'
 DF 1918' KB 1920'

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	15"	10 3/4"	30#	389	Common	375	2% Gel 3% Calcium Chloride
Intermediate	9 5/8"	8 5/8"	23#	1058	Common	180	2% Gel 3% Calcium Chloride

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used

RECEIVED
 STATE CORPORATION COMMISSION
 AUG 13 1980
 CONSERVATION DIVISION
 Wichita, Kansas

INITIAL PRODUCTION

Date of first production	Producing method (flowing, pumping, gas lift, etc.)				
RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio	
	bbls.	MCF	bbls.	CFPB	
Disposition of gas (vented, used on lease or sold)			Producing interval (s)		

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

15-151-20786-0000

Operator - Woolsey Petroleum Corporation		DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:
Well No. 2	Lease Name Buckner	Dry Hole
S 9 T 28 R 13 E W		

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH

RECEIVED
STATE CORPORATION COMMISSION
AUG 13 1980
CONSERVATION DIVISION
Wichita, Kansas

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received	<u>Michael K. Maune</u>
	Signature
	Division Geologist
	Title
	<u>August 10, 1980</u>
	Date