

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION

WELL COMPLETION OR RECOMPLETION FORM
ACO-1 WELL HISTORY

DESCRIPTION OF WELL AND LEASE

Operator: License # 5050
Name Hummon Corporation
Address 400 One Main Place
City/State/Zip Wichita, KS 67202

Operator Contact Person Mr. Wilber Berg
Phone 316-263-8521

Contractor: License # 5148
Name Big-H Drilling

Wellsite Geologist Tim Pierce
Phone 316-263-8521

PURCHASER NONE

Designate Type of Completion
 New Well Re-Entry Workover

Oil SWD Temp Abd
 Gas Inj Delayed Comp.
 Dry Other (Core, Water Supply etc.)

If OWVO: old well info as follows:
Operator
Well Name
Comp. Date Old Total Depth

WELL HISTORY

Drilling Method:
 Mud Rotary Air Rotary Cable
11-5-84 11-18-84 11-19-84
Spud Date Date Reached TD Completion Date
4862 4837
Total Depth PBTD

Amount of Surface Pipe Set and Cemented at 226 feet

Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set feet

If alternate 2 completion, cement circulated from feet depth to w/ SX cmt

API No. 15-007-21-948-00-00
County Barber
NE SW Sec 20 Twp 31 Rge 10 West

1980 Ft North from Southeast Corner of Section
3300 Ft West from Southeast Corner of Section
(Note: Locate well in section plat below)


Lease Name Bertha Well # 1

Field Name Wildcat McREYNOLDS

Producing Formation Viola

Elevation: Ground 1746 KB 1759

Section Plat



RECEIVED
STATE CORPORATION COMMISSION
DEC 12 1984
CONSERVATION DIVISION
Wichita, Kansas

WATER SUPPLY INFORMATION

Source of Water:
Division of Water Resources Permit # T.84-812

Groundwater 2000 Ft North from Southeast Corner
(Well) 3300 Ft West from Southeast Corner of
Sec 20 Twp 31 Rge 10 East West

Surface Water Ft North from Southeast Corner
(Stream, pond etc) Ft West from Southeast Corner
Sec Twp Rge East West

Other (explain) (purchased from city, R.W.D.#)

Disposition of Produced Water: Disposal Repressuring
N/A
Docket #

INSTRUCTIONS: This form shall be completed in duplicate and filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 90 days after completion or recompletion of any well. Rule 82-3-130 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form. See rule 82-3-107 for confidentiality in excess of 12 months. One copy of all wireline logs and drillers time log shall be attached with this form. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Wilber A. Berg

Title Production Manager Date 12/10/84

Subscribed and sworn to before me this 10th day of December 1984

Notary Public Sandra L. Mendoza
Date Commission Expires February 13, 1986

SANDRA L. MENDOZA
STATE NOTARY PUBLIC
SEDGWICK COUNTY, KANSAS
MY APPT EXP

K.C.C. OFFICE USE ONLY
 Letter of Confidentiality Attached
 Wireline Log Received
 Drillers Time Log Received
Distribution
 KCC SWD/Rep NGPA
 KGS Plug Other
(Specify)

Operator Name Hunnon Corporation Lease Name Bertha Well# 1 SEC. 20 TWP. 31 RGE. 10

WELL LOG

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
Samples Sent to Geological Survey Yes No
Cores Taken Yes No

Formation Description
 Log Sample

DST #1: 4507-4532', OP 30-45 Mis-run; packer failure Rec. 1000' mud ISIP 1364#

DST #2: 4476-4532' OP 45-60-60-90,

Strong blow, GTS 7" into 1st SI, Rec. 650' fluid, 200' WGM, 450' MW (80,000PPM - chlorides) Gas stab. during 2nd OP @ 6.27 MCFG SIP 1321-1321, FP 246-269/280-349, HP 2461-2461, BHT 126°

DST #3: 4755-4775' OP 45-60-45-60, Strong blow both openings Rec. 1550' GIP, 62' MCGO (90% oil, 10% mud). SIP 1681-1659, FP 71-71/71-71, HP 2483-2505

DST #4: 4825-4844' OP 30-60-30-60, Wk blow in 1st opening, No blow in 2nd opening, Flush tool, no help; Rec. 10' drilling mud. Drilled 5' more to test. FP 106/106 106/130, SIP 118/130 Hp 2537/2505, BHT 123°

DST #5: 4826-4845', OP 30-45-30-45, Rec. 10' mud. SIP 67-67, FP 45-45, 56-56, HP 2665/2553 BHT 126°

Name	Top	Bottom
Onaga	2709	-950
Tarkio	2904	-1145
Elgin	3530	-1771
Heebner	3693	-1934
Lansing	3892	-2133
Miss.	4516	-2757
Kinderh.	4646	-2887
Viola	4757	-2998
Simpson SH	4834	-3075
Simpson SD	4838	-3079
TD	4862	

RELEASED

JUN 05 1986

CASING RECORD New Used

Report all strings set-conductor, surface, Intermediate or Production

FROM CONFIDENTIAL

Purpose of String	Size Hole Drilled	Size Casing Set (in O.D.)	Weight Lbs/Ft.	Setting Depth	Type of Cement	#Sacks Used	Type and Percent Additives
Surface	12 1/2"	8-5/8"	23#	226	common	200	2% gel, 3% CC
Production	7-7/8"	5 1/2"	17# 15# 14#	4861	60/40 POZ	125	2% gel 10% salt 3/4 of 1% D-31

PERFORATION RECORD

Acid, Fracture, Shot, Cement Squeeze Record

Shots Per Foot	Specify Footage of Each Interval Perforated	(Amount and Kind of Material Used)	Depth
4 Jumbo Jet	4759 - 4762	250 gals double-strength 15% 1000 gals Mos-202 preceded by 500 gals gel pad followed w/500 gals fluid-loss additive flush w/formation water.	4759 - 62

TUBING RECORD	Size	Set At	Packer at	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	NONE				

Date of First Production _____ Producing Method _____
P & A after completion Flowing Pumping Gas Lift Other (explain).....

Estimated Production Per 24 Hours	Oil Bbls	Gas MCF	Water Bbls	Gas-Oil Ratio CFPB	Gravity

METHOD OF COMPLETION

Production Interval

Disposition of gas: Vented Open Hole Perforation
 Sold Other (Specify)
 Used on Lease Dually Completed
 Commingled

RGE. 10

(E)
(W)XX

OPERATOR Hummon Corporation LEASE NAME Bertha #1

SEC. 20 TWP. 31 RGE. 10

FILL IN WELL LOG AS REQUIRED:

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
DST #6: 4842-4857', OP 45-60-60-90, Rec. 60' SO & GCM (10% gas, 5% oil, 85% mud), SIP 427-750, FP 45-45, 56-56 HP 2665-2553, BHT 126°				
DST #7: 4841-4862', OP 60-60-60-90 Rec. 60' WM, 240' SW, CHL. 58,000 PPM SIP 1716-1727, FP 67-112, 135-146 HP 2419-2352, BHT 136°				
FORMATIONS				
Clay & Sand	0	140		
Red Beds	140	538		
Red Beds & Shale	538	1284		
Shale & Lime	1284	1700		
Lime & Shale	1700	1926		
Shale & Lime	1926	2392		
Lime & Shale	2392	2566		
Shale & Lime	2566	2930		
Lime & Shale	2930	3250		
Shale & Lime	3250	3463		
Lime & Shale	3463	3645		
Shale & Lime	3645	3753		
Sand, Lime & Shale	3753	3900		
Lime & Shale	3900	4114		
Shale & Lime	4114	4226		
Lime & Shale	4226	4331		
Shale & Lime	4331	4485		
Lime & Shale	4485	4532		
Lime, Shale & Chert	4532	4561		
Lime, Chert & Shale	4561	4654		
Shale, Chert & Lime	5654	4746		
Lime & Shale	4746	4775		
Lime	4775	4776		
Shale & Lime	4776	4835		
Lime, Shale & Sand	4835	4840		
Sand	4840	4862		
RTD		4862		

RELEASED
Date: MAY 1 1986
FROM CONFIDENTIAL

CONFIDENTIAL
DATE: MAY 1 1986
FROM CONFIDENTIAL

RECEIVED
STATE CORPORATION COMMISSION
DEC 12 1984
CONSERVATION DIVISION
Wichita, Kansas

RELEASED
JUN 05 1986
FROM CONFIDENTIAL

DEC 14 1984
CONFIDENTIAL
State Geological Survey
WICHITA BRANCH