KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test | t: | | | | (| See Instruc | tions on Re | everse Side | 9) | | | | | |
|--|-------------------------------|-------------|--|--|---|-------------------------------|---|---|--|---|------------------------------|-------------------------------|---|--|
| □ Ор | en Flov | N. | 27 | | Tool Date | | | | A Di | No 15 | | | | |
| Deliverabilty | | | | | Test Date 7/16/14 | | API No. 15 181-20382-01 00 | | | | | | | |
| Company | | ource | es, Inc. | _ | | | Lease Hanabi | e | _ | <u> </u> | 1-1H | Well N | ımber | |
| County Location Sherman SWSW/4 | | | | Section 1 | | TWP 9S | | RNG (E 40W | /W) | | Acres Attributed 80 | | | |
| Field Goodlan | d | | | | Reservoir Niobrara | | | Gas Gathering Connecti Branch Systems Inc. | | | | | | |
| Completic 2/6/06 | on Date |) | | | Plug Bac N/A | k Total Dept | th | | Packer | Set at | | | | |
| Casing Size Weight 4 1/2" 15.5# | | | | | Internal E 4.000 | Diameter | | Set at 2906' | | rations 5 - 2860' | то 2330 | то 2330 - 2345' | | |
| Tubing Si | ze | | Weight | | Internal D | Diameter | Set | at | Perfo | rations | То | | | |
| Type Com Single (| | | | | Type Flui | d Production | n | _ | Pump U | nit or Traveling | Plunger? Yes | s (No | <u> </u> | |
| | Thru | | us / Tubing | <u> </u> | % Carbon Dioxide | | | % Nitrog | jen | Gas (| Gas Gravity - G _g | | | |
| Vertical D | | † | | | Pressure Taps Flange | | | | <u>. </u> | | | r Run) (F | Prover) Size | |
| Pressure | Buildup | : Sh | 7-15 | | 0_14_at_9 | | | Taken 7- | 16 | 20 | 14 _{at} 9:35 | | (AM)(PM) | |
| Well on L | ine: | Sta | arted <u>7-17</u> | 2 | 0 14 at 9 | :35 | (AM)(PM) | | | | 14 at 10:25 | <u> </u> | (PM) | |
| | | | | | <u> </u> | OBSERVE | D SURFAC | E DATA | , | | Duration of Shu | _{it-in} _48 | Hours | |
| Static / Dynamic Property | Orific Size (inche | ۾ ا | Circle one: Meter rover Pressur psig (Pm) | Pressure Differential in Inches H ₂ 0 | Flowing Temperature t | Well Head Temperature f | Wellhead (P _w) or (I | sing Pressure P _r) or (P _c) | Wellhe (P _w) o | Tubing ead Pressure or (P _t) or (P _c) | Duration (Hours) | 1 . | id Produced (Barrels) | |
| Shut-In | _ | | Pa-9 (:) | 11101100 1120 | | | 3 3 | 17.4 | psig | psia | | | | |
| Flow | | | _ | | | | 1 | 15.4 | | | 48 | 0 | | |
| ſ | | | - 1 | | | FLOW STR | REAM ATTE | RIBUTES | <u>-</u> | | | | 1 1 | |
| Plate Coeffieci (F _b) (F Mcfd | ient ,) | M. Prove | cle one: eter or r Pressure psia | Press Extension ✓ P _m x h | Grav Fact F _s | tor | Flowing Temperature Factor F _{f1} | Fa | iation ctor _{pv} | Metered Flow R (Mcfd) | y GOI (Cubic I Barre | eet/ | Flowing Fluid Gravity G _m | |
| | | | | _ | | | | | | 1 | _ | | | |
| (P _c)² = | _ | : | (P) ² = | : | • | OW) (DELIV | | /) CALCUL P _c - 14.4) + | | _ : | | $a_a)^2 = 0.5$ $a_b)^2 = 0.5$ | | |
| (P _c) ² - (F | P _a) ² | | ²- (P _w)² | hoose formula 1 or 2 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ ivided by: $P_c^2 - P_w^2$ | LOG of formula 1. or 2. and divide | | S1c As | essure Curve ppe = "n" - or ssigned dard Slope | n x | LOG | Antilog | De | pen Flow liverability s R x Antilog (Mcfd) | |
| | | | | | | | | | | | | | | |
| Open Flor | w | | | Mcfd @ 14. | 65 psia | | Deliveral | bility | | | Mcfd @ 14.65 p | sia | | |
| | | | • | | - • | | | | | | ort and that he | nas knov | vledge of | |
| the facts s | tated th | erein, | and that sai | d report is true | | | | | | December | MART | <u> </u> | 20 _14 | |
| | | | Witness (if | any) | | CC N | | e- | | For | Dompany | u | / | |
| | | | For Commis | sion | <u> </u> | FEB 2 | 3 2015 | | | Che | cked by | | | |

RECEIVED

| | r penalty of perjury under the laws of the state of Kansas that I am authorized to request r Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. | | | | | | | |
|------------------------|--|--|--|--|--|--|--|--|
| | ing pressure information and statements contained on this application form are true and | | | | | | | |
| correct to the best of | of my knowledge and belief based upon available production summaries and lease records | | | | | | | |
| | ation and/or upon type of completion or upon use being made of the gas well herein named. | | | | | | | |
| | st a one-year exemption from open flow testing for the Hanable 1-1H | | | | | | | |
| gas well on the gro | unds that said well: | | | | | | | |
| (Check o | one) | | | | | | | |
| | is a coalbed methane producer | | | | | | | |
| Ħ | is cycled on plunger lift due to water | | | | | | | |
| Ħ | is a source of natural gas for injection into an oil reservoir undergoing ER | | | | | | | |
| \Box | is on vacuum at the present time; KCC approval Docket No | | | | | | | |
| Ī | is not capable of producing at a daily rate in excess of 250 mcf/D | | | | | | | |
| | | | | | | | | |
| • | to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing. | | | | | | | |
| Date: 12/21/14 | | | | | | | | |
| ę | FEB 2 3 2015 RECEIVED Signature: | | | | | | | |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

W402

Hanable 1 - 1 Hz

South Goodland

Goodland

None

July-14

| | Casing | | | HRS | REMARKS |
|-----------|--------|--------|-----|------|--|
| DATE | PSI | STATIC | MCF | DOWN | (Maximum length 110 characters) |
| 7/1/2014 | 10 | 23 | 0 | 8 | |
| 7/2/2014 | 11 | 24 | 0 | 0 | opened up |
| 7/3/2014 | . 1 | 14 | 1 | 0 | |
| 7/4/2014 | 1 | 14 | 1 | 0 | |
| 7/5/2014 | 1 | 14 | 1 | 0 | |
| 7/6/2014 | 1 | 14 | 1 | 0 | |
| 7/7/2014 | 1 | 14 | 1 | 0 | |
| 7/8/2014 | 1 | 14 | 1 | 0 | |
| 7/9/2014 | 1 | 14 | 1 | 0 | |
| 7/10/2014 | 1 | 14 | 1 | 0 | |
| 7/11/2014 | 1 | 14 | 1 | 0 | |
| 7/12/2014 | 1 | 14 | 1 | 0 | |
| 7/13/2014 | 1 | 14 | 1 | 0 | |
| 7/14/2014 | 1 | 14 | 1 | 0 | |
| 7/15/2014 | 1 | 14 | 1 | 0 | "F SEN M DEAD" rplcd battery, flowing 2, shut in for state |
| 7/16/2014 | 2 | 15 | 0 | | |
| 7/17/2014 | 3 | 16 | | | opened up |
| 7/18/2014 | 1 | 14 | | | |
| 7/19/2014 | 1 | 14 | | | |
| 7/20/2014 | 1 | 14 | | . 0 | |
| 7/21/2014 | 1 | 14 | | 0 | |
| 7/22/2014 | 1 | 14 | 1 | 0 | |
| 7/23/2014 | 1 | 14 | | | • |
| 7/24/2014 | 1 | | | 0 | |
| 7/25/2014 | 1 | 14 | | 0 | |
| 7/26/2014 | 1 | 14 | | - | |
| 7/27/2014 | 1 | 14 | | _ | |
| 7/28/2014 | 1 | 14 | | - | |
| 7/29/2014 | 1 | 14 | | | |
| 7/30/2014 | 1 | | | | |
| 7/31/2014 | 1 | 14 | 1 | 0 | · |

Total 30

KCC WICHITA FEB 23 2015 RECEIVED W402

Hanable 1-1H

South Goodland

Goodland

None

August-14

| | Casing | | HRS | | REMARKS |
|-----------|--------|------------|------|---|---------------------------------|
| DATE | PSI | STATIC MCF | DOWN | | (Maximum length 110 characters) |
| 8/1/2014 | | 1 14 | 1 | 0 | |
| 8/2/2014 | | 1 14 | 1 | 0 | • |
| 8/3/2014 | | 1 14 | 1 | 0 | |
| 8/4/2014 | | 1 14 | 1 | 0 | |
| 8/5/2014 | | 1 14 | 1 | 0 | |
| 8/6/2014 | | 1 14 | 1 | 0 | |
| 8/7/2014 | | 1 14 | 1 | 0 | |
| 8/8/2014 | | 1 14 | 1 | 0 | |
| 8/9/2014 | • | 1 14 | 1 | 3 | |
| 8/10/2014 | | 1 14 | 1 | 0 | |
| 8/11/2014 | | 1 14 | 1 | 0 | |
| 8/12/2014 | | 1 14 | 1 | 0 | |
| 8/13/2014 | | 1 14 | 1 | 0 | |
| 8/14/2014 | | 1 14 | 1 | 0 | |
| 8/15/2014 | | 1 14 | 1 | 0 | |
| 8/16/2014 | | 1 14 | 1 | 0 | |
| 8/17/2014 | | 1 14 | 1 | 0 | |
| 8/18/2014 | | 1 14 | 1 | 0 | |
| 8/19/2014 | | 1 14 | 1 | 0 | |
| 8/20/2014 | - | 1 14 | 1 | 0 | |
| 8/21/2014 | | 1 14 | 1 | 0 | |
| 8/22/2014 | | 1 14 | 1 | 0 | |
| 8/23/2014 | • | 1 14 | 1 | 0 | |
| 8/24/2014 | , | 1 14 | 1 | 0 | |
| 8/25/2014 | | 1 14 | 1 | 0 | |
| 8/26/2014 | | 1 14 | 1 | 0 | |
| 8/27/2014 | | 1 14 | 1 | 0 | |
| 8/28/2014 | | 1 14 | 1 | 0 | |
| 8/29/2014 | , | 1 14 | 1 | 0 | |
| 8/30/2014 | | 1 14 | 1 | 0 | |
| 8/31/2014 | | 1 14 | 1 | 0 | |

Total 31

KCC WICHITA FEB 23 2015 RECEIVED W402

Hanable 1-1 H

South Goodland

Goodland

None

September-14

| | Casing | | | HRS | REMARKS |
|-----------|--------|--------|-----|------|---|
| DATE | PSI | STATIC | MCF | DOWN | (Maximum length 110 characters) |
| 9/1/2014 | | 1 14 | 1 | . 0 | |
| 9/2/2014 | : | 1 14 | 1 | 0 | |
| 9/3/2014 | | 1 14 | 1 | 0 | |
| 9/4/2014 | | 14 | 1 | 0 | |
| 9/5/2014 | • | 1 14 | 1 | 0 | |
| 9/6/2014 | | 1 14 | 1 | 0 | |
| 9/7/2014 | | 1 14 | 1 | 0 | |
| 9/8/2014 | | 1 14 | 0 | 0 | |
| 9/9/2014 | | 1 14 | 1 | 0 | F no signal, F SEN M DEAD, meter won't rese |
| 9/10/2014 | | 1 14 | 1 | 0 | |
| 9/11/2014 | • | 1 14 | 1 | 0 | |
| 9/12/2014 | | 1 14 | 1 | 0 | |
| 9/13/2014 | | 1 14 | 1 | 0 | |
| 9/14/2014 | | 1 14 | 1 | 0 | |
| 9/15/2014 | | 1 14 | 1 | 0 | |
| 9/16/2014 | | 1 14 | 1 | 1 | F NO SIGNAL, meter bad need new one |
| 9/17/2014 | | 1 14 | 1 | 0 | |
| 9/18/2014 | | 1 14 | 1 | 0 | |
| 9/19/2014 | | 1 14 | 1 | 0 | |
| 9/20/2014 | | 1 14 | 1 | 0 | |
| 9/21/2014 | | 1 14 | 1 | 0 | |
| 9/22/2014 | | 1 14 | 1 | 0 | |
| 9/23/2014 | | 1 14 | 1 | 1 | |
| 9/24/2014 | • | 1 14 | 1 | 0 | |
| 9/25/2014 | | 1 14 | 1 | 0 | |
| 9/26/2014 | | 1 14 | 1 | 0 | |
| 9/27/2014 | | 1 14 | 1 | 0 | |
| 9/28/2014 | | 1 14 | 1 | 0 | |
| 9/29/2014 | | 1 14 | 1 | 0 | |
| 9/30/2014 | | 1 14 | 1 | 0 | |
| 10/1/2014 | | | | 0 | |

Total 29

KCC WICHITA FEB 2 3 2015 RECEIVED