


STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

WELL PLUGGING RECORD

NORTH



Locate well correctly on above
Section Plat

Clark County. Sec. 8 Twp. 34S Rge. 24 (E) W (W)
Location as "NE/CNW&SW" or footage from lines E/2 NE/4 SW/4
Lease Owner Graham-Michaelis Drilling Co.
Lease Name GARDINER Well No. 1
Office Address 1005 East Second St., Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed 3-12-54 19
Application for plugging filed 7-17-56 19
Application for plugging approved 7-18-56 19
Plugging commenced 7-28-56 19
Plugging completed 8-3-56 19
Reason for abandonment of well or producing formation Dry Hole

If a producing well is abandoned, date of last production _____ 19____
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Merle Rives, Box 8, Pratt, Kansas.
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 5690 Feet
Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
		0	405'	13"	405'	Cement Circulate
		0	5687'	5-1/2"	5687'	2,965'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Plugged back with crushed rock to 5330', dumped 5 sax cement with dump bailer, top of cement, 5300'. Circ. with 35 sax of Gel-Mud @ 1800' filled hole with mud to 400', set rock bridge, dumped 30 sax cement. Top of cement, 340'. Filled hole with mud to 20', set rock bridge, dumped 15 sax cement for cap.



(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor Miller Casing Pulling Company
Address Box #711, Great Bend, Kansas

STATE OF KANSAS, COUNTY OF SEDGWICK, ss.
W. A. Michaelis, Jr. (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God, GRAHAM-MICHAELIS DRILLING CO.
(Signature) W. A. Michaelis, Jr. Managing Partner
1005 E. Second St., Wichita, Kansas.
(Address)

SUBSCRIBED AND SWORN TO before me this 20th day of September, 1956.
Mary L. Barnes
Notary Public.

My commission expires 11/7/57.

PLUGGING
FILE SEC 8 T 34 R 24W
BOOK PAGE 81 LINE 21

WELL LOG BUREAU—KANSAS GEOLOGICAL SOCIETY

508 East Murdock,


Wichita, Kansas

Company- PETERS, RIDER & CHRISTENSEN
Farm- Gardner No. 1

SEC. 8 T. 34 R. 24W
E $\frac{1}{2}$ NE SW

Total Depth. 5960'
Comm. 6-27-53 Comp. 3-1954
Shot or Treated.
Contractor. Glenn R. Nye Drlg. Co.
Issued. 9-29-56

County Clark
KANSAS



Elevation. _____

Production. Dry

CASING:

13" 406' w/350 sx cem.
5 $\frac{1}{2}$ " 5575' ? w/300 sx cem.

Figures indicate Bottom of Formations.

sand	190
red bed-sand	280
sand	315
red bed-sand	330
red bed-shalls	406
Reaming 406	
red bed-shale	1000
shale-Anhydrite stks	1020
shale-red bed	1380
shale-shells-red bed	1695
Grn shale-Anhydrite stks	1765
shale-shells	2085
shale-lime	5507
Core	5549
Reaming 5549	
Core	5568
Reaming 5568	
shale-lime	5571
Core	5621
Reaming 5621	
lime-shale	5690
Total Depth	

NO TOPS

Acidized w/1000 gal.
Perf. 5566 $\frac{1}{2}$ ' to 5574' w/24 shots.

Grubbs-Michaelis

RECEIVED
STATE OF KANSAS
OCT 21 1956
CONSERVATION DIVISION
Wichita, Kansas

PLUGGING
FILE SEC 8 T. 34 R. 24W
BOOK PAGE 81 LINE 21