

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD


OR

FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging off formations.

See All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

NORTH



Locate well correctly on above Section Plat

Stevens County. Sec. 25 Twp. 33 Rge. 39 (E) (W)
Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines. 150 from north line
Lease Owner. United Prod. Co. 150 from east line.
Lease Name. Kuba Station Well No. 1
Office Address. Sataanta, Kansas
Character of Well (Completed as Oil, Gas or Dry Hole). Not Completed
Date, well completed. 193.
Application for plugging filed. 3-16-1940 193.
Application for plugging approved. 3-16-1940 193.
Plugging Commenced. 1:00 P.M. 3-18-1940 193.
Plugging Completed. 5:00 P.M. 3-18-1940 193.
Reason for abandonment of well or producing formation. Lost Circulation and stuck pipe.
If a producing well is abandoned, date of last production. 193.
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well. R. J. Phillippe
Producing formation. Depth to top. Bottom. Total Depth of Well. 1461 Feet.
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Dakota sand	water	980	915	10 3/4" O.D.	458	Not pulled

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Lost circulation and stuck pipe at 1424 feet
shot pipe in two at 1350 feet could not pull
shot in two at 1150 feet and pulled out of hole.
pushed plug down to 696 feet pumped in
50 sacks of O.K. lightning cement on top of
plug. plugged top of surface pipe.

[Handwritten signature]

PLUGGING
FILE SEC 25-33-39W
BOOK PAGE 95 LINE 39



(If additional description is necessary, use BACK of this sheet)
Correspondence regarding this well should be addressed to. Stovall Drilling Co.
Address. Monroe, Louisiana

STATE OF Kansas, COUNTY OF Stevens, ss.
D. N. Barron (employee of owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) *D. N. Barron*

(Address)

SUBSCRIBED AND SWORN TO before me this 19 day of March, 1940.

[Handwritten signature]

My commission expires July 29, 1943.

WELL LOG

15-189-19011-0000

on
Ruby Stratton Well, #1.

(FOOTAGE)

0 to 20 ft. - Clay
 20 to 40 " - Sandy clay
 40 to 70 " - Sand
 70 to 100 ft. - Clay
 100 to 125 " - Sand
 125 to 142 " - Sand & Clay
 142 to 200 " - Clay & sand
 200 to 385 " - Clay & Shale
 385 to 410 " - Sandy clay & gravel
 410 to 440 " - Clay & gravel
 440 to 458 " - Red bed
 458 to 500 " - " "
 500 to 550 " - " " & shale
 550 to 641 " - " " "
 641 to 675 " - Shale & gyp
 675 to 700 " - Red bed
 700 to 715 " - Shale
 715 to 865 " - Shale & gyp
 865 to 880 " - Shale & gyp
 880 to 915 " - Red bed
 915 to 985 " - Shale & gyp
 985 to 1050 ft. - Shale & gyp
 1050 to 1090 " - " "
 1090 to 1140 " - Hard gyp
 1140 to 1173 " - " "
 1173 to 1185 " - " "
 1185 to 1240 " - Shale & shells
 1240 to 1310 " - Shale
 1310 to 1318 " - Sand
 1318 to 1323 " - "
 1323 to 1365 " - Red shale & sand
 1365 to 1382 " - Shale & sand
 1382 to 1402 " - Red shale & sand
 1402 to 1446 " - Shale & shells

PLUGGING
 FILE OF 25 32 39W
 BOOK PAGE 95 LINE 39

Lost first returns at 1318 ft.
 Next at 1374 "
 " " 1382 "
 " " 1402 "

Lost last returns at 1446 " and abanded hole at
 that depth.

S J Bennett