STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely Make Required Affidavit

WELL PLUGGING RECORD Revises report of Dec. 12, 1978

Make Required Affidavit		Stevens	Cot	inty, Sec.	35 Twp 3	3S Rge. 39	₽/ W
Mail or Deliver Report to	Locati	on as "NE/		" or foota			
Conservation Division				2560' FNL	•		
State Corporation Comm.	Lease	Owner Anac	larko P	roduction (Company		
245 North Water	Lease 1	Name SLE	ASE "A"		W	ell No. #1-A	<u> </u>
Wichita, KS 67202	Office			ox 351 Libe			
						r Dry Hole)	
1 i i i	Charact	ret or wer			it, das o	I DIY MALE,	
(i (i)	<u> </u>		Dry :	Hole			
<u> </u>		ell comple				-24	1978
i i		ation for				-12	19 <u>78</u>
! ! ! .			-	g approved	l6	-13	19 <u>78</u>
 	Pluggin	ng commenc	ed		6	-29	1978
	Pluggi	ng complet	ed		7	- 5	1978
	Reason	for aband			producing	g formation_	
 	·			anical			
	If a pi	roducing w	ell is	abandoned,	date of	last product	ion
	1						19
Totals well connectly on shore	Vas per	rmission o	btained	from the	Conservat	ion Division	or
Locate well correctly on above Section Plat	its ago	ents befor	e plugg	ing was co	mmenced?	yes	
Name of Conservation Agent who	supervised	plugging	of this	well Clar	- rence Thom	as	
Producing formation		pth to top		ottom	Total De	pth of Welll	726'
Show depth and thickness of al	l water, oi	l and gas	formati	ons.	···	· · · · ·	
•	•	_					
OIL, GAS OR WATER RECORDS				•		CASING RECOR	≀n
TOWN MICHAEL		DDOV		1 cran		ī	
FORMATION	CONTENT	. FROM	то	SIZE	PUT IN	. PULLED OU	<u></u>
			<u> </u>	13-3/8"	510	None	
				8-5/8"	1522	1250	
		 	ļ		·		
· · · · · · · · · · · · · · · · · · ·		<u> </u>	<u> </u>		<u> </u>		
Documbo in detail the many	an in which	<u> </u>			22+172	1	
Describe in detail the many			_		-		
was placed and the method or m						•	
plugs were used, state the cha		ame and de	pth pia	iced, from_		feet to)
feet for each p				·	 		
Pumped 50 sxs cmt to 12							
Spotted 140 sxs in 4-st		 					
Spotted 20 sxs @ surfac	:e			STA	TEMECE	1450-	
					OURPORATIO	W COM	
						NED ON COMMISSION	
					UEC 1 o	(070	
						18/8	
		,		G	ONSERVATION E Wichita, Kana		
					Vichita, Kana	TVISION	
						ras	
(Te additional	doografication	10 70000		DACV of	thic chas	+\	
(If additional				se pack of	this shee	()	
Name of Plugging Contractor	Sargents C	asing Pull	ers				
							
STATE OF Kansas	COUN	TY OF	Sewa	ard	,	ss.	
Paul Campbell			(empl	oyee of own	ner) or (c		rator)
of the above-described well, b	eing first d	luly sworn					
he facts, statements, and mat							
s filed and that the same are			belp		_		
	•	· /	6 /		1		
	(Sig	nature)	ILRIX	execulti.	U		•
	. ,	// P	O. Box	351,/Libe	rál, Kans	as 67901	
		/_	_		Address)	· · · · · · · · ·	
SUBSCRIBED AND SWORN TO b	oforo mo thi	104		. /	duress	10 76	,
7777	erore me tul	- 10	day	THE ALLE	mices/	, 19 B	
BEVERLY J. WILLIAMS		<i>(</i>	<u>-</u>	111	71100		
Seward County, Kansas			XIII	rig f	Will.	lano	
my Appt. Exp. 21/21/82 Ty commission expires / Mul.	Year DI	In do.		0 0	No	tary Public	•
is commission expires the	nue 21,	14000					
(
`							

4	_	O .				0		¥	
KANSAS DRILLI	LKS LOG	evised R	eport of I	pecember	4, 1978	S	. <u>35 —</u> т. <u>з</u>	35 r .39 x	
API No. 15 —_	189		380			L	oc.1 <u>250 '</u>	FEL & 2560' FNL	
Operator	County		lumber			\dashv \circ	ountySt	evens	
Anadarko Prod	luction Com	าลทช				- [640 Acres	
Address	ruccion com	Jany				 			
Box 351 Liber		67901					160	160	
Well No. #1-A	Lease Name	SLEA	SE "A"						
Footage Location	<u> </u>					\dashv	┦┷┼	 {5 * 	
2560 feet from	(N) (%) tine		1250 feet	from (E) XXI)	line		-	╼├╼╏╼┤╼┥╼┽╼┨	
Principal Contractor		Ge	ologist				160	160	
Rains & Willi	.amson			1====					
Spud Date		10	tal Depth	P.B.T.D.				te well correctly 3238 '	
1-12-78 Date Completed		l Oil	1726 Purchaser			⊣'	Elev.: Gr. 3238		
1-24-78		"	· · · · · · · · · · · · · · · · · · ·			Þ	F	КВ	
# 21 /O			CASING	RECORD					
Report of all strin	gs set — surface,	intermediate							
Purpose of string	Size hole drilled	Size casing s	et Weight lbs/ft.	Setting depth	Type cem	ent	Sacks	Type and percent additives	
Surface	17-1/4"	13-3/8"	1	510	Common		600	3% CC	
				010	Common		200	40# Gilsonite/	
Intermediate	12-1/4"	8-5/8"	24#	1522	522 Common		1000	3% CC	
	-								
	LINER RECO	RD			1	PERFORA	TION RECO	PRD	
Top, ft.	Bottom, ft. S		acks coment		Shats per ft. Si		& type	Depth interval	
<u> </u>	TUBING RECO	ORD							
Size	Setting depth	Packe	r set at	+				 	
		CID, FRAC	TURE, SHOT,	CEMENT SQ	UEEZE RECO	RD		<u>. </u>	
	Amo	int and kind o	of material used	<u> </u>			D	epth interval treated	
	,	-			OTRITE O	RECE	VED	0101	
					<u>airie u</u>	UKPUKAT	TOTAL COMMENTS	SIUN	
					 -	DEC 1	 } 1978	<u> </u>	
					- 403		DH DIVISION		
			INITIAL PR			Wichita,	Kansas	<u> </u>	
				!	ac lift atc)				
Date of first production None P&A		Produc	ing method (flow	ing, pumping, g					
	O il		Gas		Water		bbis.	as-oil ratio CFPB	

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator Anadarko Produc	DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:								
Well No. #1-A		Name Slease "A"	Dry Hole						
s 35 T 33S _R 39	M <u>F</u>						_		
Show all important zone cluding depth interval te	SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.								
		, CONTENTS, ETC.		тор	воттом	NAME	DEPTH		
Sand, Clay & Re Redbed & Sand Redbed & Sand TD	edbed			0 679 1213	9 1213 1726 1726				
	·					-			
	lice	ADDITIONAL SHEETS,			COMPLETE W	ELL RECORD			
Date Received	035	ADDITIONAL SHEETS,	IF NECES		y y y y z i z j w i	//			
2.2.2.2.3.100		1aco Campfull							
		Paul Campbell Signature Division Production Manager Title December 15, 1978							
				cemmer .		Date			