STATE OF KANSAS STATE CORPORATION COMMISSION

Form CP-4

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway

WELL PLUGGING RECORD

| Wichita, Kansas | | | | | | | | | | | |
|--|--|--|--|--|---|--|--|--|--|--|--|
| NORTH . | | NE/CNW#SW#" | | | C SW SE | $(E) \stackrel{\text{$\downarrow$O}}{=} (W)$ | | | | | |
| · · · · · · · · · · · · · · · · · · · | Lease Owner_ | Lease Owner Anadarko Production Company | | | | | | | | | |
| | Lease Name_ | Lease Name Low "E" Well No. 2 | | | | | | | | | |
| | | P. 0. Box | | <u>liberal, Ka</u> | | | | | | | |
| | | Well (completed : | as Oil, Gas o | or Dry Hole) | Dry Hole | | | | | | |
| | Date well cor | - | | | 7/30 | 1 <u>9_66</u> | | | | | |
| | 4 """ | or plugging filed_ | | | <u>7/29</u> | | | | | | |
| | | or plugging approv | | | <u>7/29</u> | 19 <u>_66</u> | | | | | |
| | | Plugging commenced 7/30 19 66 | | | | | | | | | |
| i i i | | Plugging completed 1/30 19 00 | | | | | | | | | |
| | Reason for ab | Reason for abandonment of well or producing formation Dry Hole | | | | | | | | | |
| ! ! | | | | | | · | | | | | |
| - | | g well is abandon | | | · · · · · · · · · · · · · · · · · · · | 19 | | | | | |
| Locate well correctly on above | was permissi menced? | on obtained from Yes | the Conserv | vation Division of | r its agents before | e plugging was com- | | | | | |
| Section Plat ne of Conservation Agent who sur | | | rog Cubl | lotto Vanc | -; | | | | | | |
| | ne ne | | | | | 5070 - | | | | | |
| v depth and thickness of all wate | | | Bottor | n | Total Debty of M | /ellFeet | | | | | |
| v deput and intextless in an wate | r, on and gas formade | ons. | | • | | | | | | | |
| IL, CAS OR WATER RECOR | DS | | | | C/ | ASING RECORD | | | | | |
| FORMATION | CONTENT | FROM | TO | SIZE | PUT IN | PULLED OUT | | | | | |
| | | | | 8-5/8" | 1591' | | | | | | |
| | - | | | 0-2/0 | | None None | | | | | |
| | · · · · · · · · · · · · · · · · · · · | | | | ·- · | | | | | | |
| | | + | | ·{ | | | | | | | |
| | | | | | | ······································ | | | | | |
| | | | | | | | | | | | |
| · | | | - | | | _ | | | | | |
| | | | | · | | | | | | | |
| potted 25 sxs cement potted 35 sxs cement | at 5900' at 5400' at 700' | Page | | of same and depth | | | | | | | |
| cotted 50 sxs cement cotted 25 sxs cement cotted 35 sxs cement cotted 15 sxs cement | at 5900' at 5400' at 700' at 45' to sur | face. | | AIF () | D-/6 1UG 16 19FF | ED COMPANY STOR | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement | at 5900' at 5400' at 700' at 45' to sur | face. | | AIF () | 196 16 19cc | | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement | at 5900' at 5400' at 700' at 45' to sur | face. | | AIF () | 196 16 19cc | ED MISSION GG | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement | at 5900' at 5400' at 700' at 45' to sur | face. | | AIF () | 196 16 19cc | ED MISSION CO GO | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement | at 5900' at 5400' at 700' at 45' to sur | face. | | AIF () | 196 16 19cc | C G | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement complete at 8 a.m. 7/3 | at 5900' at 5400' at 700' at 45' to sur: 0/66. | face. | | AIF CO | 196 16 19cc | E D ANISSION G G | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement complete at 8 a.m. 7/3 | at 5900' at 5400' at 700' at 45' to sur: 0/66. (If addition | al description is neces | ssary, use BACK | Alf () | 196 16 19cc | ED GG | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement omplete at 8 a.m. 7/3 | at 5900' at 5400' at 700' at 45' to sur: 0/66. | al description is neces | ssary, use BACK | Alf () | 196 16 19cc | ED GG | | | | | |
| e of Plugging Contractor Lo | at 5900' at 5400' at 700' at 45' to sur: 0/66. (If addition | al description is neces | ssary, use BACK | Alf () | 196 16 19cc | ED CONTROLL CONTROL CONTROLL CONTROL CONTR | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement complete at 8 a.m. 7/3 | at 5900' at 5400' at 700' at 45' to sur: 0/66. (If addition chman-Johnson 737 Wichita Pl | al description is neces | sary, use BACK | Alf () | 196 16 19cc | ED ANISSION CO CO | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement complete at 8 a.m. 7/3 e of Plugging Contractor Lores 17 TE OF Kansas | at 5900' at 5400' at 700' at 45' to sur: 0/66. (If addition chman-Johnson 737 Wichita Pl | al description is neces aza Building | Seward | Cof this sheet) | 196 16 1966 196 16 1966 | G G | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement potted at 8 a.m. 7/3 e of Plugging Contractor Loress 17 TE OF Kansas V. K. Downey | at 5900' at 5400' at 700' at 45' to sur: 0/66. (If addition chman-Johnson '37 Wichita Pl | al description is neces aza Building | Seward | Cof this sheet) ta, Kansas | ss. | the above-described | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement complete at 8 a.m. 7/3 e of Plugging Contractor Lo ress 17 TE OF Kansas V. K. Downey being first duly sworn on oath, | at 5900' at 5400' at 700' at 45' to sur: 0/66. (If addition hman-Johnson 37 Wichita Pl. , CO says: That I have k | al description is neces aza Building | Seward employee of facts, statem | Cof this sheet) ta, Kansas | ss. | the above-described | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement omplete at 8 a.m. 7/3 TE OF | at 5900' at 5400' at 700' at 45' to sur: 0/66. (If addition hman-Johnson 37 Wichita Pl. , CO says: That I have k | al description is neces aza Building | Seward employee of facts, statem | Cof this sheet) ta, Kansas | ss. | the above-described | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement omplete at 8 a.m. 7/3 TE OF | at 5900' at 5400' at 700' at 45' to sur: 0/66. (If addition hman-Johnson 37 Wichita Pl. , CO says: That I have k | al description is neces aza Building UNTY OF conowledge of the sand correct. So h | Seward employee of facts, statem | Cof this sheet) ta, Kansas | ss. | the above-described | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement omplete at 8 a.m. 7/3 TE OF Kansas V. K. Downey , being first duly sworn on oath, | at 5900' at 5400' at 700' at 45' to sur: 0/66. (If addition hman-Johnson 37 Wichita Pl. , CO says: That I have k | al description is neces aza Building | Seward employee of facts, statem | of this sheet) ta, Kansas owner) or (owner ents, and matters | ss. er or operator) of sherein contained | the above-described and the log of the | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement omplete at 8 a.m. 7/3 TE OF Kansas V. K. Downey , being first duly sworn on oath, | at 5900' at 5400' at 700' at 45' to sur: 0/66. (If addition hman-Johnson 37 Wichita Pl. , CO says: That I have k | al description is neces aza Building UNTY OF conowledge of the sand correct. So h | Seward employee of facts, statem | owner) or (owner ents, and matters | ss. er or operator) of sherein contained | the above-described and the log of the | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement omplete at 8 a.m. 7/3 TE OF | at 5900' at 5400' at 700' at 45' to sur: 0/66. (If addition chman-Johnson 37 Wichita Pl | al description is neces aza Building UNTY OF mowledge of the and correct. So h | Seward employee of facts, statem | owner) or (owner onts, and matters with a state of this sheet) | ss. er or operator) of sherein contained | the above-described and the log of the | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement complete at 8 a.m. 7/3 e of Plugging Contractor Lo ress 17 TE OF Kansas V. K. Downey being first duly sworn on oath, | at 5900' at 5400' at 700' at 45' to sur: 0/66. (If addition chman-Johnson 37 Wichita Pl | al description is neces aza Building UNTY OF conowledge of the sand correct. So h | Seward employee of facts, statem | owner) or (owner onts, and matters with a state of this sheet) | ss. er or operator) of sherein contained Liberal Preservers, Kansa | the above-described and the log of the | | | | | |
| e of Plugging Contractor Loress 17 TE OF Kansas V. K. Downey being first duly sworn on oath, re-described well as filed and the | at 5900' at 5400' at 700' at 45' to sur: 0/66. (If addition chman-Johnson 37 Wichita Pl | al description is neces aza Building UNTY OF mowledge of the and correct. So h | Seward employee of facts, statem | owner) or (owner onts, and matters with a state of this sheet) | ss. er or operator) of sherein contained Liberal Preservers, Kansa | the above-described and the log of the | | | | | |
| potted 50 sxs cement potted 25 sxs cement potted 35 sxs cement potted 15 sxs cement complete at 8 a.m. 7/3 The of Plugging Contractor Lowers 17 The CF Kansas V. K. Downey I, being first duly sworn on oath, we-described well as filed and the | at 5900' at 5400' at 700' at 45' to sur: 0/66. (If addition chman-Johnson '37 Wichita Plan Says: That I have keep the same are true at the same a | UNTY OF | Seward employee of facts, statem | owner) or (owner onts, and matters with a state of this sheet) | ss. er or operator) of sherein contained Liberal Preservers, Kansa | the above-described and the log of the | | | | | |

RECEIVED

AUG 17 1966

DRILLING & PRODUCTION

DRILLER'S LOG

| WELL NAME: Low 1 | 'E" No. 2 | | ; COMPA | NY OPER | ATING: OMPANY: | Anadarko | Producti | on Company | | |
|---|-----------------|------------|--|--|-----------------------|---------------------------------------|---------------------|---------------------------------------|--|--|
| WELL LOCATION: (660 ft. Nor 3300 ft. Eas | th of Sou | th line | . , | | | | | · · · · · · · · · · · · · · · · · · · | | |
| DRILLING STARTED WELL COMPLETED | 7/ 7/ | 13 30 | _, 19 <u>66</u> ; _, 19 <u>66</u> ; | DRILLI WELL C | NG COMPLETED ONNECTED | | 7/29 | , 19 <u>66</u> , 19 | | |
| ELEVATION: 3343 | <u>8</u> ft. Gr | ound Le | vel; CH | IARACTER | OF WELL (Oil | , G as, o | r Dry Hol | e)Dry Hole | | |
| OIL OR GAS SANDS | OR ZONES | - PE | RFORATIONS | - AC | IDIZING AND F | RACTURIN | G INFORMA | TION | | |
| | | | | | ts Gallons Used | | | | | |
| | | | | | | | | | | |
| | | | ļ <u></u> | | | | | | | |
| | } | | | | | | | | | |
| ļ | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| • | • | | | | | | | • | | |
| | | | | | | | | | | |
| | A | | | | CORD | | <u> </u> | D. 11 - 1 | | |
| Size | | unt Set | <u></u> | Sac | ks of Cement | | Amount Pulled | | | |
| <u>8-5/8</u> | | 1591 | | 800 | | | None | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | * | | | _ | · · · - | | |
| | | | | | | | | | | |
| | | | | TION RE | | | | | | |
| Formation | | Top Bottom | | Formation Lime with Chert | | | Тор | Bottom | | |
| Sand & Rod Rod | | 0 | 450 870 | | <u>ith Chert</u> | | <u>5790</u> | 5823 | | |
| | | -50 370 | 1321 | Irime | No intrinu | | 5823 | <u>5970</u> | | |
| Shale & Sand | | 21 | 1588 | TOTAL | DEPIH | · · · · · · · · · · · · · · · · · · · | | 5970 | | |
| Shale & Sand | | 88 | 3892 | - | | | - 37 PM | | | |
| Lime | | 392 | 4982 | | ···· | | 25 | ** | | |
| Lime & Shale | | 082 | 5101 | | | | 7.49 | | | |
| Shale & Sand | | .01. | 5232 | | | | As. | me lle | | |
| Shale | | 32 | 5327 | | | | '\$ 67 \ | 37, C. | | |
| Shale w/Sand | | 327 | 5372 | | | | | 10/0 | | |
| Shale | | 72 | 5390 | | | i i | E., " | The Ton | | |
| Shale & Sand | | 390 | 5641 | | | | 100 | | | |
| Lime | 56 | 54] | 5790 | <u> </u> | | | Tesper C | | | |
| RESULTS of INITIA | AL PRODUCT | ION TES | T: Plugge | ed. & aba | ndoned on 7/3 | 30/66. | ··· | | | |
| · | | | · | | | | | | | |