KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Tes		61.8TD		1	See Instruc	tions on Rev	erse Side	∌)				
Open Flow			T D				4.0	l No. dC				
De	liverabilty			Test Date 6/22/14	: :				I No. 15 3-21260-00 2	10		
Company	/ od Reso	urces, Inc.				Lease Zweygar	-dt			11-19	Well Number	
			Section 19			TWP 3S		(/W)		Acres Attributed 80		
Field Cherry (Creek				Reservoir Niobrara			Gas Gathering Connection Branch Systems Inc.				
Completion 9/23/201				Plug Bac 1418'	k Total Dept	th		Packer	Set at			
Casing S 4 1/2"	ize	Weight 10.5#		Internal D 6.366	Diameter	Set at 1454'		Perforations 1252'		то 1282'		
Tubing S NONE	ize	Weight		Internal [Internal Diameter Set at			Perforations To				
Type Cor Single (Type Flui Dry Ga	d Production	1	Pump Unit or Traveling Plunger? Yes No flowing					
Producing Annulus	-	nnulus / Tubing)	% C	% Carbon Dioxide			% Nitrogen G			avity - G _g	
Vertical D	Depth(H)		· — —		Pres Flan	sure Taps ge				(Meter 2"	Run) (Prover) Size	
Pressure	Buildup:									14 at 5:40	(AM(PM)	
Well on L	.ine:	Started 6-22	2	0 <u>14</u> at <u>5</u>	:40 	(AM) (PM)	Taken 6-	23	20	14 _{at} 5:55	(AMX(PM)	
	_	r -		. <u> </u>	OBSERVE	D SURFACE	DATA_			Duration of Shut-	in 360 Hours	
Property (inches)		Meter Prover Pressu	Pressure Differential in Inches H ₂ 0	Flowing Temperature t	Temperature Temperature		Casing Wellhead Pressure (P _w) or (P _c)		Tubing ead Pressure or (P _t) or (P _c)	Duration (Hours)	Liquid Produced (Barrels)	
Shut-In	_	P0.5 (,				_psig 225	psia 239.4 	psig	psia			
Flow						82	96.4			360		
					FLOW STR	EAM ATTRI	BUTES		<u> </u>			
Plate Circle one: Press Coefficient Meter or Extension (F₀) (F₀) Prover Pressure psla		Fac	Gravity Te		ing Deviation rature Factor F _{py}		Metered Flor R (Mcfd)	w GOR (Cubic Fe Barrel)	Gravity			
					-				16			
	-		<u>-</u> -	(OPEN FL	' OW) (DELIV	ERABILITY)	CALCUL	ATIONS	<u> </u>	/n \	2 0 203	
(P _o) ² =	:	(P _w) ² = _	:	P _d =			- 14.4) +		:		² = 0.207 ² =	
(P _c) ² - (I	P _a) ²	(P _Q) ² - (P _w) ²	Choose formula 1 or 2 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$	LOG of formula 1. or 2, and divide	P _c ² - P _w ²	Backpres Stop	sure Curve e = "n" origned	, n x	LOG	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)	
			livided by: P _c ² -P _w	2 by:		Sidifus	ird Slope	+-				
Open Flo	w		Mcfd @ 14.	.65 psia		Deliverabi	lity			Mcfd @ 14.65 ps	ia	
	•	•		,		•				ort and that he ha	as knowledge of	
the facts s	tated ther	ein, and that sa	ia report is tru		Rece			day or _	nou II	Ma	40	
		Witness (if	any)	INTER				, co	For	Company	- Jan	
		For Commi	ssion		FEB 2				Che	cked by		

CONSERVATION DIVISION WICHITA, KS

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. I hereby request a one-year exemption from open flow testing for the
(Check one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing. Date: 12/12/14
Received KANSAS CORPORATION COMMISSION Signature: FEB 2 5 2015 Title: Production Assistant CONSERVATION DIVISION WICHITA, KS

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

W2730

Zweygardt 11-19

St. Francis

St. Francis

Flow

June-124

FloBoss

	Casing				HRS	REMARKS
DATE	PSI	STATIC	MCF		DOWN	(Maximum length 110 characters)
6/1/20134	86			19	0	
6/2/2013	90			17	0	
6/3/2013	84			17	0	
6/4/2013	96			17	0	
6/5/2013	8 1	94		17	0	
6/6/2013	81	94		17	0	•
6/7/2013	175			10	9	
6/8/2013	189			0	24	
6/9/2013	201	214		0	24	
6/10/2013	213			0	24	
6/11/2013	222			0	24	
6/12/2013	225			0	24	
6/13/2013	222			0	24	
6/14/2013	220			0	24	
6/15/2013	216	229		0	24	
6/16/2013	214	227		0	24	
6/17/2013	212	225		0	24	
6/18/2013	209	222		0	24	
6/19/2013	206	219		0	24	
6/20/2013	204	217		0	24	
6/21/2013	200	213		0	24	
6/22/2013	200	213		0	24	
6/23/2013	119	132		0	5	
6/24/2013	116	129		0	0	
6/25/2013	115	128		10	0	
6/26/2013	115	128		15	0	
6/27/2013	115	128		15	0	
6/28/2013	113	126	:	22	0	
6/29/2013	111	124	:	24	0	
6/30/2013	95	108	:	22	0	
7/1/2013					0	

Total 222

Received KANSAS CORPORATION COMMISSION

FEB 2 5 2015

CONSERVATION DIVISION WICHITA, KS

W2730

Zweygardt 11-19

St. Francis

St. Francis

Flow

July-14

FloBoss

	Casing			HRS	REMARKS
DATE	PSI_	STATIC	MCF	DOWN	(Maximum length 110 characters)
7/1/2014	91			0	
7/2/2014	89			0	
7/3/2014	88		18	0	
7/4/2014	88	101	18	0	
7/5/2014	87	100	18	0	
7/6/2014	86	99	17	0	
7/7/2014	94	107	17	0	
7/8/2014	85			0	
7/9/2014	86			0	
7/10/2014	86			0	
7/11/2014	89			0	
7/12/2014	89			0	
7/13/2014	87			0	
7/14/2014	87	100	16	0	
7/15/2014	80	93	16	0	
7/16/2014	82	95	16	0	
7/17/2014	82	95	16	0	
7/18/2014	83	96	16	0	
7/19/2014	80	93	16	0	
7/20/2014	81	94	16	0	
7/21/2014	134	147	16	0	
7/22/2014	133	148	0	22	
7/23/2014	114	127	8	7	
7/24/2014	101	114	19	3	
7/25/2014	85		16	4	
7/26/2014	81	94		0	
7/27/2014	81	94	16	0	
7/28/2014	79	92	16	0	
7/29/2014	81	94	16	0	
7/30/2014	80	93	16	0	
7/31/2014	84	97	16	0	

Total 497

Received Kansas Corporation Commission

FEB 2 5 2015

CONSERVATION DIVISION WICHITA, KS

W2730

Zweygardt 11-19

St. Francis

St. Francis

Flow

August-14

FloBoss

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
8/1/2014	80			0	
8/2/2014	79			0	
8/3/2014	79			0	
8/4/2014	80			0	
8/5/2014	79			0	
8/6/2014	81			0	
8/7/2014	80			0	
8/8/2014	95			0	
8/9/2014	82			0	
8/10/2014	82			0	
8/11/2014	87			0	
8/12/2014	78		15	0	
8/13/2014	79			0	
8/14/2014	78	91	15	0	
8/15/2014	84	97	15	3	
8/16/2014	81	94	15	0	
8/17/2014	82	95	14	0	
8/18/2014	81	94	14	0	
8/19/2014	89	102	14	2	
8/20/2014	81	94	14	0	
8/21/2014	80	93	14	0	
8/22/2014	88	101	14	0	
8/23/2014	78	91	14	0	
8/24/2014	78	91	14	0	
8/25/2014	93	106	14	0	
8/26/2014	79	92	14	0	
8/27/2014	87	100	14	0	
8/28/2014	98	111	14	0	
8/29/2014	79	92	13	5	
8/30/2014	76	89	14	0	
8/31/2014	84	97	14	0	

Total 451

Received KANSAS CORPORATION COMMISSION

FEB 2 5 2015