KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

	JOT		(See Instruci	tions on Re	verse Side	∌)				
en Flow	M-51		Took Date				40	1 NI- 45			
iverabilty			7/16/14):					00		
od Resou	urces, Inc.				Lease Davis			-	42-07	Well Nu	mber
	Location SENE				n TWP 7S			(W)		Acres Attributed 80	
 t					_						
n Date			Plug Bac 1268'	k Total Dept	th		Packer	Set at	-		
ze	Weight 10.5#		internal E 4.000	Diameter	Set at 1305'		Perforations 1082'		To 1108'		
Θ	Weight		Internal E	Diameter				Perforations		То	
					າ						
	<u>.</u>)	<u>`</u>		de				Gas Gr	avity - C	
									.6		
epth(H)		- <u>-</u> -			•	_		<u> </u>	•	Run) (Pi	over) Size
Buildun:	Shut in 7-15	5 20	14 _{at} 1:				16				AM) (PM)
ne:	Started 7-17	20	14 at 1:	30	(AM)(PM)	Taken 7-	18	20	14 at 2:00		ам) (РМ)
				OBSERVE	D SURFAC	E DATA			Duration of Shut-	in_48	Hours
Dynamic Size Prover Pressure		Pressure Differential in	Flowing Temperature	emperature Temperature		Casing Wellhead Pressure (P _w) or (P _t) or (P _c)		ad Pressure	Duration (Hours)		Produced
perty (inches) psig (Pm) Inches H ₂		Inches H ₂ 0			psig psia		psig	psia			
	 	 - 			7	21.4	 	-	48	0	
				FLOW STR	EAM ATTR	IBUTES					
Plate Coefficient (F _b) (F _p) Mcfd Circle one: Meter or Prover Pressure psia		Press Extension	Fact	Gravity Factor F		Deviation Factor F _{pv}		Metered Flow R (Mcfd)	(Cubic F€		Flowing Fluid Gravity G
	_	-		-	-			30			_
	(P)2 -		•	• -		•		<u> </u>			07
	P _o) ² - (P _w) ²	1. P _c ² -P _a ² 2. P _c ² -P _d ²	LOG of formula 1. or 2. and divide	P _c ² - P _w ²	Backpre Slo 	ssure Curve pe ≈ "n" - or signed		LOG	Antilog	Op Deli Equals	en Flow verability R x Antilog Mcfd)
 ,		Mcfd @ 14 6	 35 psia	_ _ _	Deliverat	ility			Mcfd @ 14.65 ns	ia	
	ed authority, on			tates that h			o make ti	_			edge of
ated there	in, and that sai	d report is true							10 1	, 2	20 .14
	Witness (if		KAN	Rec SAS CORPOR	eived ATION COMMI	KSION	nen	rell 1	Mattu	coef	
						•					
	en Flow everability od Resolution (Proposition (Propositi	en Flow verability and Resources, Inc. Locatic SENE and Date be Weight 10.5# and Describe) And Describe)	en Flow verability and Resources, Inc. Location SENE In Date Dee Weight 10.5# The Weight Pletion (Describe) VERTICLE) Thru (Annulus / Tubing) Spth(H) Corifice Size (Inches) Size (Inches) Prover Pressure psig (Pm) Circle one: Meter Prover Pressure psig (Pm) Circle one: Meter or Prover Pressure psig (Pm) Meter or Pressure psig (Pm) Meter or Prover Pressure psig (Pm) Meter or Prover Pressure psig (Pm) Meter or Pressure psig (Pm)	rest Date 7/16/14 and Resources, Inc. Location Sense 7 Reservoir Niobrara 1268' re Weight Internal 1268' re Weight In	Test Date: 7/16/14 Id Resources, Inc. Location SENE 7 Reservoir Niobrara In Date 10.5# 4.000 Reweight Internal Diameter 10.5# 4.000 Weight Internal Diameter 10.5# 4.000 Reweight Internal Diameter 11.15 Reweight Internal Diameter 12.15 Reweight Internal Diameter 12.15 Reweight Internal Diameter 13.00 Reweight Internal Diameter 14.000 Reweight Internal Diameter 13.00 Reweight Internal Diameter 14.000 Reweight Internal Diameter 13.00 Reweight Internal Diameter 14.000 Reweight Internal Diameter 15.00 Reweight Internal Diameter 16.00 Reweight Internal Diameter 1	Test Date: T/16/14 Ad Resources, Inc. Location SENE 7 7 78 Reservoir Niobrara Plug Back Total Depth 1268 Re Weight 10.5# 4.000 130 Internal Diameter Re Weight Internal Diameter Re Weight Internal Diameter Re Weight Internal Diameter Re Resources Re Weight Internal Diameter Re Resources Re Reservoir Niobrara Reservoir	Test Date: 7/16/14 Ad Resources, Inc. Davis Location SENE 7 78 Reservoir Niobrara In Date Plug Back Total Depth 1288' Reservoir In Los# 10.5# 4.000 1305' Reservoir Internal Diameter Plug Back Total Depth 1288' Reservoir Internal Diameter Set at 10.5# 4.000 1305' Reservoir Internal Diameter Set at 10.5# 1305' Reservoir Internal Diameter Set at 10.000 1305' Reservoir Internal	Test Date: 7716/14 18 Resources, Inc. Davis Lease Davis Resources, Inc. Resources, Inc. Davis Resources, Inc. Davis Resources, Inc. Davis Resources, Inc. Resources, Inc. Davis Reso	Test Date: 7/16/14 Lease Davis Location Senior Se	Test Date: 7/16/14 Test Date: 7/16/14 Resources, Inc. Location Section Twp RNG (EM) SENE 7 78 39W Gas Gathering Connection Reservoir	Test Date: 7/16/14 API No. 15 181-20566-0000 API No. 15 181-20566-00000 API No. 15 181-20566-00000 API No. 15 181-20566-00000 API No. 15 181-20566-000000 API No. 15 181-20566-000000000000000000000000000000000

CONSERVATION DIVISION WICHITA, KS

	er penalty of perjury under the laws of the state of Kansas that I am authorized to request er Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
	oing pressure information and statements contained on this application form are true and
_	of my knowledge and belief based upon available production summaries and lease records
of equipment instal	llation and/or upon type of completion or upon use being made of the gas well herein named.
· •	est a one-year exemption from open flow testing for the Davis 42-07
	ounds that said well:
(Check	one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No
\checkmark	is not capable of producing at a daily rate in excess of 250 mcf/D
•	to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing.
Date: 12/16/14	
Ţ	Received Scorporation Commission Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

W2725

WELL ID

Davis 42-07

LEASE NAME

North Goodland FIELD

Goodland

AREA

EQUIPMENT

None July-14

DATE

FloBoss

FIODOSS	Line	Casing				HRS	REMARKS
DATE_	PSI	PSI	S	TATIC 1	MCF	DOWN_	(Maximum length 110 characters)
7/1/2014		5	10	23	27	0	
7/2/2014		5	10	23	27	0	
7/3/2014		5	10	23	25	0	
7/4/2014		5	10	23	27	3	
7/5/2014		5	10	23	27	0	
7/6/2014		5	10	23	27	0	
7/7/2014		5	10	23	27	0	
7/8/2014		5	11	24	27	0	
7/9/2014		5	11	24	27	0	
7/10/2014		5	11	24	27	0	
7/11/2014		5	10	23	27	0	
7/12/2014		5	10	23	27	0	
7/13/2014		5	10	23	27	0	
7/14/2014		5	10	23	27	0	
7/15/2014		5	11	24	25	3	shut in for state
7/16/2014		2	17	30	2	24	
7/17/2014		2	19	32	0	24	opened up
7/18/2014		5	9	22	47	0	
7/19/2014		5	9	22	41	0	
7/20/2014		5	9	22	37	0	
7/21/2014		5	9	22	35	0	
7/22/2014		5	9	22	35	0	
7/23/2014		5	7	20	33	0	
7/24/2014		5	8	21	33	0	
7/25/2014		5	8	21	31	0	
7/26/2014		5	8	21	31	0	
7/27/2014		5	8	21	31	0	
7/28/2014		5	8	21	31	0	
7/29/2014		5	7	20	31	0	
7/30/2014		5	7	20	33	0	
7/31/2014		5	7	20	33	0	

Total

885

Received KANSAS CORPORATION COMMISSION

FEB 2 5 2015

CONSERVATION DIVISION WICHITA, KS

W2725 Davis 42-07 North Goodland Goodland None

August-14

FloBoss

FloBoss	Casing				HR	s	REMARKS
DATE	PSI	STATI	C	MCF		WN	(Maximum length 110 characters)
8/1/2014		7	20		30	0	
8/2/2014		7	20		30	0	
8/3/2014		7	20		30	0	
8/4/2014		7	20		30	0	
8/5/2014		7	20		30	0	
8/6/2014		7	20		31	0	
8/7/2014		7	20		31	0	
8/8/2014		7	20		26	3	
8/9/2014		7	20		30	0	
8/10/2014		7	20		30	0	
8/11/2014		7	20		30	0	
8/12/2014		7	20		31	0	
8/13/2014		7	20		30	0	
8/14/2014		7	20		30	0	
8/15/2014		7	20		30	0	
8/16/2014		7	20		30	0	
8/17/2014		7	20		30	0	
8/18/2014		7	20		30	0	
8/19/2014		7	20		30	0	
8/20/2014		7	20		29	2	
8/21/2014		7	20		29	0	
8/22/2014		7	20		29	0	
8/23/2014		7	20		29	0	
8/24/2014		7	20		29	0	
8/25/2014		7	20		29	0	
8/26/2014		7	20		30	0	
8/27/2014		7	20		30	0	
8/28/2014		7	20		30	0	
8/29/2014		7	20		30	0	
8/30/2014		7	20		30	0	
8/31/2014		7	20		30	0	

Total

Received KANSAS CORPORATION COMMISSION

923

FEB 2 5 2015

CONSERVATION DIVISION WICHITA, KS

W2725 Davis 42-07 North Goodland Goodland None

September-14

FloBoss

	Casing					RS	REMARKS	
DATE	PSI	STATIO	C	MCF	D	NWC	(Maximum length 110 characters)	
9/1/2014		7	20		30	0		
9/2/2014		7	20		30	0		
9/3/2014		7	20		29	0		
9/4/2014		7	20		29	0		
9/5/2014		7	20		29	0		
9/6/2014		7	20		29	0		
9/7/2014		7	20		29	0		
9/8/2014		7	20		29	0		
9/9/2014		7	20		29	0		
9/10/2014		6	19		29	0		
9/11/2014		6	19		29	0		
9/12/2014		6	19		29	0		
9/13/2014		6	19		29	0		
9/14/2014		6	19		29	0		
9/15/2014		6	19		29	0.5		
9/16/2014		7	20		29	0		
9/17/2014		7	20		29	0		
9/18/2014		7	20		29	0.5		
9/19/2014		7	20		29	0		
9/20/2014		7	20		29	0		
9/21/2014		7	20		29	0		
9/22/2014		7	20		29	0		
9/23/2014		7	20		29	0		
9/24/2014		7	20		28	0		
9/25/2014		7	20		28	0		
9/26/2014		7	20		28	0		
9/27/2014		7	20		28	0		
9/28/2014		7	20		28	0		
9/29/2014		7	20		28	0		
9/30/2014		7	20		28	0		
10/1/2014						0		

Total 865

Received KANSAS CORPORATION COMMISSION

FEB 2 5 2015