

STATE CORPORATION COMMISSION
CONSERVATION DIVISION
130 South Market - Room 2078
Wichita, Kansas 67202

FORM CP-1 (3/92)

WELL PLUGGING APPLICATION FORM
(PLEASE TYPE FORM and File ONE Copy)

API # 15-129-20,637-0002 (Identifier number of this well). This must be listed for wells drilled since 1967; if no API# was issued, indicate spud or completion date.

WELL OPERATOR ANADARKO PETROLEUM CORPORATION KCC LICENSE # 4549
(owner/company name) (operator's)
ADDRESS P.O. BOX 351 CITY LIBERAL
STATE KANSAS ZIP CODE 67905-0351 CONTACT PHONE (316) 624-6253
LEASE LEEWE "A" WELL# 1 SEC. 34 T. 34S R. 43 (xxxx/West)

8/98

- - - SE SPOT LOCATION/QOOQ COUNTY MORTON

1250 FEET (in exact footage) FROM x (S) (circle one) LINE OF SECTION (NOT Lease Line)

1250 FEET (in exact footage) FROM x (E) (circle one) LINE OF SECTION (NOT Lease Line)

Check One: OIL WELL GAS WELL X D&A SWD/ENHR WELL DOCKET#

CONDUCTOR CASING SIZE SET AT CEMENTED WITH SACKS

SURFACE CASING SIZE 8-5/8" SET AT 704' CEMENTED WITH CIRC. SACKS

PRODUCTION CASING SIZE 4-1/2" SET AT 3184' CEMENTED WITH 550 SACKS (TOC @ 200')

LIST (ALL) PERFORATIONS and BRIDGEPLUG SET: 2807-10', 2821-25', 2585-94' CIBP @ 2770 & 2830'

ELEVATION 3533' / -- T.D. 3185' PBDT 2830' ANHYDRITE DEPTH NA
(G.L./K.B.) (Stone Corral Formation)

CONDITION OF WELL: GOOD POOR CASING LEAK JUNK IN HOLE

PROPOSED METHOD OF PLUGGING MIRU PLUGGING CREW. DWN CSG, PMP 25 SXS CMT & 2 SXS HULLS FROM 2770-2500. DISPLACE W/39 BBLs 9 PPG MUD. WAIT 12 HOURS & TAG CMT PLUG. TIH W/ 2-1/16" WS TO 754 & SPOT 10 SXS CMT FROM 754-654. RAISE WORKSTRING TO 350 & SPOT 10 SXS CMT FROM 350-250. TOH W/ 2-1/16" WS. SWAB DWN CSG TO 53' & DMP 5 SXS CMT FROM 53-3'. CUT OFF 8-5/8" & 4-1/2" CSG 3' BELOW GL. & CAP. INSCRIBE CAP. RDMO CSGING CREW. RESTORE LOCATION.

(If additional space is needed attach separate page)

IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? NO IS ACO-1 FILED? YES

If not explain why? (LOGS SUBMITTED WITH ORIGINAL DRILLERS LOG)

PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et. seq. AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.

LIST NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS:

MR. TERRY LEWIS PHONE# (316) 697-2188

ADDRESS P.O. DRAWER X City/State ELKHART, KANSAS 67950

PLUGGING CONTRACTOR SARGENT & HORTON PLUGGING, INC. KCC LICENSE # 31151
(company name) (contractor's)

8/98

ADDRESS RT 1, BOX 49EA, TYRONE, OK 73951-9731 PHONE # (405) 854-6515

PROPOSED DATE AND HOUR OF PLUGGING (If known?) UPON APPROVAL

PAYMENT OF THE PLUGGING FEE (K.A.R. 92-3-119) WILL BE GUARANTEED BY OPERATOR OR AGENT

DATE: 12/3/97 AUTHORIZED OPERATOR/AGENT: John A. Broman
JOHN A. BROMAN (signature)
DIVISION PRODUCTION ENGINEER



Kansas Corporation Commission

Bill Graves, Governor John Wine, Chair Susan M. Seltsam, Commissioner Cynthia L. Claus, Commissioner

NOTICE OF RECEIPT OF WELL PLUGGING APPLICATION (CP-1)

December 3, 1997

Anadarko Petroleum Corporation
P O Box 351
Liberal KS 67905-0351

Leewe "A" #1
API 15-129-20,637-0002
1250 FSL 1250 FEL
Sec. 34-34S-43W
Morton County

Dear Mr. Terry Lewis,

This letter is to notify you that the Conservation Division is in receipt of your plugging proposal, form CP-1, for the above-captioned well.

Your CP-1 has been reviewed by the Conservation Division central office for completeness and to verify license numbers. The plugging proposal will now be forwarded to the district office listed below for review of your proposed method of plugging.

Please contact the district office for approval of your proposed plugging method at least at five (5) days before plugging the well, pursuant to K.A.R. 82-3-113 (b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit.

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well.

This notice in no way constitutes authorization to plug the above-captioned well by persons not having legal rights of ownership or interest in the well. This notice is void after ninety (90) days from the above date.

Sincerely,

A handwritten signature in cursive script that reads "David P. Williams".

David P. Williams
Production Supervisor

District: #1
304 W. McArtor
Dodge City, KS 67801
(316) 225-6760

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
130 South Market - Room 2078
Wichita, Kansas 67202

FORM CP-1 (3/92)

WELL PLUGGING APPLICATION FORM
(PLEASE TYPE FORM and File ONE Copy)

API # 15-129-20,637-0002 (Identifier number of this well). This must be listed for wells drilled since 1967; if no API# was issued, indicate spud or completion date.

WELL OPERATOR ANADARKO PETROLEUM CORPORATION KCC LICENSE # 4549
(owner/company name) (operator's)

ADDRESS P.O. BOX 351 CITY LIBERAL

STATE KANSAS ZIP CODE 67905-0351 CONTACT PHONE (316) 624-6253

LEASE LEEWE "A" WELL# 1 SEC. 34 T. 34S R. 43 (xxxx/West)

- - - SE SPOT LOCATION/QQQQ COUNTY MORTON

1250 FEET (in exact footage) FROM x(S) (circle one) LINE OF SECTION (NOT Lease Line)

1250 FEET (in exact footage) FROM x(E) (circle one) LINE OF SECTION (NOT Lease Line)

Check One: OIL WELL GAS WELL D&A SWD/ENHR WELL DOCKET#

CONDUCTOR CASING SIZE SET AT CEMENTED WITH SACKS

SURFACE CASING SIZE 8-5/8" SET AT 704' CEMENTED WITH CIRC. SACKS

PRODUCTION CASING SIZE 4-1/2" SET AT 3184' CEMENTED WITH 550 SACKS (TOC @ 200')

LIST (ALL) PERFORATIONS and BRIDGEPLUG SET: 2807-10', 2821-25', 2585-94' CIBP @ 2770 & 2830'

ELEVATION 3533' / -- T.D. 3185' PBD 2830' ANHYDRITE DEPTH NA
(G.L./K.B.) (Stone Corral Formation)

CONDITION OF WELL: GOOD POOR CASING LEAK JUNK IN HOLE

PROPOSED METHOD OF PLUGGING MIRU PLUGGING CREW. DWN CSG, PMP 25 SXS CMT & 2 SXS HULLS FROM 2770-2500. DISPLACE W/39 BBLs 9 PPG MUD. WAIT 12 HOURS & TAG CMT PLUG. TIH W/ 2-1/16" WS TO 754 & SPOT 10 SXS CMT FROM 754-654. RAISE WORKSTRING TO 350 & SPOT 10 SXS CMT FROM 350-250. TOH W/ 2-1/16" WS. SWAB DWN CSG TO 53' & DMP 5 SXS CMT FROM 53-3'. CUT OFF 8-5/8" & 4-1/2" CSG 3' BELOW GL. & CAP. INSCRIBE CAP. RDMO CSGING CREW. RESTORE LOCATION.

(If additional space is needed attach separate page)

IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? NO IS ACO-1 FILED? YES

If not explain why? (LOGS SUBMITTED WITH ORIGINAL DRILLERS LOG)

PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et. seq. AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.

LIST NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS

MR. TERRY LEWIS PHONE# (316) 697-2188

ADDRESS P.O. DRAWER X City/State ELKHART, KANSAS 67950

PLUGGING CONTRACTOR SARGENT & HORTON PLUGGING, INC. KCC LICENSE # 31151

(company name) (contractor's)

ADDRESS RT 1, BOX 49BA, TYRONE, OK 73951-9731 PHONE # (405) 854-6515

PROPOSED DATE AND HOUR OF PLUGGING (If Known?) UPON APPROVAL

PAYMENT OF THE PLUGGING FEE (K.A.R. 82-3-118) WILL BE GUARANTEED BY OPERATOR OR AGENT

DATE: 12/3/97 AUTHORIZED OPERATOR/AGENT: John A. Broman

JOHN A. BROMAN (signature)
DIVISION PRODUCTION ENGINEER

RECEIVED
KANSAS CORP COM
1997 DEC - 10 10:07 AM

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
130 South Market - Room 2078
Wichita, Kansas 67202

~~75-79~~

FORM CP-1 (3/92)

WELL PLUGGING APPLICATION FORM
(PLEASE TYPE FORM and File ONE Copy)

API # 15-129-20,637-0002 (Identifier number of this well). This must be listed for wells drilled since 1967; if no API# was issued, indicate spud or completion date.

WELL OPERATOR ANADARKO PETROLEUM CORPORATION KCC LICENSE # 4549
(owner/company name) (operator's)

ADDRESS P.O. BOX 351 CITY LIBERAL

STATE KANSAS ZIP CODE 67905-0351 CONTACT PHONE (316) 624-6253

LEASE LEEWE "A" WELL# 1 SEC. 34 T. 34S R. 43 (xxxx/West)

- - - SE SPOT LOCATION/QQQQ COUNTY MORTON

1250 FEET (in exact footage) FROM x(S) (circle one) LINE OF SECTION (NOT Lease Line)

1250 FEET (in exact footage) FROM x(E) (circle one) LINE OF SECTION (NOT Lease Line)

Check One: OIL WELL GAS WELL X D&A SWD/ENHR WELL DOCKET#

CONDUCTOR CASING SIZE SET AT CEMENTED WITH SACKS

SURFACE CASING SIZE 8-5/8" SET AT 704' CEMENTED WITH CIRC. SACKS
PRODUCTION CASING SIZE 4-1/2" SET AT 3184' CEMENTED WITH 550 SACKS (TOC @ 200')

LIST (ALL) PERFORATIONS and BRIDGEPLUG SET: 2807-10', 2821-25', 2585-94' CIBP @ 2770 & 2830'

ELEVATION 3533' / -- T.D. 3185' PBSD 2830' ANHYDRITE DEPTH NA
(G.L./K.B.) (Stone Corral Formation)

CONDITION OF WELL: GOOD POOR X CASING LEAK JUNK IN HOLE

PROPOSED METHOD OF PLUGGING MIRU PLUGGING CREW. DWN CSG, PMP 25 SXS CMT & 2 SXS HULLS FROM 2770-2500. DISPLACE W/39 BBLs 9 PPG MUD. WAIT 12 HOURS & TAG CMT PLUG. TIH W/ 2-1/16" WS TO 754 & SPOT 10 SXS CMT FROM 754-654. RAISE WORKSTRING TO 350 & SPOT 10 SXS CMT FROM 350-250. TOH W/ 2-1/16" WS. SWAB DWN CSG TO 53' & DMP 5 SXS CMT FROM 53-3'. CUT OFF 8-5/8" & 4-1/2" CSG 3' BELOW GL. & CAP. INSCRIBE CAP. RDMO CSGING CREW. RESTORE LOCATION.

(If additional space is needed attach separate page)

IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? NO IS ACO-1 FILED? YES

If not explain why? (LOGS SUBMITTED WITH ORIGINAL DRILLERS LOG)

PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et. seq. AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.

LIST NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS:

MR. TERRY LEWIS PHONE# (316) 697-2188

ADDRESS P.O. DRAWER X City/State ELKHART, KANSAS 67950

PLUGGING CONTRACTOR SARGENT & HORTON PLUGGING, INC. KCC LICENSE # 31151
(company name) (contractor's)

ADDRESS RT 1, BOX 49BA, TYRONE, OK 73951-9731 PHONE # (405) 854-6515

PROPOSED DATE AND HOUR OF PLUGGING (If Known?) UPON APPROVAL

PAYMENT OF THE PLUGGING FEE (K.A.R. 82-3-118) WILL BE GUARANTEED BY OPERATOR OR AGENT

DATE: 12/3/97 AUTHORIZED OPERATOR/AGENT: John A. Broman

JOHN A. BROMAN (signature)
DIVISION PRODUCTION ENGINEER

RECEIVED
KANSAS CORP COM
1997 DEC 4 P 1:07

ANADARKO PETROLEUM CORPORATION

PHONE 316 - 624 - 6253 • 1701 NORTH KANSAS AVE. • P.O. BOX 351 • LIBERAL, KANSAS 67905 - 0351



December 3, 1997

Kansas Corporation Commission
Conservation Division
Finney State Office Building
130 South Market, Rm. 2078
Wichita, Kansas 67202

Attn.: Ms. Janet Pierce

Re: Well Plugging Application Form (Form CP-1)

Leewe "A" No. 1
Sec. 34-34S-43W
Morton County, Kansas

McGill 1-10
Sec. 24-34S-33W
Seward County, Kansas

Condit SW Unit 1-3
10-34S-34W
Seward County, Kansas

RECEIVED
KANSAS CORP COMM
1997 DEC -4 P 1:07

Dear Janet:

Enclosed in duplicate is a well plugging application (Form CP-1) for each of the referenced wells. Upon approval of these applications, please notify this office at the letterhead address so that plugging operations may commence.

Very truly yours,

A handwritten signature in cursive script that reads "John A. Broman".

John A. Broman
Division Production Engineer
AMC/sjc

Enclosures

cc: Well File
LMH
TRC - HGO
Manager Land Administration - HGO
WI Owners