| To: STATE CORPORATION COMMISSION CONSERVATION DIVISION - PLUGGING SECTION 200 COLORADO DERBY BUILDING WICHITA, KANSAS 67202 | | API NUMBER 15-119-20,050 - 0000 |
|---|-------------------------------------|---------------------------------------|
| | | C SW NE , SEC. 31 , T 34 S, R 30 WXEX |
| | | 3300 feet from S section line |
| TECHNICIA | N'S PLUGGING REPORT | 1980 feet from E section line |
| Operator | License 4 4549 | Lease Name Adams "E" Well # |
| Operator: Name& Address | Anadarko Petroleum Corporation | County Meade 144.39 |
| | P.O. Box 351 | Well Total Depth 4443 feet |
| | Liberal, KS 67905-0351 | Conductor Pipe: Sizefeet |
| | | Surface Casing: Size 8 5/8 feet 1304 |
| Abandoned | Olt Well X Gas Well | Input Well SWD Well D&A |
| | 1 as hereinafter indicated | |
| Plugging | Contractor Sargent's Casing Pullin | g Service 6547 License Number |
| | P.O. Box 506, Liberal, KS 67905-050 | |
| Company t | o plug at: Hour: 10:30 a.m. Day: | 17 Month: 7 Year:19 91 |
| | proposal received from Kirby Lil | |
| | | rvice (phone) 316-624-7455 |
| Were: | 4½" at 4442' w/135 sx cement, PBTI | 0 4414', Perfs at 4372-74' RECEIVED |
| | pump 1 sx hulls and 20 sx cement, | STATE CORPORATION COMMISSION |
| 2nd plug | pump 50 sx cement at 1350', | |
| 3rd plug | pump 35 sx cement at 550', | CONSERVATION DIVISION |
| 4th plug | pump 10 sx cement at 40-0. | Wichita, Kansas |
| | Plugging Propo | sal Received by Richard Lacey |
| | | (TECHNICIAN) |
| Plugging | Operations attended by Agent?: Al | |
| | s Completed: Hour: 4 p.m. Day: | |
| ACTUAL PL | UGGING REPORT 1st plug pumped 1 sx | hulls and 20 sx cement over perfs, |
| 2nd plug | pumped 50 sx cement at 1350', | |
| 3rd plug | pulled to 550 with 35 sx cement, | |
| 4th plug | pulled to 40' with 10 sx cement. | Dement circulated. |
| | | |
| | | |
| Remarks: 1 | Used Class H cement by Sargent's. | Recovered 2638' of 4½" casing. |
| | | necessary, use BACK of this form.) |
| I WAN | because this plugging. | 1000//2 m |
| ATE | 8-8-9/ | Signed (TECHNICTAN) |
| NY NO. | 32583 | FORM CP-2/3 |
| | | FURM CP=7/3 |

FORM CP-2/3 Rev.01-84