

STATE OF KANSAS
STATE CORPORATION COMMISSION
200 Colorado Derby Building
Wichita, Kansas 67202

WELL PLUGGING RECORD
K.A.R.-82-3-117

API NUMBER 119-20,756-0000

LEASE NAME FRTESSEN

WELL NUMBER 1-1

3983 Ft. from S Section Line

1320 Ft. from E Section Line

SEC. 1 TWP. 34S RGE. 27 (EX or (W))

COUNTY Meade

Date Well Completed 4/12/87

Plugging Commenced 4/11/87

Plugging Completed 4/12/87

TYPE OR PRINT
NOTICE: Fill out completely
and return to Cons. Div.
office within 30 days.

LEASE OPERATOR Donald C. Slawson

ADDRESS Suite 700, 20 N. Broadway, OKC, OK 73102

PHONE# (405) 232-0201 OPERATORS LICENSE NO. 5181

Character of Well D&A

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

Did you notify the KCC District Office prior to plugging this well? yes

Which KCC Office did you notify? Dodge City

Is ACO-1 filed? attached If not, is well log attached? _____

Producing Formation none Depth to Top _____ Bottom _____ T.D. _____

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled out
				8-5/8	1,558	none

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet each set.

Set 50 sx Class "H" cement 5,900'-5,800'; 50 sx Class "H" 1,590'-1,490'; 40 sx Class "H" 700'-600'; set wooden plug @ 40'; set 10 sx Class "H" 40'-3', 15 sx in rathole and mousehole, welded cap at surface.

(If additional description is necessary, use BACK of this form.)

Name of Plugging Contractor Slawson Drilling Company, Inc.

Address Box 1409, Great Bend, KS 67530

STATE OF Oklahoma COUNTY OF Oklahoma

Daniel G. Wilson

(Employee of Operator, Slawson Drilling Company, Inc. (Operator) of above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed that the same are true and correct, so help me God.

(Signature) Daniel G. Wilson

(Address) Suite 700, 20 N. Broadway, Oklahoma City, OK 73102

SUBSCRIBED AND SWORN TO before me this 21st day of May, 19 87

Girma J. Hawthorne
Notary Public

My Commission Expires: May 7, 1988

RECEIVED
STATE CORPORATION COMMISSION
License No. 119207560000

MAY 21 1987

CONSERVATION DIVISION
Wichita, Kansas

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Starting Date 3/5/87 month day year

API Number 15- 119-20,756-0000

OPERATOR: License # 5181 Name Donald C. Slawson Address Suite 700, 20 N. Broadway City/State/Zip Oklahoma City, OK 73102 Contact Person Daniel G. Wilson Phone 405/232-0201

C. NE Sec. 1 Twp. 34 S, Rg. 27 West (plat att'd) 3983 Ft. from South Line of Section 1320 Ft. from East Line of Section

(Note: Locate well on Section Plat on reverse side)

Nearest lease or unit boundary line 1320 feet County Meade

CONTRACTOR: License # 5657 Name Slawson Drilling Company, Inc. City/State Great Bend, KS

Lease Name FRIESEN Well # 1-1 Ground surface elevation 2,452 feet MSL

Well Drilled For: Oil SWD Infield Mud Rotary Gas Inj Pool Ext Air Rotary OWWO Expl Wildcat Cable

Domestic well within 330 feet: yes X no Municipal well within one mile: yes X no

Depth to bottom of fresh water 200' Depth to bottom of usable water 500'

Surface pipe by Alternate: 1 X 2 Surface pipe planned to be set 1,550

If OWWO: old well info as follows: Operator Well Name Comp Date Old Total Depth

Conductor pipe required N/A Projected Total Depth 6,200 feet Formation Morrow

I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging to KCC specifications.

Date 3/2/87 Signature of Operator or Agent Daniel G. Wilson Title Division Engineer

For KCC Use:

Conductor Pipe Required feet; Minimum Surface Pipe Required 520 feet per All

This Authorization Expires 9-5-87 Approved By 3-5-87

Spud 3-30-87 et 1550 + 85/8" Dick Kapp

C. NE Sec. 1 Twp. 34 S, Rg. 27 West

PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

1st plug @ 2,800' feet depth with 100 sxs of Class "H"
2nd plug @ 1,600' feet depth with 50 sxs of Class "H"
3rd plug @ 700' feet depth with 35 sxs of Class "H"
4th plug @ 40' feet depth with 15 sxs of Class "H"
5th plug @ feet depth with sxs of Class "H"
(2) Rathole with 10 sxs (b) Mousehole with 10 sxs

PUSHER Harold Paul
TD 6200 FORMATION Morrow
SURFACE PIPE 8 5/8 @ 1558
ANHYDRITE 1558' ELEVATION 2452' 4-11-87
STARTING TIME & DATE 2:00 AM
COMPLETION TIME & DATE 8:05 AM
1st PLUG @ 1590 FT. W/ 50 SX
2nd PLUG @ 700 FT. W/ 40 SX
3rd PLUG @ 40 FT. W/ 10 SX
4th PLUG @ FT. W/ SX
RAT HOLE CIRCULATED W/ 15 SX
MOUSE HOLE CIRCULATED W/ 10 SX
WATER WELL PLUGGED W/ SX
CEMENT COMPANY Halliburton
TECHNICIAN Larry Zane
No one saw [unclear]
Halliburton Class H Pumped

RECEIVED STATE CORPORATION COMMISSION APR 4 1987 CONSERVATION DIVISION Wichita, Kansas