



Operator Name McCoy Petroleum Corporation

Lease Name Lewis 'G'

Well # 1-35

Sec. 35 Twp. 15s Rge. 30w

East  
 West

County Gove

# ORIGINAL

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken  Yes  No  
(Attach Additional Sheets.)  
Samples Sent to Geological Survey  Yes  No  
Cores Taken  Yes  No  
Electric Log Run  Yes  No  
(Submit Copy.)

Log Formation (Top), Depth and Datums  
Name Top Datum Name  
See attached log tops

List All E. Logs Run: Log-Tech:

Radiation Guard Log

1978  
JUN 15 10 12 30  
GEOLOGICAL SURVEY  
GOVE COUNTY, KANSAS

CASING RECORD  New  Used

Report all strings set-conductor, Surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Aciditives
Surface Casing	12 1/4"	8 5/8"	24#	228'	Allied	150	60/40 Pozmix, 3% cc, 2% gel

ADDITIONAL CEMENTING/SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	Sacks Used Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD Size Set At Packer At Liner Run  Yes  No

Date of First, Resumed Production, SWD or Inj. Producing Method  Flowing  Pumping  Gas Lift  Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas:  Vented  Sold  Used on Lease  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

(If vented, submit ACO-18 )

**Log Tops****Lewis "G" #1-35****SE SE NW****Sec. 35-T15S-R30W****KB: 2668'****Structure Compared To:****Gear Petroleum****Lewis #1-35****NE SW NE****35-15S-30W****Joseph Strabala****Slim Lewis #1****C W/2 NE****35-15S-30W**

Anhydrite	2061 (+607)	+9	+7
Base Anh	2095 (+573)	+3	+2
Heebner	3710 (-1042)	flat	+3
Lansing	3750 (-1082)	flat	+3
Lansing 'B'	3787 (-1119)	flat	+2
Stark	4011 (-1343)	-5	-1
Lansing 'K'	4027 (-1359)	-8	-5
Marmaton	4120 (-1452)	-4	-2
Pawnee	4208 (-1540)	+1	+6
Ft. Scott	4262 (-1594)	+5	+6
Cherokee Sh	4285 (-1617)	+6	+7
Mississippi	4356 (-1688)	+13	+14
RTD	4425 (-1757)		
LTD	4428 (-1760)		

15-063-21521

ORIGINAL

JUN 15 1951

**DST #1 3765-3793' (Lansing "B")****Open 30", S.I. 45", Open 60", S.I. 60"****Weak blow building to 1/2" on 1<sup>st</sup> open.****Weak blow building to 1/4" on 2<sup>nd</sup> open.****Recovered 10' of mud with a few oil specks and 170' of muddy water.****FP 19-39# 59-118#****DST #2 3940-3981' (LKC "I" zone)****Open 30", S.I. 30", Open 30", S.I. 30"****Weak blow died in 10" on 1<sup>st</sup> open.****No blow on 2<sup>nd</sup> open.****Recovered 10' of oil cut mud.****FP 85-85# 85-95#****ISIP 319#****FSIP 95#****DST #3 3980-4001' (LKC "J" zone)****Open 30", S.I. 60", Open 60", S.I. 90"****Weak blow building to 2" on 1<sup>st</sup> open.****Weak blow building to 1/4" on 2<sup>nd</sup> open.****Recovered 210' muddy water with show of oil in tool.****FP 29-49# 78-127#****ISIP 917#****FSIP 917#**

ORIGINAL

*DST #4 4001-4035' (LKC "K" zone)*  
*Open 30", S.I. 60", Open 60", S.I. 90"*  
*Weak blow building to 4" fair blow on 1<sup>st</sup> open.*  
*Weak blow building to 2-1/4" fair blow on 2<sup>nd</sup> open.*  
*Recovered 10' of clean oil,*  
*20' slightly oil cut mud,*  
*240' muddy water.*  
*FP 19-59# 78-108#*  
*ISIP 640#*  
*FSIP 610#*

JUN 15 1951

U.S. GEOLOGICAL SURVEY

RECEIVED  
MAY 15 1951  
FEDERAL BUREAU OF INVESTIGATION

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
*Oakley*

DATE <i>5-22-98</i>	SEC <i>35</i>	TWI <i>156</i>	RANGE <i>30w</i>	CALLED OUT	ON LOCATION <i>3:30PM</i>	JOB START <i>5:00PM</i>	JOB FINISH <i>5:30PM</i>
LEASE <i>7 EWM 6'</i>	WELL # <i>1-24</i>	<i>35</i>	LOCATION <i>Hopkey 1/2 N</i>		COUNTY <i>Wagon</i>	STATE <i>KS</i>	

OLD OR NEW (Circle one)

CONTRACTOR <i>Mallard Drlg</i>	OWNER <i>same</i>
TYPE OF JOB <i>Surface</i>	
HOLE SIZE <i>12 1/4</i>	T.D. <i>228'</i>
CASING SIZE <i>8 3/8</i>	DEPTH <i>228'</i>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG. <i>15'</i>	
PERFS.	
DISPLACEMENT	

**EQUIPMENT**

PUMP TRUCK	CEMENTER <i>Dean</i>	
# <i>191</i>	HELPER <i>Jeff</i>	
BULK TRUCK		
# <i>218</i>	DRIVER <i>Donnie</i>	
BULK TRUCK		
#	DRIVER	

CEMENT	AMOUNT ORDERED <i>1500kg's 60/40 pcc</i>
	<i>30 cc 226cc</i>
COMMON	@
POZMIX	@
GHL	@
CHLORIDE	@
	@
	@
	@
	@
	@
	@
	@
HANDLING	@
MILEAGE	
	TOTAL

<b>REMARKS:</b>	<b>SERVICE</b>
<i>Cement did circulate</i>	DEPTH OF JOB <i>228'</i>
	PUMP TRUCK CHARGE
	EXTRA FOOTAGE @
	MILEAGE @
	PLUG <i>8 3/8 Surface</i> @
	@
	@
	TOTAL

CHARGE TO: *McCoy Petr Corp*

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**FLOAT EQUIPMENT**

<i>1 Centralizer</i>	@
	@
	@
	@
	@
	TOTAL

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE *[Signature]*

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Oakley

DATE <u>5-30-98</u>	SEC <u>35</u>	TWR <u>15s</u>	RANGE <u>30w</u>	CALLED OUT	ON LOCATION <u>1:20 PM</u>	JOB START <u>1:30 PM</u>	JOB FINISH <u>3:00 PM</u>
LEASE <u>Lewis</u>	WELL # <u>1-283</u>	LOCATION <u>Healey 6 1/2 N</u>			COUNTY <u>DEWEY</u>	STATE <u>KANSAS</u>	
OLD OR NEW (Circle one)							

CONTRACTOR <u>Malkard Dr 13</u>	OWNER <u>Some</u>
TYPE OF JOB <u>P71A</u>	
HOLE SIZE <u>7 7/8</u>	T.D. <u>4925'</u>
CASING SIZE	DEPTH
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH <u>2025'</u>
TOOL	DEPTH
PRE'S. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG.	
PERFS.	
DISPLACEMENT	
<b>EQUIPMENT</b>	
PUMP TRUCK # <u>300</u>	CEMENTER <u>Doug</u>
	HELPER <u>Wayne</u>
BULK TRUCK # <u>218</u>	DRIVER <u>Andrew</u>
BULK TRUCK #	DRIVER
	TOTAL

<b>REMARKS:</b>	<b>SERVICE</b>
<u>1st Plug at 2025' w/255sk</u>	DEPTH OF JOB
<u>2nd Plug at 1085' w/105sk</u>	PUMP TRUCK CHARGE <u>2025'</u>
<u>3rd Plug at 280' w/40sk</u>	EXTRA FOOTAGE @
<u>4th Plug at 40' w/10sk</u>	MILEAGE <u>53 miles</u> @
<u>15sk in 247 Hole</u>	PLUG <u>3/4 Dry Hole</u> @
<u>10sk in Mouse Hole</u>	@
<u>Thank you</u>	@
	TOTAL

CHARGE TO: McCoy Petr Corp  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**FLOAT EQUIPMENT**

<u>DRILL TRUCK</u>	@
	@
<u>CEMENT TRUCK</u>	@
	@
<u>WATER TRUCK</u>	@
	@
TOTAL	

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Donald A. Deneal \_\_\_\_\_  
 PRINTED NAME Donald A. Deneal

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS