

15-119-10234-0000

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

Meade County. Sec. 4 Twp. 35 Rge. (E) 30 (W)

Location as "NE/CNW/SW" or footage from lines C of SE/4 of NE/4

Lease Owner Columbian Fuel Corporation

Lease Name A. W. Adams Well No. M-1

Office Address Drawer 6

Character of Well (completed as Oil, Gas or Dry Hole) Gas Well

Date well completed 6-4-1953

Application for plugging filed 4-23-1962

Application for plugging approved 4-24-1962


Plugging commenced 6-13-1962

Plugging completed 6-18-1962

Reason for abandonment of well or producing formation No longer commercial

If a producing well is abandoned, date of last production March 1962

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well W. L. Lackamp

Producing formation Morrow Depth to top 5718 Bottom 5759 Total Depth of Well 6042 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
<u>Morrow</u>	<u>Gas</u>	<u>5718</u>	<u>5759</u>			
				<u>13-3/8</u>	<u>584</u>	<u>None</u>
				<u>8-5/8</u>	<u>2550</u>	<u>695</u>
				<u>5-1/2</u>	<u>5875</u>	<u>3691</u>

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

- 5190 - Set Cast Iron Bridge Plug.
- 5159 - 5161 - Perforated 4 holes per ft.
- 4400 - Set cast iron bridge plug.
- 4388-92 - Perforated 2 holes per foot.
- 4388-92 - Squeezed with 100 sacks posmix.
- 4336-50 - Perforated.
- 4374 - Drilled out
- 4338-46 - Perforated
- 4323-74 - Sand
- 4280-24 - Cement - 5 sacks
- 580-4280 - Mud
- 570-580 - Rock
- 530-570 - Cement - 30 sacks
- 30-530 - Mud
- 20-30 - Rock
- 0-20 - Cement - 15 sacks

Additional Zones tested before well abandoned.

RECEIVED
STATE CORPORATION COMMISSION

JUN 21 1962

CONSERVATION DIVISION
WICHITA, KANSAS

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Noel Knight
Address Chase, Kansas

STATE OF Kansas, COUNTY OF Seward, ss.
Earl R. Gobble (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Earl R. Gobble

417 East Oak St. P. O. Dr. 6
(Address)

SUBSCRIBED AND SWORN to before me this 20th day of June, 19 62

Calvin Lindsey
Notary Public.

My commission expires November 5, 1962

24-7388-8 3-53-20M

Copies: R. A. Grady
United Producing
Colorado Interstate (Arnold Taylor)
File

6/25/62
5245-u

A. W. Adams "M" Well No. 1
 C SE NE Section 4-35S-30W,
 Meade County, Kansas
 Columbia Fuel Corporation

CASING RECORD

Commenced: April 7, 1953
 Completed: May 14, 1953

Set 13-3/8" Casing @ 984 with 450 sacks cement.
 Set 8-5/8" " @ 2550 " 600 " "
 Set 5-1/2" " @ 5875 " 400 " "

Surface clay	0	41	Cherty lime and shale	4971	4986
Sand and clay	41	399	Line	4986	4994
Sand, clay and red bed	399	608	Shale and line	4994	4556
Red bed and sand	608	1095	Cherty lime and shale	4556	4588
Red bed and shells	1095	1328	Chalky lime, shale and chert	4588	4634
Red bed, shaly line	1328	1553	Line and shale	4634	4672
Shale and anhydrite	1553	1582	Line w/some chert and shale	4672	4750
Shale, gyp and anhydrite	1582	1729	Line, chert and shale	4750	4804
Shale and anhydrite	1729	1914	Line and shale	4804	4806
Anhydrite, shale and salt	1914	2103	Line, shale and chert	4806	4828
Anhydrite and shale	2103	2253	Cherty lime	4828	4851
Anhydrite, shale and salt	2253	2314	Chert and line	4851	4950
Anhydrite and shale	2314	2343	Chalky lime and shale	4950	5000
Shale and chalky line	2343	2353	Porous lime	5000	5023
Line and shale	2353	2360	Line	5023	5035
Shaly anhydrite	2360	2405	Line and shale	5035	5041
Anhydrite, line and salt	2405	2473	Line, shale and some chert	5041	5062
Shale and anhydrite	2473	2527	Shale and line	5062	5091
Shale, anhydrite and chert	2527	2590	Cherty lime and shale	5091	5174
Shale and line	2590	2560	Shale and line	5174	5269
Cherty line	2560	2593	Line, shale and some chert	5269	5283
Cherty line and sand	2593	2597	Line and shale	5283	5349
Line, shale and chert	2597	2680	Line and chert	5349	5365
Line, shale (some chert)	2680	2735	Line, shale and chert	5365	5397
Shale and line	2735	2754	Shale and line	5397	5455
Shale, line (some chert)	2754	2773	Shale and line shells	5455	5588
Shale and line	2773	2781	Line and shale	5588	5623
Line, shale and some chert	2781	2863	Shale, line shells, some coal	5623	5677
Line and shale	2863	2890	Shale and line	5677	5708
Line and shale (some chert)	2890	2918	Line, pyrite and shale	5708	5725
Line and shale	2918	2926	Shale and line	5725	6040
Line, shale and some chert	2926	2970			
Line and shale	2970	2988	TOTAL DEPTH	6040	
Line	2988	3014			
Line and shale	3014	3735			
Shale	3735	4084			
Line and shale	4084	4128			
Shale and line shells	4128	4137			
Shale and line	4137	4206			
Shale and some line	4206	4262			
Shale and line	4262	4371			

RECEIVED
 STATE COLLEGE COMMISSION
 JUL 7 1962
 CONSERVATION DIVISION
 Wichita, Kansas

STATE OF OKLAHOMA)
)
 COUNTY OF TULSA)

I hereby affirm that the above and foregoing is a true and correct copy of the log of the A. W. Adams "M" Well No. 1 located in the Center of the Southeast Quarter of the Northeast Quarter of Section 4, Township 35 South, Range 30 West, Meade County, Kansas.

HELMERICH & PAYNE, INC.
 By [Signature]
 Vice-President

Subscribed and sworn to before me, a Notary Public, this 15th day of May, 1953.

[Signature]
 Notary Public

My Commission expires March 13, 1954.