

WELL PLUGGING RECORD

Give All Information Completely
 Make Required Affidavit
 Mail or Deliver Report to:
 Conservation Division
 State Corporation Commission
 211 No. Broadway
 Wichita, Kansas

NORTH

X			

Locate well correctly on above Section Plat

Seward County, Sec. 34 Twp. 34S Rge. 33 (E) W (W)
 Location as "NE/CNW/SW" or footage from lines 1250' FNL 1250' FWL NW/4
 Lease Owner Pan American Petroleum Corporation
 Lease Name Fincham Gas Unit "A" Well No. 1
 Office Address Box 507, Ulysses, Kansas
 Character of Well (completed as Oil, Gas or Dry Hole) Gas Well
 Date well completed 8-13 19 54
 Application for plugging filed 8-7 19 63
 Application for plugging approved 8-7 19 63
 Plugging commenced 8-8 19 63
 Plugging completed 8-8 19 63
 Reason for abandonment of well or producing formation Water could not be effectively removed with either automatic devices or gas lift valves.
 If a producing well is abandoned, date of last production July 19 61
 Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Mr. Hugh Scott
 Producing formation Herrington-Krider Depth to top Bottom Total Depth of Well 2679 Feet
 Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO ps	SIZE	PUT IN	PULLED OUT
Herrington			2633	8-5/8"	730	None
Krider			2662	5-1/2"	2662	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Halliburton cemented from TD to top with 300 sacks common cement on first stage and 85 sacks on second stage. Cement standing full with cement.

RECEIVED
 STATE CORPORATION COMMISSION

AUG 20 1963
 8-20-63
 CONSERVATION DIVISION
 Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Halliburton
 Address Duncan, Oklahoma

STATE OF Kansas, COUNTY OF Grant, ss.

D. M. Iiles (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) *D. M. Iiles* - Area Supt.

Box 507, Ulysses, Kansas
 (Address)

SUBSCRIBED AND SWORN TO before me this 13 day of August, 19 63

R. W. Banks
 R. W. Banks

Notary Public.

My commission expires 12-3-64



FORMATION RECORD

DESCRIBE EACH FORMATION DRILLED. INDICATE THICKNESS, CONTENT AND WHETHER DRY, OR OIL, GAS, OR WATER BEARING.

FORMATION	TOP	BOTTOM	FORMATION	TOP	BOTTOM
Surface sand	0	105	Run 1 1/2" tubing set at 2664'.		
Surface sand, blue shale	105	675	Schlumberger Van Genna Day and Microlog. Tops:		
bedrock	675	730	Herrington	2633'	
bedrock, shale	730	1010	Irider	2602'	
Belt, shale	1010	1595	McCullough Perforated with 6 shots per ft.		
Shale, shells	1595	2081	as follows:		
Shale, anhydrite	2081	2545	2637-49'.		
Shale, lime, anhydrite	2545	2615	Chemical Process acidized as follows:		
Lime	2615	2679	All zones with 2500 gal 15% acid,		
			Herrington with 2000 gal 15% acid,		
			All zones with 7000 gal 7 1/2% acid.		
TD 2679'					
PSS 2670'					
			Date First Work	7-21-54	
			Date Drilling Commenced	7-21-54	
			Date Drilling Completed	8-9-54	
			Completed as a gas well	8-13-54	
			Permanent Bench Mark 9.00'		
			above side outlets on		
			Braden Head.		