


Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
212 No. Market  
Wichita, Kansas

WELL PLUGGING RECORD



Locate well correctly on above  
Section Plat

Seward County, Sec. 24 Twp. 34S Rge. (E) 33 (W)  
Location as "NE/CNW/SW" or footage from lines C NE NW  
Lease Owner Anadarko Production Company  
Lease Name McAhren "C" Well No. 1  
Office Address Box 351, Liberal, Kansas 67901  
Character of Well (completed as Oil, Gas or Dry Hole) Oil  
Date well completed August 20 1969  
Application for plugging filed November 20 1973  
Application for plugging approved November 26 1973  
Plugging commenced November 29 1973  
Plugging completed November 29 1973  
Reason for abandonment of well or producing formation Production depleted.

If a producing well is abandoned, date of last production April 5 1973  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Edgar Eves  
Producing formation Chester Depth to top 6324 Bottom 6327 Total Depth of Well 6413 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8"	1570'	None
				4-1/2"	6412'	4200'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Filled hole with mud. Spotted 35 sacks from 800 to 900 feet.  
Spotted 15 sacks from 15 to 0 feet.

RECEIVED  
STATE CORPORATION COMMISSION  
JAN 31 1974  
CONSERVATION DIVISION  
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)  
Name of Plugging Contractor Sargent's Casing Pulling Service  
Address Box 506, Liberal, Kansas 67901

STATE OF KANSAS, COUNTY OF SEWARD, ss.  
T. W. Williams (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

NORMA JEAN TUCKER  
NOTARY PUBLIC  
Seward County, Kansas  
My Commission Expires September 9, 1978  
Subscribed AND Sworn to before me this 28th day of January, 1974

(Signature) T. W. Williams  
Box 351, Liberal, Kansas 67901 (Address)  
28th day of January, 1974  
Norma Jean Tucker  
Notary Public.

My commission expires \_\_\_\_\_

15-175-20066-0000

DRILLER'S LOG

WELL NAME: McAhen "C"; COMPANY OPERATING: Anadarko Production Company  
 ADDRESS of COMPANY: Box 351 Liberal, Kansas 67901

WELL LOCATION: 1/4 NE 1/4 NW 1/4,  
4620 ft. North of South line,  
1680 ft. East of West line: Sec. 24, Twp. 34S, Rge. 33W, Seward County, Kansas

DRILLING STARTED July 20, 1969; DRILLING COMPLETED August 5, 1969  
 WELL COMPLETED August 12, 1969; WELL CONNECTED \_\_\_\_\_, 19\_\_\_\_

ELEVATION: 2823.1 Ft. Ground Level; CHARACTER OF WELL (Oil, Gas, or Dry Hole) Oil

OIL OR GAS SANDS OR ZONES - PERFORATIONS - ACIDIZING AND FRACTURING INFORMATION

Name	From	To	No. of Shots	Gallons Used	Kind Used
Mississippian	6324'	6327'	12	Acidized 500 gal.	10% NE
				Frac 12,000 gals diesel + 12,000#	
				20-40 Frac sand W/50# Atomite and	
				1 gal NE additive per 100 gals.	

RECEIVED  
 STATE CORPORATION COMMISSION  
 NOV 26 1963  
 CONSERVATION DIVISION  
 Wichita, Kansas

Size	Amount Set	Sacks of Cement	Amount Pulled
8 5/8"	1570'	775	None
4 1/2"	6412'	130	None
2 3/8"	6322'	SN @ 6306'	

FORMATION RECORD

Formation	Top	Bottom	Formation	Top	Bottom
Clay, Sand, Gravel, Red Bed	0'	1060'			
Sand, Red Bed, Anhydrite	1060'	1572'			
Shale & Anhydrite	1572'	1960'			
Red Bed, Shale, Gypsum, Lime	1960'	2580'			
Lime & Shale	2580'	3554'			
Lime	3554'	3906'			
Lime & Shale	3906'	4275'			
Shale, Lime streaks	4275'	4666'			
Lime	4666'	5380'			
Lime & Shale	5380'	6010'			
Sand, Lime, Shale	6010'	6299'			
Lime & Chert	6299'	6413'			
Total Depth	6413'				

RESULTS of INITIAL PRODUCTION TEST: In 3 hrs. flowed 40.89 BO.