

To: 1 090339
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

API NUMBER 15-189-21,502-0000
NE NE SW, SEC. 10, T. 34 S, R. 36 W&X

TECHNICIAN'S PLUGGING REPORT

Operator License # 4782
Operator: Ensign Operating Company
Name & Address: 621 17th St., Suite 1800
Denver, CO 80293

2310 feet from S section line
2970 feet from E section line

Lease Name Wheeler Well # 1-10
County Stevens 218.56
Well Total Depth 6725 feet
Conductor Pipe: Size _____ feet
Surface Casing: Size 8 5/8 feet 1754

Abandoned Oil Well _____ Gas Well _____ Input Well _____ SWD Well _____ D&A X
Other well as hereinafter indicated _____

Plugging Contractor Cheyenne Drilling, Inc. License Number 5382
Address P.O. Box 916, Graden, City, KS 67846

Company to plug at: Hour: 5 a.m. Day: 15 Month: 6 Year: 19 91

Plugging proposal received from Mr. McGrift

(company name) Cheyenne Drilling, Inc. (phone) 316-277-2062

were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1754-70'

1st plug at 3100' with 100 sx cement, 2nd plug at 1780' with 50 sx cement,
3rd plug at 850' with 50 sx cement, 4th plug at 40' with 10 sx cement,
5th plug to circulate rathole with 15 sx cement,
6th plug to circulate mousehole with 10 sx cement.

Plugging Proposal Received by Steve Middleton
(TECHNICIAN)

Plugging Operations attended by Agent?: All _____ Part _____ None X

Operations Completed: Hour: 8:30 a.m. Day: 15 Month: 6 Year: 19 91

ACTUAL PLUGGING REPORT 1st plug at 3100' with 100 sx cement,
2nd plug at 1780' with 50 sx cement,
3rd plug at 850' with 50 sx cement,
4th plug at 40' with 10 sx cement,
5th plug to circulate rathole with 15 sx cement,
6th plug to circulate mousehole with 10 sx cement.


RECEIVED
STATE CORPORATION COMMISSION

JUN 18 1991

CONSERVATION DIVISION
Wichita, Kansas

Remarks: Used 60/40 Pozmix 6% gel by Halliburton.
(If additional description is necessary, use BACK of this form.)

~~I did not~~ observe this plugging.

Signed  (TECHNICIAN)

DATE 6-20-91
32204
6-15

EFFECTIVE DATE: 5-28-91

189-21502

Must be approved by the K.C.C. five (5) days prior to commencing well

Expected Spud Date 6-12-91
month day year

NE . NE . SW . Sec 10 . Twp 34 S , Rg 36 X East West

OPERATOR: License # 04782
Name: Eosign Operating Co.
Address: 621 17th St. #1800
City/State/Zip: Denver, CO 80293
Contact Person: J. G. SIMMONS
Phone: (303) 293-9999

2310 feet from South line of Section
2970 feet from East line of Section

(Note: Locate well on Section Plat on Reverse Side)

CONTRACTOR: License #: 5382
Name: Cheyenne Drilling, Inc. #4

County: Stevens
Lease Name: Wheeler Well #: 1-10
Field Name: Walkemeyer SE

Is this a Prorated Field? X yes no
Target Formation(s): Mississippi/Morrow
Nearest lease or unit boundary: 2310'
Ground Surface Elevation: 3059' feet MSL
Domestic well within 330 feet: yes X no
Municipal well within one mile: yes X no
Depth to bottom of fresh water: 580' 670'
Depth to bottom of usable water: 750' 690'
Surface Pipe by Alternate: X 1 2

Well Drilled For: Well Class: Type Equipment:
... Oil ... Inj ... Infield X Mud Rotary
X Gas ... Storage X Pool Ext. ... Air Rotary
... CWMO ... Disposal ... Wildcat ... Cable
... Seismic; ... # of Holes

Length of Surface Pipe Planned to be set: 1760'

If CWMO: old well information as follows:
Operator: _____
Well Name: _____
Comp. Date: _____ Old Total Depth _____

RECEIVED
STATE CORPORATION COMMISSION

Conductor pipe required: _____
Projected Total Depth: 6800'
Formation at Total Depth: Mississippi/St. Louis
Water Source for Drilling Operations:
X well ... farm pond ... other

JUN 18 1991

CONSERVATION DIVISION

Directional, Deviated or Horizontal wellbore? yes X no
If yes, total depth location: _____

Permit #: _____
Cores Be Taken? yes X no
If yes, proposed zone: _____

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101.

Pusher PAC Grift 502
SPUD DATE 5-31-91 INIT. SM

LENGTH SURFACE PLANNED 1760
RESERVE PIT STATUS- REMOVE FLUID LINED
after salt sect. bbls. when done bbls.

RATHOLED AHEAD? Y N SIZE HOLE _____
SURFACE PIPE 8 3/4" 1734 CONDUCTOR _____
ANHYDRITE T- 1734 B- 1770 ELEVATION _____

TD 6725 FORMATION _____
RAN PIPE @ SX DV TOOL ALT II DONE _____
Arbuckle Plug @ _____ Ft. W/ SX
Hug./Council @ 3100 Ft. W/ 100 SX
Anhydrite Base @ 1780 Ft. W/ 50 SX
1/2 Base Anyh. @ 850 Ft. W/ 50 SX
1/2, 1/2 Plug @ _____ Ft. W/ _____ SX
Bottom Surface @ _____ Ft. W/ _____ SX
40' Plug @ 40' Ft. W/ 10 SX
RAT HOLE CIRC/W 15 SX MOUSE HOLE W/10 SX

WATER WELL X SX (Irr. Well _____ Pond _____)
TECHNICIAN SM DATE 6-14-91 Hauling _____
TYPE OF CEMENT 60/40 673
STARTING TIME 5:00 (AM/PM) DATE 6-15-91
COMPLETION TIME 8:30 (AM/PM) DATE 6-15-91
CEMENT COMPANY Halliburton