

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

Operator: License # 5208

Name: Mobil Oil Corporation

Address P.O. Box 2173

2319 North Kansas Avenue

City/State/Zip Liberal, KS 67905-2173

Purchaser: _____

Operator Contact Person: Sharon Cook

Phone (316) 626-1142

Contractor: Name: Catholic Protection Services

License: 31474

Wellsite Geologist: _____

Designate Type of Completion
 New Well Re-Entry Workover

Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Circ., WCU, Expl., Cathodic, etc)

If Workover:

Operator: _____

Well Name: _____

Comp. Date _____ Old Total Depth _____

Deepening Re-perf. Conv. to Inj/SWD
 Plug Back PBTD
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Inj?) Docket No. _____

8/1/94 8/1/94 8/1/94
Spud Date Date Reached TD Completion Date

API NO. 15- 189-21656-0000

County Stevens

Approx. C _____ Sec. 31 Twp. 32S Rge. 35 E W

2640 Feet from S/N (circle one) Line of Section

2540 Feet from E/W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
NE, SE, NW or SW (circle one)

Lease Name CP- Republic Fee Well # 3

Field Name Hugoton

Producing Formation NA

Elevation: Ground 3015 KB NA

Total Depth 100 PBTD NA

Amount of Surface Pipe Set and Cemented at None Feet

Multiple Stage Cementing Collar Used? NA Yes NA No

If yes, show depth set NA Feet

If Alternate II completion, cement circulated from NA

feet depth to NA w/ NA sx cmt.

Drilling Fluid Management Plan ALT III 2-14-96 JK
(Data must be collected from the Reserve Pit)

Chloride content NA ppm Fluid volume NA bbls

Dewatering method used NA

Location of fluid disposal if hauled offsite: _____

Operator Name NA

Lease Name NA License No. _____

NA Quarter Sec. NA Twp. NA S Rng. NA E/W

County NA Docket No. NA

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Sharon A. Cook Sharon A. Cook

Title Regulatory Assistant Date 11-3-94

Subscribed and sworn to before me this 3rd day of November, 19 94.

Notary Public Kathleen R. Poulton

Date Commission Expires August 18, 1998

DEW94601.SAC

NOTARY PUBLIC - State of Kansas
KATHLEEN R. POULTON
My Appt. Exp. 08-18-98

K.C.C. OFFICE USE ONLY
F Letter of Confidentiality Attached
C Wireline Log Received
C Geologist Report Received

Distribution
 KCC SMD/Rep NGPA
 KGS Plug Other
(Specify)

Form ACO-1 (7-91) RECEIVED

11-04-94

RECEIVED
STATE CORPORATION COMMISSION

NOV 04 1994

CATHODIC PROTECTION SERVICES COMPANY

LIBERAL, KANSAS

DATA SHEET NO. I

ORIGINAL

COMPANY MOBIL E+P JOB NO. 801-00370 DATE: 8/1/94
 WELL: Republic Fee #3 PIPELINE:
 LOCATION: Sec. 31 Twp. 32 Rge. 35 Co. Stevens State Kansas
 ROTARY 100 FT. CASING FT.

DEEP GROUND BED LOGGING DATA

DRILL LOG	DEPTH (FT)	ANODE TO STRUCTURE		ANODES		ANODE TO CABLE	DRILL LOG	DEPTH (FT)	ANODE TO STRUCTURE		ANODES		ANODE TO CABLE
		EXPLOR ohm	FINAL ohm	NO.	TOP DEPTH				EXPLOR ohm	FINAL ohm	NO.	TOP DEPTH	
Hole Plug	5					13'-3'		205					
	10							210					
Earth fill	15					23'-13'		215					
	20							220					
Hole Plug	25					25'-23'		225					
	30	.380						230					
	35	.420						235					
	40	.620		3		COKE		240					
	45	.660						245					
	50	.600		2		BREEZE		250					
	55	.530						255					
	60	.620		1				260					
	65	.570						265					
	70	.530						270					
	75	.400						275					
	80	.380						280					
	85	.210						285					
	90	.320						290					
	95							295					
	100							300					
	105							305					
	110							310					
	115							315					
	120							320					
	125							325					
	130							330					
	135							335					
	140							340					
	145							345					
	150							350					
	155							355					
	160							360					
	165							365					
	170							370					
	175							375					
	180							380					
	185							385					
	190							390					
	195							395					
	200							400					

GROUND BED RESISTANCE: (1) VOLTS _____ + AMPS = OHMS

(2) VIBROGROUND _____ OHMS

*Pit Closed
8/1/94*

REPUBLIC Fee #3

CATHODIC PROTECTION SERVICES CO.
WELL TYPE GROUNDBED DATA

CUSTOMER: MOBILE OIL CORP
LOCATION: 31-32-35

DRILLING COMPANY: RAV'S DRILLING
DRILLER: ROY MEAD

HOLE DEPTH: 100'
DIAMETER: 1 1/2"

CASING TYPE: STEEL PCV
SEAL TYPE: CEMENT BENTONITE

DATE: 8-1-92

DEPTH	CASING	SEAL	FORMATION LOG	H2O	SEAL	DEPTH	CASING	SEAL	FORMATION LOG	H2O	SEAL
5						305					
10			<u>BROWN SAND</u>			310					
15						315					
20			<u>BROWN CLAY</u>			320					
25						325					
30						330					
35						335					
40			<u>BROWN SAND</u>			340					
45			<u>BROWN CLAY</u>			345					
50						350					
55						355					
60						360					
65						365					
70						370					
75						375					
80						380					
85						385					
90			<u>BROWN SAND STOP</u>			390					
95			<u>BROWN SAND STOP</u>			395					
100						400					
105						405					
110						410					
115						415					
120						420					
125						425					
130						430					
135						435					
140						440					
145						445					
150						450					
155						455					
160						460					
165						465					
170						470					
175						475					
180						480					
185						485					
190						490					
195						495					
200						500					
205						505					
210						510					
215						515					
220						520					
225						525					
230						530					
235						535					
240						540					
245						545					
250						550					
255						555					
260						560					
265						565					
270						570					
275						575					
280						580					
285						585					
290						590					
295						595					
300						600					

BC-DL941

#53