OCT 03 2001

\* North

STATE OF KANSAS
KANSAS CORPORATION COMMISSION
CONSERVATION DIVISION
130 South Market - Room 2078
Wichita, Kansas 67202

John CP-1 (3/92)

CONSERVATION DIVISION WIGHITA, KS

WELL PLUGGING APPLICATION FORM
(PLEASE TYPE FORM and File ONE Copy)

·	•
API # 15-189-21494 (Identifier number of this well). This must be listed wells drilled since 1967; if no API# was issued, indicate spud or completion details.	ed for
WELL OPERATOR EXXON Mobil Corporation KCC LICENSE # 520	1017714
ADDRESS PO Box 4358 (owner/company name) city Houston	's) 
STATE	<u>-1828</u>
LEASE <u>Paden # 1 Unit</u> WELL# 3 SEC. 19 T. 33 R. 36 (East,	(West)
NE.SW SPOT LOCATION/0000 COUNTY Stevens	
1980 FEET (in exact footage) FROM S/N (circle one) LINE OF SECTION (NOT Lease	Line)
3300 FEET (in exact footage) FROM (E)W (circle one) LINE OF SECTION (NOT Lease	Line)
Check One: OIL WELL GAS WELL XX D&A SWD/ENHR WELL DOCKET#	
CONDUCTOR CASING SIZE SET AT CEMENTED WITH	SACKS
SURFACE CASING SIZE 8 5/8" SET AT 1759' CEMENTED WITH 815	SACKS
PRODUCTION CASING SIZE 5 1/2" SET AT6461' CEMENTED WITH1080	SACKS
LIST (ALL) PERFORATIONS and BRIDGEPLUG SETS: Please see attached	
ELEVATION 3081'/3097' T.D. 6496 PBTD 4330 ANHYDRITE DEPTH (Stone Corral Formation)	on)
CONDITION OF WELL: GOOD XXX POOR CASING LEAK JUNK IN HOLE	
PROPOSED METHOD OF PLUGGING Please see attached / Per the rules and	
regulations of the KCC	<del></del>
(If additional space is needed attach separate page)	<del></del>
IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? NO IS ACO-1 FILED? YE	<u>s</u> .
If not explain why? Copy of Log not available	
PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. $55-101~{ m et.}~{ m seq}$ . And Rules and regulations of the state corporation commission.	THE
LIST NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERAT	rions:
Richard Lewis PHONE# ( ) 316-544-5534	
ADDRESS 200 W. 4th Street City/State Hugoton, KS 67951	<del></del> ,
PLUGGING CONTRACTOR Sargent & Horton KCC LICENSE # 3//	15/ 1/02
(company name) (contractor ADDRESS Rt. 1, Box 49BA, Tyrone, KS 73951 PHONE # ( ) 580-854-6515	's) 
PROPOSED DATE AND HOUR OF PLUGGING (If Known?) ASAP	
PAYMENT OF THE PLUGGING FEE (K.A.R. 82-3-118) WILL BE GUARANTEED BY OPERATOR OR	AGENT
DATE: 9 24 0 AUTHORIZED OPERATOR/AGENT: Caller Heda	
(signature)	

# OCT 03 2001 PRELIMINARY B&A SKETCH-PLUGS WILL CHANGE PER THE DIRECTIONS OF THE KCC DISTRICT REPRESENTATIVE

CONSERVATION DIVISION

COMPAWYCHEXXon Mobil Oil Corporation


WELL NAME: Paden # 1 Unit

WELL#: 3

API#: 15-189-21494 COUNTY: Stevens

SURFACE CASING				
OD	WT/FT	GRADE	SET AT	
8 5/8"	24	K-55	1759'	
PRODUCTION CASING				
OD	WT/FT	GRADE	SET AT	
5 1/2"	17	K-55	6461'	
TUBING				
0	WT/FT	GRADE	SET AT	
NONE				

CAPACITIES (BBL/FT)		
2 3/8" TBG	0.00387	
5 1/2" CSG	0.0240	
2 3/8" x 5 1/2"	0.0186	





OCT 03 2001

CONSERVATION DIVISION WICHITA, KS

### PROPOSED PLUGGING PROCEDURE FOR EXXON MOBIL OIL CORPORATION

WELL: PADEN # 1 UNIT # 3

FIELD: HUGOTON COUNTY: STEVENS

#### THIS IS A CATEGORY II WORKOVER

BOPE SPECIFICATIONS:

CLASS V 300

NOTE: KCC DISTRICT REPRESENTATIVE WILL DIRECT SPECIFICS OF SETTING & TAGGING PLUGS.

NOTE: PERFORM ALL WELL WORK OPERATIONS IN ACCORDANCE WITH THE HPO WORKOVER OPERATIONS MANUAL.

NOTE: USE CLASS 'H', 16.4 PPG, 1.06 YIELD CEMENT FOR ALL PLUGS.

NOTE: PUMP 9.5 PPG MUD LADEN FLUID BETWEEN CEMENT PLUGS.

NOTE: NOTIFY KCC DISTRICT OFFICE IN DODGE CITY, KS PRIOR TO COMMENCEMENT OF WORK & WITHIN SUFFICIENT TIME TO WITNESS PLUGGING OPERATIONS.

NOTE: ENSURE PLUGGING FORMS HAVE APPROPRIATE INFORMATION NEEDED TO FILE APPROPRIATE PAPERWORK W/ THE KCC TO CONCLUDE PLUGGING OPERATIONS.

Check pressures on all casing strings daily and document on morning reports. Discuss safe blow down/well kill procedures with Exxon Mobil Workover Supervisor.

- INSPECT JOBSITE FOR POTENTIAL HAZARDS & LOCATION CHARACTERISTICS THAT MAY IMPACT THE PLANNED WELLWORK AND/OR REQUIRE MODIFICATION OF THE PROCEDURE. INITIATE MOC PROCESS IF NEEDED.
- 2. SET & TEST RIG ANCHORS AS NEEDED.
- 3. PLUG WELL AS DIRECTED BY KCC DISTRICT REPRESENTATIVE. A GENERAL PLAN IS AS FOLLOWS, BUT SHOULD BE REVISED TO ENSURE ALL FORMATIONS (INCLUDING THE CHEYENNE FORMATION, DAKOTA FORMATION, ARBUCKLE FORMATION, ANY SALT FORMATIONS & ANY FRESH & USABLE WATER ZONES) ARE ISOLATED AS PER THE SPECIFICATIONS OF THE KCC.
- 4. MIRU. LOAD WELL W/FSW.
- 5. REMOVE TREE. INSTALL BOP'S & TEST.
- 6. RIH W/ 2 3/8" TBG WORKSTRING TO 3300'.
- CIRCULATE 9.5 PPG MUD.
- 8. POH W/ TBG WORKSTRING.

9. RU UNIT W/ CLASS II LUBRICATOR & TEST. MAKE GAUGE RING & JUNK BASKET RUN TO (10' ABOVE OPEN CHASE PERFS). POH.

10. RIH & SET 5 1/2" CIBP @ 10' ABOVE OPEN CHASE PERFS. POH.

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 03 2001

CONSERVATION DIVISION

WICHITA, KS

11. RIH & DUMP BAIL 4 SX CEMENT ON TOP OF CIBP. POH. RD WL UNIT.

12. WOC. TEST 5 1/2" CSG TO 500 PSI.

13. NIPPLE UP ON 5 1/2" CSG.

14. SET BOP'S W/ 5 1/2" PIPE RAMS & TEST.

15. JET CUT 5 1/2" CSG @ 1809'.

16. RECOVER 5 1/2" CSG.

17. CHANGE BOP RAMS TO 2 3/8" OR 2 7/8" TBG.

18. RIH W/ WORKSTRING TO 1809'.

19. SET PLUGS ACROSS CERTAIN FORMATIONS, CSG CUT, SURFACE CSG SHOE, FRESH WATER ZONES & AT SURFACE AS DIRECTED BY THE KCC DISTRICT REPRESENTATIVE OR A 620 SX CEMENT PLUG FROM 5' – 1809'.

20. POH W/ WORKSTRING.

21. REMOVE BOP'S.

22. CUT & CAP WELL 5' BELOW GROUND LEVEL.

23. RD/MO.

24. FILE PLUGGING REPORTS AS NEEDED PER KCC GUIDELINES.

09/22/01



# Kansas Corporation Commission

Bill Graves, Governor John Wine, Chair Cynthia L: Claus, Commissioner Brian J. Moline, Commissioner

## NOTICE OF RECEIPT OF WELL PLUGGING APPLICATION (CP-1)

EXXONMOBIL Oil Corp PO Box 4358 Houston, TX 77210-4358 October 03, 2001

Re: PADEN 1 UNIT #3

API 15-189-21494-00-00

NESW 19-33S-36W, 1980 FSL 3300 FEL

STEVENS COUNTY, KANSAS

### Dear Operator:

This letter is to notify you that the Conservation Division is in receipt of your plugging proposal, form CP-1, for the above-captioned well.

Your CP-1 has been reviewed by the Conservation Division central office for completeness and to verify license numbers. The plugging proposal will now be forwarded to the district office listed below for review of your proposed method of plugging.

Please contact the district office for approval of your proposed plugging method at least five (5) days before plugging the well, pursuant to K.A.R. 82-3-113 (b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit.

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well.

This notice in no way constitutes authorization to plug the above-captioned well by persons not having legal rights of ownership or interest in the well. This notice is void after ninety (90) days from the above date.

Sincerely,

304 W. McArtor

Dodge City, KS 67801

(316) 225-8888

District: #1

Production Supervisor

David P. Williams