

KANSAS CORPORATION COMMISSION
ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Form G-2
(Rev. 8/98)

Type Test Open Flow
 Deliverability

(See Instructions of Reverse Side)

Test Date: 3/6/15

API No. 15- 129 10452-0002

Company Anadarko E&P Onshore LLC		Lease SCOTT		Well Number A-2	
County MORTON	Location NW NE	Section 32	TWP 34	RNGE (E/W) 43	Acres Attributed 0
Field INTERSTATE		Reservoir REDCAVE	Gas Gathering Connection HUGS W		
Completion Date 08/23/64		Plug Back Total Depth 1335	Packer Set at NA		
Casing Size 4.5	Weight 10.5	Internal Diameter 4.052	Set at 1354	Perforations 1238	To 1268
Tubing Size 2.375	Weight 4.7	Internal Diameter 1.995	Set at 1259	Perforations NA	To NA
Type Completion (Describe) SINGLE GAS		Type Fluid Production NA	Pump Unit or Traveling Plunger? NA		Yes / No NA
Producing Thru (Annulus / Casing) CASING		% Carbon Dioxide 1.27	% Nitrogen 0.4431	Gas Gravity - G _g 0.828	
Vertical Depth (H) 1265	Pressure Taps PIPE		(Meter Run) X	(PROVER) NA	Size 4
Pressure Buildup:	Shut in 3/5/15	at 9:20 am	(AM)(PM)	Taken 3/6/15	at 3/8/13 am (AM)(PM)
Well on Line:	Started NA	at	(AM)(PM)	Taken NA	at (AM)(PM)

OBSERVED SURFACE DATA

Duration of Shut-in **24 Hours**

Static / Dynamic Property	Orifice Size inches	Circle One: Meter or Prover Pressure psig	Pressure Differential in (h) Inches H ₂ O	Flowing Temperature t	Well Head Temperature t	Casing Wellhead Pressure (P _w) or (P _i) or (P _c)		Tubing Wellhead Pressure (P _w) or (P _i) or (P _c)		Duration (Hours)	Liquid Produced (Barrels)
						psig	psia	psig	psia		
Shut-In							0			24	
Flow	0.500	NA	NA	NA	60	NA	0			24	0

FLOW STREAM ATTRIBUTES

Plate Coefficient (F _b) (F _p) Mcfd	Circle One: Meter or Prover Pressure psia	Pressure Extension Sqrt ((P _m)(H _w))	Gravity Factor F _g	Flowing Temperature Factor F _t	Deviation Factor F _{pv}	Metered Flow R (Mcfd)	GOR (Cubic Feet/ Barrel)	Flowing Fluid Gravity G _m
1.228	14.4	0	1.099	1.063	1.000	0	0	0.000

(OPEN FLOW) (DELIVERABILITY) CALCULATIONS

(P_c)²= 0 (P_w)²= 0 P_d= % (P_c-14.4)+14.4= (P_w)²=0.207 (P_d)²=

(P _d) ² -(P _a) ² or (P _d) ² -(P _w) ²	Choose formula 1 or 2: 1. P _c ² -P _a ² 2. P _c ² -P _w ² divided by P _c ² -P _w ²	LOG of formula 1. or 2. (P _c ² -P _w ²) and divide by:	Backpressure Curve Slope = "n" ----- or ----- Assigned Standard Slope	n x LOG ()	Antilog	Open Flow Deliverability Equals R x Antilog Mcfd
-0.207	0.000	#DIV/0!	#DIV/0!	0.564	#DIV/0!	#DIV/0!

Open Flow

Deliverability

The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the 6th day of March 2014

Witness (if any)

For Commission

Thomas L. Walsh

For Company

Checked by

Received
KANSAS CORPORATION COMMISSION

APR 09 2015

CONSERVATION DIVISION
WICHITA, KS

I declare under penalty or perjury under the laws of the state of Kansas that I am an
 exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Anadarko E&P Onshore
 and that the foregoing information and statements contained on this application form are true and correct to
 the best of my knowledge and belief based upon gas production records and records of equipment installa-
 tion and/or of type completion or upon use of the gas well herein named.

I hereby request a permanent exemption from open flow testing for the Scott "A" #2
 gas well on the grounds that said well:

(Check One)

- is a coalbed methane producer
- is cycled on plunger lift due to water
- is a source of natural gas for injection into an oil reservoir undergoing ER
- is on vacuume at the present time; KCC approval Docket No. _____
- is incapable of producing at a daily rate in excess of 150 mcf/D

Date: 3/30/2015

Signature: C. Hayton

Title: Production Engineer

Instructions All active gas wells must have at least one original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.

Received
 KANSAS CORPORATION COMMISSION

APR 09 2015

CONSERVATION DIVISION
 WICHITA, KS