

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to
Conservation Division
State Corporation Comm.
245 North Water
Wichita, KS 67202

Morton County, Sec. 12 Twp. 34S Rge. 40 E/W
Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines

1250' FN & EL

Lease Owner Anadarko Production Company
Lease Name CARPENTER "A" Well No. 1
Office Address Box 351, Liberal, Kansas 67901
Character of Well (Completed as Oil, Gas or Dry Hole)


Gas

Date Well completed 8-28 1977
Application for plugging filed 4-16 1979
Application for plugging approved verbal 5-6 1979
Plugging commenced 5-7 1979
Plugging completed 5-10 1979

Reason for abandonment of well or producing formation
No gas production

If a producing well is abandoned, date of last production
November 1978

Was permission obtained from the Conservation Division or
its agents before plugging was commenced? yes



Locate well correctly on above
Section Plot

Name of Conservation Agent who supervised plugging of this well Clarence Thomas, Jr.
Producing formation Panoma Council Grove Depth to top 2809 Bottom 2969 Total Depth of Well 3000
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
Surface				8-5/8"	645'	-0-
Panoma Council Grove	gas	2809	2969	4-1/2"	2998'	1011'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Pmpd 35 sxs cmt plug 2573 to 2998, shot csg 1798, 1214 free 1011, pmp hole full w/hvy drilling mud, pmp 35 sxs cmt 600 to 500', 10 sxs cmt 40-0'.

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Sargents Casing Pulling

STATE RECEIVED
MAY 22 1979
CON. 5-23-79
STATE CORPORATION COMMISSION
Wichita, KS

STATE OF KANSAS COUNTY OF SEWARD
Paul Campbell (employee of owner) or ~~XXXXXXXXXXXXXXXXXXXX~~

of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Paul Campbell
P. O. Box 351, Liberal, Kansas 67901
(Address)

SUBSCRIBED AND SWORN TO before me this 22nd day of May, 1979

BEVERLY J. WILLIAMS
Seward County, Kansas
My Appt. Exp. 11/21/82

Beverly J. Williams
Notary Public.

My commission expires

15-129-20324-0000

KANSAS DRILLERS LOG

REVISED

S. 12 T. 34S R. 40 E. W

API No. 15 — 129 — 20,324
County Number

Loc. 1250' FN & EL

County Morton

Operator

Anadarko Production Company

Address

P. O. Box 351, Liberal, Kansas 67901

Well No.

1

Lease Name

Carpenter "A"

Footage Location

1250 feet from (N) line 1250 feet from (E) line

Principal Contractor

Gabbert-Jones, Inc.

Geologist

None

Spud Date

8/21/77

Total Depth

3000'

P.B.T.D.

2889'


Date Completed

10/20/77

Oil Purchaser

None

640 Acres
N



Locate well correctly

Elev.: Gr. 3315.1

DF _____ KB _____

CASING RECORD

Report of all strings set— surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12-1/4"	8-5/8"	20#	645'	Common	550	3% cc
Production	7-7/8"	4-1/2"	9.5#	2998'	Litewate SS Poz	500 150	4% gel 12-1/2 gal/sk .05% CFR-2

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
None			2		2915-2969'
TUBING RECORD			2		2838-2887'
Size	Setting depth	Packer set at	2		2892-2903'
2.3/8"	2883'				

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
A/1500 gals 15% HCL + 50BS A/5000 gals 15% HCL + 175BS. F/100,000 gals wtr + 150,000# river sand, 3# 1000 gals FR-21 & 1 gal/100B BE-1	2915-2969
Cement retainer at 2889'	

RECEIVED
STATE CORPORATION COMMISSION

APR 20 1979

INITIAL PRODUCTION

CONSERVATION DIVISION
Wichita, Kansas

Date of first production 11/17/78	Producing method (flowing, pumping, gas lift, etc.) Pumping
RATE OF PRODUCTION PER 24 HOURS	Oil --- bbls. Gas 0 MCF Water 30 bbls. Gas-oil ratio --- CFPB
Disposition of gas (vented, used on lease or sold) No gas produced in commercial quantity	Producing interval (s) 2838-2887', O. A.

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator
Anadarko Production Company

DESIGNATE TYPE OF COMP.: OIL, GAS,
DRY HOLE, SWDW, ETC.:
Gas

Well No. 1 Lease Name Carpenter "A"

S 12 T 34S R 40 ^E_W


WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN,
OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Surface Clay-Sand-Redbed	0'	568'		
Redbed	568'	646'		
Redbed-Anhy-Sand	646'	1319'		
Redbed-Sand-Anhy	1319'	2050'		
Shale-Lime	2050'	2247'		
Shale-w/Lime	2247'	2263'		
Lime-Shale	2263'	3000'		
TOTAL DEPTH		3000'		

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received	
	Signature
	Paul Campbell, Division Production Manager
	Title
	April 16, 1979
	Date