STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION 130 South Market - Room 2078 Wichita, Kansas 67202

· FORM CP-1 (3/92)

WELL PLUGGING APPLICATION FORM (PLEASE TYPE FORM and File ONE Copy)

API # 15-189-00678-0000 (Identifier number of this well). This must be listed for wells drilled since 1967; if no API# was issued, indicate spud or completion date.
well operator <u>anadarko petroleum corporation</u> kcc license # 4549
(owner/company name) (operator's) 'ADDRESS P.O. BOX 351 CITY LIBERAL
STATE KANSAS ZIP CODE 67905-0351 CONTACT PHONE (316) 624-6253
LEASEISOM WELL# _1-24 _ SEC24 _ T34S _ R39(xxxx/West)
SE - SE - NW - NE SPOT LOCATION/QQQQ COUNTY STEVENS
1300 FEET (in exact footage) FROM X/N (circle one) LINE OF SECTION (NOT Lease Line)
1330 FEET (in exact footage) FROM E/X (circle one) LINE OF SECTION (NOT Lease Line)
Check One: OIL WELL GAS WELL _X D&A SWD/ENHR WELL DOCKET#
CONDUCTOR CASING SIZE SET AT CEMENTED WITH SACKS
SURFACE CASING SIZE 10-3/4 SET AT 888 CEMENTED WITH 500 SACKS
PRODUCTION CASING SIZE 7 SET AT2645 CEMENTED WITH 500 SACKS
LIST (ALL) PERFORATIONS and BRIDGEPLUG SET: 5-1/2" LINEAR 2635-2850
ELEVATION 3292.5 T.D. 2850 PBTD 2850 ANHYDRITE DEPTH NA (Stone Corral Formation)
CONDITION OF WELL: GOOD X POOR CASING LEAK JUNK IN HOLE
PROPOSED METHOD OF PLUGGING MIRU CASING PULLERS. DUMP 35 SXS SAND DOWN CSG TO FILL 2850-2630. PMP 22 SXS CMT TO PLUG 2630-2530. PUMP 64 BBLS 9PPG MUD(2530-988). PMP 45 SXS CMT TO PLUG 988-788. PMP 31BBLS 9PPG MUD (788-50). PMP 11 SXS CMT TO PLUG 50-0'GUT OFF AND CAP 10-3/4" CSG 3' BELOW GL. INSCRIBE CAP AND RESTORE LOCATION.
(If additional space is needed attach separate page)
IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? NO IS ACO-1 FILED? YES
If not explain why? LOGS SUBMITTED W/ ORIG. COMPLETION REPORT OR DRILLER'S LOG
PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et. seq. AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.
LIST NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS:
CURTIS CLARK PHONE# (316) 544-4344
ADDRESS P.O. BOX 208 City/State HUGOTON, KANSAS 67951
PLUGGING CONTRACTOR SARGENT & HORTON PLUGGING, INC. KCC LICENSE # 31151 (company name) (contractor's)
ADDRESS RT 1, BOX 49BA, TYRONE, OK 73951-9731 PHONE # (405) 854-6515
PROPOSED DATE AND HOUR OF PLUGGING (If Known?) UPON APPROVAL
DATE: 6/12/98 AUTHORIZED OPERATOR/AGENT: SHAWN D TOUNG (SIGNATURE)
SHAWN D. YOUNG (Signature)

ANADARKO PETROLEUM CORPORATION

PHONE 316 - 624 - 6253 。 1701 NORTH KANSAS AVE. 。 P.O. BOX 351 。 LIBERAL, KANSAS 67905 - 0351



June 15, 1998

Kansas Corporation Commission Conservation Division Finney State Office Building 130 South Market, Rm. 2078 Wichita, Kansas 67202

Attn.: Ms. Janet Pierce

Re: Well Plugging Application Form (Form CP-1)

ISOM #1-24 Sec. 24-34S-39W Stevens County, Kansas

Dear Janet:

Enclosed in duplicate is a well plugging application (Form CP-1) for the referenced well. Upon approval of this application, please notify this office at the letterhead address so that plugging operations may commence.

Very truly yours,

Shawn D. Young

Division Production Engineer

JTC/sjc

Enclosure

cc: Well File

TRC - HGO

Manager Land Administration - HGO

WI Owners

kccintpa.doc

KAMSAS CORP COLL



Kansas Corporation Commission

Bill Graves, Governor John Wine, Chair Susan M. Seltsam, Commissioner Cynthia L. Claus, Commissioner

NOTICE OF RECEIPT OF WELL PLUGGING APPLICATION (CP-1)

June 29, 1998

Anadarko Petroleum Corporation PO Box 351 Liberal, Ks. 67905-0351 Isom #1-24 API 15-18900678 SE SE NW NE Sec. 24-34S-39W Stevens County

Dear Anadarko Petroleum.

This letter is to notify you that the Conservation Division is in receipt of your plugging proposal, form CP-1, for the above-captioned well.

Your CP-1 has been reviewed by the Conservation Division central office for completeness and to verify license numbers. The plugging proposal will now be forwarded to the district office listed below for review of your proposed method of plugging.

Please contact the district office for approval of your proposed plugging method at least at five (5) days before plugging the well, pursuant to K.A.R. 82-3-113 (b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit.

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well.

This notice in no way constitutes authorization to plug the abovecaptioned well by persons not having legal rights of ownership or interest in the well. This notice is void after ninety (90) days from the above date.

David P. Williams

Production Supervisor

District: #1 304 W. McArtor Dodge City, KS 67801 (316) 225-8888 CONSERVATION DIVISION
Finney State Office Building
130 South Market
Wichita, Kansas 67202

WELL PLUGGING APPLICATION FORM (PLEASE TYPE FORM and File ONE Copy)

API # 15-189-00678 - 200 (Identifier number of this well). This must be listed for wells drilled since 1967; if no API# was issued, indicate spud or completion date.
WELL OPERATOR ANADARKO PETROLEUM CORPORATION KCC LICENSE # 4549 (98) (owner/company name) (operator's)
ADDRESS P.O. BOX 351 (owner/company name) (operator's) CITY LIBERAL
STATE KANSAS ZIP CODE 67905-0351 CONTACT PHONE # (316) 624-6253
LEASEISOM WELL# 1-24 SEC. 24 T. 34S R. 39 (XXXX/West)
SE - SE - NW - NE SPOT LOCATION/0000 COUNTY STEVENS
1300 FEET (in exact footage) FROM N/X (circle one) LINE OF SECTION (NOT LeaseLine)
1330 FEET (in exact footage) FROM E/X (circle one) LINE OF SECTION (NOT LeaseLine)
Check One: OIL WELL GAS WELL X DEA SWD/ENHR WELL DOCKET#
CONDUCTOR CASING SIZE SET AT CEMENTED WITH SACKS
SURFACE CASING SIZE 10 3/4" SET AT 888 CEMENTED WITH 500 SACKS
PRODUCTION CASING SIZE 7" SET AT 2645 CEMENTED WITH 500 SACKS
LIST (ALL) PERFORATIONS and BRIDGEPLUG SETS: 5-1/2" LINER 2635-2850'
ELEVATION 3292.5- T.D. 2850 PBTD 2850 ANHYDRITE DEPTH NA (Stone Corral Formation)
CONDITION OF WELL: GOOD X POOR CASING LEAK JUNK IN HOLE PROPOSED METHOD OF PLUGGING NOTIFY DISTRICT OFFICE 72 HRS PRIOR TO PLUGGING. MIRU CASING PULLERS. DUMP 35 SXS SAND DOWN CSG TO FILL UP 2050-2630'. PMP 22 SXS CMT TO PLUG 2630-2530. PUMP 64 BBLS 9PPG MUD. (2530-988). PUMP 45 SXS CMT TO PLUG 980-768'. PMF 31 BBLS 9PPG MUD (788-50) PMP 11 SXS CMT TO PLUG 50-0'. CUT OFF AND CAP 104" CSG 3' BELOW GL. INSCRIBE WELL NAME, NUMBER, LEGAL DESCRIPTION, AND PLUGGING DATE ON CAP. RDMO CASING PULLERS. RESTORE LOCATION.
(If additional space is needed attach separate page)
IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? NO IS ACO-1 FILED? YES
If not explain why? FILED WITH ORIGINAL ACO-1
PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et. 8eg. AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.
LIST NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGINGOPERATIONS:
CURTIS CLARK PHONE# (316) 544-4344
ADDRESS P.O. BOX 40 City/State HUGOTON, KANSAS 67951
PLUGGING CONTRACTOR SARGENT & HORTON PLUGGING, INC. KCC LICENSE # 31151 (company name) (contractor's) ADDRESS RT 1, BOX 49BA, TYRONE, OK 73951-9731 PHONE # (405) 854-6515
PROPOSED DATE AND HOUR OF PLUGGING (If Known?) UPON APPROVAL
PAYMENT OF THE PLUGGING FEE (K.A.R. 82-3-118) WILL BE GUARANTEED BY OPERATOR OR AGENT
DATE: 2/6/98 AUTHORIZED OPERATOR/AGENT: SHAWN YOUNG (Signature) DIV. FROD. ENG.



Kansas Corporation Commission

Bill Graves, Governor John Wine, Chair Susan M. Seltsam, Commissioner Cynthia L. Claus, Commissioner

NOTICE OF RECEIPT OF WELL PLUGGING APPLICATION (CP-1)

April 6, 1998

Anadarko Petroleum Corporation P O Box 351 Liberal KS 67905-0351 Isom #1-24 API 15-189-00,678 1300 FNL 1330 FEL Sec. 24-34S-39W Stevens County

Dear Curtis Clark,

This letter is to notify you that the Conservation Division is in receipt of your plugging proposal, form CP-1, for the above-captioned well.

Your CP-1 has been reviewed by the Conservation Division central office for completeness and to verify license numbers. The plugging proposal will now be forwarded to the district office listed below for review of your proposed method of plugging.

Please contact the district office for approval of your proposed plugging method at least at five (5) days before plugging the well, pursuant to K.A.R. 82-3-113 (b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit.

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well.

This notice in no way constitutes authorization to plug the abovecaptioned well by persons not having legal rights of ownership or interest in the well. This notice is void after ninety (90) days from the above date.

David P. Williams

Production Supervisor

District: #1 304 W. McArtor Dodge City, KS 67801

(316) 225-6760

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
Finney State Office Building
130 South Market
Wichita, Kansas 67202

WELL PLUGGING APPLICATION FORM (PLEASE TYPE FORM and File ONE Copy)

API # 15-189-00678 -000 (Identifier number of this well). This must be listed for well drilled since 1967; if no API# was issued, indicate spud or completion date.
WELL OPERATOR ANADARKO PETROLEUM CORPORATION KCC LICENSE # 4549 (owner/company name) (operator's)
(owner/company name) (operator's) ADDRESS P.O. BOX 351 CITY LIBERAL
STATE KANSAS ZIP CODE 67905-0351 CONTACT PHONE # (316) 624-6253
LEASE <u>Isom</u> WELL# <u>1-24</u> SEC. <u>24</u> T. <u>34S</u> R. <u>39</u> (XXXX/West)
SE - SE - NW - NE SPOT LOCATION/QQQQ COUNTY STEVENS
1300 FEET (in exact footage) FROM N/X (circle one) LINE OF SECTION (NOT LeaseLine)
1330 FEET (in exact footage) FROM E/X (circle one) LINE OF SECTION (NOT LeaseLine)
Check One: OIL WELL GAS WELL X D&A SWD/ENHR WELLDOCKET#
CONDUCTOR CASING SIZE SET AT CEMENTED WITHSACKS
SURFACE CASING SIZE 10 3/4" SET AT 888 CEMENTED WITH 500 SACKS
PRODUCTION CASING SIZE 7" SET AT 2645 CEMENTED WITH 500 SACKS
LIST (ALL) PERFORATIONS and BRIDGEPLUG SETS: 5-1/2" LINER 2635-2850'
ELEVATION 3292.5- T.D. 2850 PBTD 2850 ANHYDRITE DEPTH NA (Stone Corral Formation)
CONDITION OF WELL: GOOD X POOR CASING LEAK JUNK IN HOLE—PROPOSED METHOD OF PLUGGING NOTIFY DISTRICT OFFICE 72 HRS PRIOR TO PLUGGING. MIRU CASING PULLERS. DUMP 35 SXS SAND DOWN CSG TO FILL UP 2850-2630'. PMP 22 SXS CMT TO PLUG 2630-2530. PUMP 64 BBLS 9PPG MUD. (2530-988). PUMP 45 SXS CMT TO PLUG 988-788'. PMP 31 BBLS 9PPG MUD (788-50) PMF 11 SXS CMT TO PLUG 50-0'. CUT OFF AND CAP 10%" CSG 3' BELOW GL. INSCRIBE WELL NAME, NUMBER, LEGAL DESCRIPTION, AND PLUGGING DATE ON CAP. RDMO CASING PULLERS. RESTORE LOCATION.
(If additional space is needed attach separate page) IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? NO IS ACO-1 FILED? YES
If not explain why? FILED WITH ORIGINAL ACO-1
PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. $55-101$ et. seq. and the RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.
LIST NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGINGOPERATIONS:
CURTIS CLARK PHONE# (316) 544-4344
ADDRESS P.O. BOX 40 City/State HUGOTON, KANSAS 67951
PLUGGING CONTRACTOR SARGENT & HORTON PLUGGING, INC. KCC LICENSE # 31151 (company name) (contractor's) ADDRESS RT 1, BOX 49BA, TYRONE, OK 73951-9731 PHONE # (405) 854-6515
PROPOSED DATE AND HOUR OF PLUGGING (If Known?) UPON APPROVAL
PAYMENT OF THE PLUGGING FEE (K.A.R. 82-3-118) WILL BE GUARANTEED BY OPERATOR OR AGENT DATE: 2/6/98 AUTHORIZED OPERATOR/AGENT: SHAWN YOUNG (Signature) DTV: PROD. ENG.
SHAWN YOUNG (Signature) DIV: PROD. ENG.

[FEB 1] 1979



Kansas Corporation Commission

Bill Graves, Governor John Wine, Chair Susan M. Seltsam, Commissioner Cynthia L. Claus, Commissioner

NOTICE OF RECEIPT OF WELL PLUGGING APPLICATION (CP-1)

February 17, 1998

Anadarko Petroleum Corporation P O Box 351 Liberal KS 67905-0351 Isom #1-24 API 15-189-00,678 1300 FNL 1330 FEL Sec. 24-34S-39W Stevens County

Dear Curtis Clark,

This letter is to notify you that the Conservation Division is in receipt of your plugging proposal, form CP-1, for the above-captioned well.

Your CP-1 has been reviewed by the Conservation Division central office for completeness and to verify license numbers. The plugging proposal will now be forwarded to the district office listed below for review of your proposed method of plugging.

Please contact the district office for approval of your proposed plugging method at least at five (5) days before plugging the well, pursuant to K.A.R. 82-3-113 (b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit.

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well.

This notice in no way constitutes authorization to plug the abovecaptioned well by persons not having legal rights of ownership or interest in the well. This notice is void after ninety (90) days from the above date.

Sincerely,

David P. Williams Production Supervisor

District: #1 304 W. McArtor

Dodge City, KS 67801

(316) 225-6760