

15-129-00124-0000

STATE OF KANSAS  
STATE CORPORATION COMMISSION

Form CP-4

WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
212 No. Market  
Wichita, Kansas

Morton County, Sec. 31 Twp. 32S Rge. 40W (E) (W)

Location as "NE/CNW/SW" or footage from lines C/SW SW NE

Lease Owner J. M. Huber Corporation

Lease Name Lemon Well No. 1

Office Address P. O. Box 911, Amarillo, Texas

Character of Well (completed as Oil, Gas or Dry Hole) Gas

Date well completed 2-5- 1954

Application for plugging filed September 10 1969

Application for plugging approved September 24 1969


Plugging commenced December 13 1969

Plugging completed December 13 1969

Reason for abandonment of well or producing formation Unprofitable

If a producing well is abandoned, date of last production April 1969

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well Mr. E. Eves

Producing formation Morrow Depth to top 5450 Bottom 5513 Total Depth of Well 2474 PETD Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
<u>Morrow</u>	<u>Limestone</u>	<u>5450</u>	<u>5513</u>	<u>8-5/8</u>	<u>CE 12478</u>	<u>-0-</u>

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Spotted 40 sacks cement 2410'-2192', mud laden fluid 2192'-660', 40 sacks cement 660'-480', mud laden fluid 480'-30', 10 sacks cement 65'-5'. Cut off & capped. No pipe recovery.

RECEIVED  
STATE CORPORATION COMMISSION  
DEC 24 1969  
CONSERVATION DIVISION  
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)  
Name of Plugging Contractor Daco Lease & Well Service  
Address 1700 S. Main, Borger, Texas 79007

STATE OF Texas, COUNTY OF Potter, ss.  
Bob Conley (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Bob Conley  
P.O. Box 911, Amarillo, Texas  
(Address)

SUBSCRIBED AND SWORN TO before me this 29th day of December, 1969

My commission expires June 1, 1971  
Sharon E. Dowell  
Notary Public.

DRILLER'S LOG

COMPANY: J. M. HUBER CORPORATION LOCATION: SW SW NE, S1-S23-40E  
 CONTRACTOR: J. M. HUBER CORPORATION Morton County, Kansas  
 FARM NAME: NO. 1 LEACH ELEVATION: 3391 Derrick floor  
 COMMENCED: 6-24-53 PRODUCTION FROM HOLETOP SECTION  
 COMPLETED: 7-29-53

CASING USED: 13 1/2" at 620' with 550 sacks cement  
 8 5/8" at 2475' with 425 sacks cement, 106 sacks  
 stratacrete, 16 sacks gel

FORMATION	FROM	TO
Surface Soil	0	40
Clay-Sand	40	360
Yellow Clay	360	405
Red Bed	405	650
Red Bed & Gypsum	650	800
Red Bed & Shells	800	1090
Anhydrite-Sand Strata	1090	1170
Shale & Shells	1170	1590
Anhydrite	1590	1610
Shale-Shells	1610	1720
Shale & Anhydrite	1720	2253
Sand	2253	2274
Sand & Shale	2274	2300
Lime	2300	2355
Shale	2355	2350
Lime	2350	2395
Shale	2395	2425
Lime	2425	2500
Lime & Shale	2500	2520
Lime	2520	2650
Shale & Shells	2650	2800
Lime-Shale	2800	2890
Shale & Lime	2890	3030
Lime & Shale	3030	3030
Shale & Lime	3030	3140
Lime & Shale	3140	3315
Shale & Lime	3315	3395
Lime	3395	3415
Shale	3415	3450
Lime	3450	3500
Lime & Shale	3500	3552
Lime	3552	3579
Lime Shale	3579	3640
Lime	3640	3740
Shale & Lime	3740	3760
Lime	3760	3780
Lime Shale	3780	3805
Lime	3805	3820
Lime Shale	3820	3857
Lime	3857	3920
Lime Shale	3920	3970
Sandy Lime	3970	3990
Sandy Lime & Lime	3990	4071
Lime Shale	4071	4110
Lime	4110	4123

RECEIVED  
 STATE CORPORATION COMMISSION  
 SEP 24 1969  
 CONSERVATION DIVISION  
 Wichita, Kansas

DRILLER'S LOG CONTINUED  
 J. H. HUBER CORPORATION NO. 1 LEWIS  
 PAGE 2

<u>FORMATION</u>	<u>FROM</u>	<u>TO</u>
Shale	4125	4160
Lime	4160	4166
Shale	4166	4178
Lime	4178	4189
Shale	4189	4210
Lime	4210	4265
Shale	4265	4287
Lime	4287	4298
Limy Shale	4298	4322
Lime	4322	4343
Shale & Limy Shale	4343	4399
Lime	4399	4424
Lime & Shaly Lime	4424	4460
Shale	4460	4478
Lime	4478	4495
Shale & Limy Shale	4495	4534
Lime	4534	4541
Limy Shale	4541	4582
Lime & Shaly Lime	4582	4600
Shale	4600	4633
Lime & Shaly Lime	4633	4716
Lime & Shale	4716	4718
Sandy Lime & Shaly Lime	4718	4828
Shale	4828	4840
Lime	4840	4846
Shale	4846	4848
Lime	4848	4866
Shaly Lime	4866	4878
Lime & Sandy Lime	4878	4882
Shale	4882	5012
Sandy Lime	5012	5017
Shale	5017	5037
Sandy Lime	5037	5047
Shale & Limy Shale	5047	5142
Shaly Lime & Shale	5142	5182
Shale	5182	5265
Sandy Lime	5265	5282
Shale	5282	5350
Sandy Lime	5350	5374
Shale	5374	5443
Lime	5443	5568
Shaly Lime	5568	5594
Lime	5594	5605

RECEIVED  
 STATE CORPORATION COMMISSION  
 SEP 24 1969  
 CONSERVATION DIVISION  
 Wichita, Kansas

STATE OF KANSAS }  
 COUNTY OF SEDWICK } 58

I, Richard C. Strohmeyer, hereby certify that the above is a true and correct copy of the log of the No. 1 Lewis, located in the Southwest Quarter of the Southwest Quarter of the Northeast Quarter (SW SW NW) of Section 31, Township 32 South, Range 40 West, Morton County, Kansas.

*Richard C. Strohmeyer*  
 Richard C. Strohmeyer, District Geologist  
 J. H. HUBER CORPORATION

Subscribed and sworn to before me this 30th day of September, 1955.

My commission expires January 26, 1957

*Dorothy J. Reese*  
 Notary Public