

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

Operator: License # 5038

Name: Robinson Oil Company

Address 300 W Douglas #420
Wichita KS 67202

City/State/Zip _____

Purchaser: na

Operator Contact Person: Bruce Robinson

Phone (316) 262-6734

Contractor: Name: Allen Drilling Company

License: 5418

Wellsite Geologist: Ben C. Landes

Designate Type of Completion
 New Well Re-Entry Workover

Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover:

Operator: _____

Well Name: _____

Comp. Date _____ Old Total Depth _____

Deepening Re-perf. Conv. to Inj/SWD
 Plug Back PBSD
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Inj?) Docket No. _____

6.7.97 Spud Date 6.21.97 Date Reached TD 6.21.97 Completion Date

API NO. 15- 025-211640000 ORIGINAL

County Clark

C - S 1/2 - NE - Sec. 22 Twp. 31 Rge. 21W E
W

1980 Feet from S/N (circle one) Line of Section

1320 Feet from E/W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(NE), SE, NW or SW (circle one)

Lease Name Berryman "A" Well # 2

Field Name Lexington East

Producing Formation NA

Elevation: Ground 2078 KB 2082

Total Depth 5210 PBTD na

Amount of Surface Pipe Set and Cemented at 607 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan DATA, 4-1-98 U.C.
(Data must be collected from the Reserve Pit)

Chloride content 22000 ppm Fluid volume 80 bbls

Dewatering method used allow to dry completely

Location of fluid disposal if hauled offsite: _____

Operator Name _____

Lease Name _____ License No. _____

Quarter _____ Sec. _____ Twp. _____ S. Rng. _____ E/W

County _____ Docket No. _____

RECEIVED
KANSAS CORP COM 1
JUN -3 11:59 AM '99

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature [Signature]
Title President Date 6/30/97

Subscribed and sworn to before me this 30th day of June 1997.

Notary Public [Signature]
Date Commission Expires 5/26/98

CYNTHIA L. WOLF
Notary Public - State of Kansas
My App. Expires 5/26/98

K.C.C. OFFICE USE ONLY
F Letter of Confidentiality Attached
C Wireline Log Received
C Geologist Report Received
Distribution
 KCC SWD/Rep NGPA
 KGS Plug Other
(Specify)

SIDE TWO

Operator Name, Robinson Oil Company

Lease Name Berryman "A"

Well # #2

Sec. 22 Twp. 31 Rge. 21W East West

County Clark

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets.)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy.)
 List All E.Logs Run: CND, GR, SP, CAL, Sonic

Name	Formation (Top), Depth and Datums		Sample
	Top	Datum	
Heebner	4205	-2123	
Br Lime	4388	-2306	
L/kc	4409	-2327	
B/KCX	4866	-2784	
Marmaton	4885	-2803	
Cherokee	5009	-2927	
Morrow Sh	5109	-3027	
Morrow Sd	absent		
Mississippi	5120	-3038	

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	24#	607	common	200	2% 3%

ADDITIONAL CEMENTING/SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)	Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or Inj. <u>D+A</u>				Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls. <u>N-A</u>	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity		

Disposition of Gas: Vented Sold Used on Lease (If vented, submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

ORIGINAL

ALLIED CEMENTING CO., INC. 5615

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: C.O.B.

DATE <u>6-22-97</u>	SEC <u>22</u>	TWP <u>31</u>	RANGE <u>21</u>	6-21-97 CALLED OUT <u>11 PM</u>	ON LOCATION <u>3 AM</u>	JOB START <u>4:30 AM</u>	JOB FINISH <u>6 AM</u>
LEASE <u>Berry M</u> WELL# <u>A-2</u>				LOCATION <u>S. 1/4 Sec 9N 2E 21N 3E N1/4</u>		COUNTY <u>Clark</u>	STATE <u>K.S.</u>

OLD OR NEW (Circle one)

CONTRACTOR Allen Drilling Rig 1

TYPE OF JOB Rotary Plug

HOLE SIZE _____ T.D. 5210 ft

CASING SIZE 4 1/2 DEPTH 607 ft

TUBING SIZE _____ DEPTH _____

DRILL PIPE 4 1/2 DEPTH 990 ft

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

OWNER _____ CEMENT _____

AMOUNT ORDERED 135 @ 67.50

COMMON _____ @ _____

POZMIX _____ @ _____

GEL _____ @ _____

CHLORIDE _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING _____ @ _____

MILEAGE _____ @ _____

EQUIPMENT

PUMP TRUCK CEMENTER M.K. M

120 HELPER Deane S.

BULK TRUCK _____

344 DRIVER Rick W.

BULK TRUCK _____

_____ DRIVER _____

TOTAL _____

REMARKS:

SERVICE

Mix 50 ft at 990 ft ✓

Mix 50 ft at 630 ft

Mix used out well with plug

Set hole back

minutes to 10 ft

DEPTH OF JOB 990 ft

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE _____ @ _____

MILEAGE _____ @ _____

PLUG 1.25 @ Hole Plug @ _____

_____ @ _____

_____ @ _____

TOTAL _____

CHARGE TO: Robinson oil

STREET 300 W Douglas suite 420

CITY Wichita STATE K.S. ZIP 67202

FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

Thank you

Allied Cementing Co. Inc.

M.K. & Deane & Rick


RECEIVED
KANSAS CORP COMM
TOTAL
JUL - 11
A 11:59

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

cat

JAV



ORIGINAL

ALLIED CEMENTING CO., INC. 6543

P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
med lodges

DATE <u>6-8-97</u>	SEC. <u>22</u>	TWP. <u>31</u>	RANGE <u>21</u>	CALLED OUT <u>6:30 AM</u>	ON LOCATION <u>10:30 AM</u>	JOB START <u>1:15 PM</u>	JOB FINISH <u>2:00 PM</u>
LEASE <u>Bryman</u>		WELL # <u>A-#2</u>		LOCATION <u>Coldwater, Carwash, 962-211-662-211-1/4E</u>		COUNTY <u>CLARK</u>	STATE <u>Ks.</u>
OLD OR NEW (Circle one)				N/S			

CONTRACTOR Allen Doh
 TYPE OF JOB Surface CSG
 HOLE SIZE 12 1/4 T.D. 667
 CASING SIZE 8 5/8 x 24 DEPTH 666
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX MINIMUM 2.0
 MEAS. LINE SHOE JOINT 42.30
 CEMENT LEFT IN CSG.
 PERFS.

OWNER Robinson Oil Co.
 CEMENT

AMOUNT ORDERED 200 SXS. ALWT. 3% CALL 2
1/4# Flc Seal. 100 SXS. CLASS A 3% CALL 2
2% Gel

COMMON _____ @ _____
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 HANDLING _____ @ _____
 MILEAGE _____ @ _____

EQUIPMENT

PUMP TRUCK CEMENTER Arroyo Dreading
 # 233-302 HELPER Justin Hart
 BULK TRUCK
 # 239-314 DRIVER Randie L.
 BULK TRUCK
 # _____ DRIVER _____

TOTAL _____

REMARKS:

SERVICE

Line on Bottom. Circled by Pump
Cement 200 SXS ALWT. 3% CALL 2 1/4# Flc Seal
100 SXS CLASS A 3% CALL 2 + 2% Gel
Release New Displace + Pump Plug
1.56 3/4 1315 Fresh H2O Pump Plug
Switch To Cement Line to Surface

DEPTH OF JOB 666'
 PUMP TRUCK CHARGE _____
 EXTRA FOOTAGE _____ @ _____
 MILEAGE _____ @ _____
 PLUG Rubber _____ @ _____
 _____ @ _____
 _____ @ _____

TOTAL _____

CHARGE TO: Robinson Oil Co.
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

1- Battle Plate @ _____
 1- Centerizer @ _____
 1- Basket @ _____
 _____ @ _____
 _____ @ _____

RECEIVED
 KANSAS CORP COMM
 TOTAL
 6-11-97 11:59

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE X [Signature]

WV